

Liste de prix



WEVER & DUCRÉ
LIGHTING

Valable dès le 15.02.2025



BDK Luminaires

Votre spécialiste en luminaires



Frais de port & TAR non compris

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W110120B0	RONY CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	109.05	117.90
W110120W0	RONY CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	109.05	117.90
W110241B3	RONY CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 narrow	190.20	205.60
W110241B5	RONY CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 narrow	190.20	205.60
W110241W3	RONY CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90 narrow	190.20	205.60
W110241W5	RONY CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90 narrow	190.20	205.60
W110261B3	RONY CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 standard	190.20	205.60
W110261B5	RONY CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 standard	190.20	205.60
W110261B9	RONY CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 17V CRI90 standard	190.20	205.60
W110261W3	RONY CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90 standard	190.20	205.60
W110261W5	RONY CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90 standard	190.20	205.60
W110261W9	RONY CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 17V CRI90 standard	190.20	205.60
W110271B3	RONY CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 wide	190.20	205.60
W110271B5	RONY CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 wide	190.20	205.60
W110271W3	RONY CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90 wide	190.20	205.60
W110271W5	RONY CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90 wide	190.20	205.60
W111120B0	RON CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	109.05	117.90
W111120W0	RON CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	109.05	117.90
W111220B0	RON CEILING REC 2.0 PAR16 B	max. 2x12W GU10 100-240VAC	189.90	205.30
W111220W0	RON CEILING REC 2.0 PAR16 W	max. 2x12W GU10 100-240VAC	189.90	205.30
W111441B3	RON CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 narrow	190.20	205.60
W111441B5	RON CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 narrow	190.20	205.60
W111441W3	RON CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90 narrow	190.20	205.60
W111441W5	RON CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90 narrow	190.20	205.60
W111461B3	RON CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 standard	190.20	205.60
W111461B5	RON CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 standard	190.20	205.60
W111461B9	RON CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 17V CRI90 standard	190.20	205.60
W111461W3	RON CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90 standard	190.20	205.60
W111461W5	RON CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90 standard	190.20	205.60
W111461W9	RON CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 17V CRI90 standard	190.20	205.60
W111471B3	RON CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 wide	190.20	205.60
W111471B5	RON CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 wide	190.20	205.60
W111471W3	RON CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90 wide	190.20	205.60
W111471W5	RON CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90 wide	190.20	205.60
W111541B3	RON CEILING REC 2.0 LED 2700K B	2X6/9W 350/500mA 17V CRI90 narrow	352.35	380.90
W111541B5	RON CEILING REC 2.0 LED 3000K B	2X6/9W 350/500mA 17V CRI90 narrow	352.35	380.90
W111541W3	RON CEILING REC 2.0 LED 2700K W	2X6/9W 350/500mA 17V CRI90 narrow	352.35	380.90
W111541W5	RON CEILING REC 2.0 LED 3000K W	2X6/9W 350/500mA 17V CRI90 narrow	352.35	380.90
W111561B3	RON CEILING REC 2.0 LED 2700K B	2X6/9W 350/500mA 17V CRI90 standard	352.35	380.90
W111561B5	RON CEILING REC 2.0 LED 3000K B	2X6/9W 350/500mA 17V CRI90 standard	352.35	380.90
W111561B9	RON CEILING REC 2.0 LED 2000-3000K B	2X6/9W 350/500mA 17V CRI90 standard	352.35	380.90
W111561W3	RON CEILING REC 2.0 LED 2700K W	2X6/9W 350/500mA 17V CRI90 standard	352.35	380.90
W111561W5	RON CEILING REC 2.0 LED 3000K W	2X6/9W 350/500mA 17V CRI90 standard	352.35	380.90
W111561W9	RON CEILING REC 2.0 LED 2000-3000K W	2X6/9W 350/500mA 17V CRI90 standard	352.35	380.90
W111571B3	RON CEILING REC 2.0 LED 2700K B	2X6/9W 350/500mA 17V CRI90 wide	352.35	380.90
W111571B5	RON CEILING REC 2.0 LED 3000K B	2X6/9W 350/500mA 17V CRI90 wide	352.35	380.90
W111571W3	RON CEILING REC 2.0 LED 2700K W	2X6/9W 350/500mA 17V CRI90 wide	352.35	380.90
W111571W5	RON CEILING REC 2.0 LED 3000K W	2X6/9W 350/500mA 17V CRI90 wide	352.35	380.90
W112110B0	DEEP CEILING REC 1.0 MR16 B	max. 12W GU5.3 12V	41.70	45.10
W112110B0C	DEEP CEILING REC 1.0 MR16 B	max. 12W GU5.3 12V BLADE SPRINGS	43.20	46.70
W112110G0	DEEP CEILING REC 1.0 MR16 G	max. 12W GU5.3 12V	41.70	45.10
W112110M0	DEEP CEILING REC 1.0 MR16 M	max. 12W GU5.3 12V	41.70	45.10
W112110S0	DEEP CEILING REC 1.0 MR16 S	max. 12W GU5.3 12V	41.70	45.10
W112110W0	DEEP CEILING REC 1.0 MR16 W	max. 12W GU5.3 12V	41.70	45.10
W112110W0C	DEEP CEILING REC 1.0 MR16 W	max. 12W GU5.3 12V BLADE SPRINGS	43.20	46.70
W112120B0	DEEP CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	41.70	45.10
W112120B0C	DEEP CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC BLADE SPRINGS	43.20	46.70
W112120G0	DEEP CEILING REC 1.0 PAR16 G	max. 12W GU10 100-240VAC	41.70	45.10
W112120M0	DEEP CEILING REC 1.0 PAR16 M	max. 12W GU10 100-240VAC	41.70	45.10
W112120S0	DEEP CEILING REC 1.0 PAR16 S	max. 12W GU10 100-240VAC	41.70	45.10
W112120W0	DEEP CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	41.70	45.10
W112120W0C	DEEP CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC BLADE SPRINGS	43.20	46.70
W112310B0	DEEP ADJUST CEILING REC 1.0 MR16 B	max. 12W GU5.3 12V	61.85	66.85
W112310B0C	DEEP ADJUST CEILING REC 1.0 MR16 B	max. 12W GU5.3 12V BLADE SPRINGS	63.35	68.50
W112310G0	DEEP ADJUST CEILING REC 1.0 MR16 G	max. 12W GU5.3 12V	61.85	66.85
W112310M0	DEEP ADJUST CEILING REC 1.0 MR16 M	max. 12W GU5.3 12V	61.85	66.85
W112310Q0	DEEP ADJUST CEILING REC 1.0 MR16 Q	max. 12W GU5.3 12V	61.85	66.85
W112310S0	DEEP ADJUST CEILING REC 1.0 MR16 S	max. 12W GU5.3 12V	61.85	66.85
W112310W0	DEEP ADJUST CEILING REC 1.0 MR16 W	max. 12W GU5.3 12V	61.85	66.85
W112310W0C	DEEP ADJUST CEILING REC 1.0 MR16 W	max. 12W GU5.3 12V BLADE SPRINGS	63.35	68.50
W112320B0	DEEP ADJUST CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	61.85	66.85
W112320B0C	DEEP ADJUST CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC BLADE SPRINGS	63.35	68.50
W112320G0	DEEP ADJUST CEILING REC 1.0 PAR16 G	max. 12W GU10 100-240VAC	61.85	66.85
W112320M0	DEEP ADJUST CEILING REC 1.0 PAR16 M	max. 12W GU10 100-240VAC	61.85	66.85
W112320Q0	DEEP ADJUST CEILING REC 1.0 PAR16 Q	max. 12W GU10 100-240VAC	61.85	66.85
W112320S0	DEEP ADJUST CEILING REC 1.0 PAR16 S	max. 12W GU10 100-240VAC	61.85	66.85
W112320W0	DEEP ADJUST CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	61.85	66.85
W112320W0C	DEEP ADJUST CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC BLADE SPRINGS	63.35	68.50
W112420B0	DEEP ADJUST ASYM CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	80.35	86.85
W112420G0	DEEP ADJUST ASYM CEILING REC 1.0 PAR16 G	max. 12W GU10 100-240VAC	80.35	86.85
W112420S0	DEEP ADJUST ASYM CEILING REC 1.0 PAR16 S	max. 12W GU10 100-240VAC	80.35	86.85
W112420W0	DEEP ADJUST ASYM CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	80.35	86.85
W112610B0	DEEP IP44 CEILING REC 1.0 MR16 B	max. 12W GU5.3 12V	82.70	89.40
W112610B0C	DEEP IP44 CEILING REC 1.0 MR16 B	max. 12W GU5.3 12V BLADE SPRINGS	84.20	91.00
W112610W0	DEEP IP44 CEILING REC 1.0 MR16 W	max. 12W GU5.3 12V	82.70	89.40
W112610W0C	DEEP IP44 CEILING REC 1.0 MR16 W	max. 12W GU5.3 12V BLADE SPRINGS	84.20	91.00
W112620B0	DEEP IP44 CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	82.70	89.40
W112620B0C	DEEP IP44 CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC BLADE SPRINGS	84.20	91.00
W112620W0	DEEP IP44 CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	82.70	89.40
W112620W0C	DEEP IP44 CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC BLADE SPRINGS	84.20	91.00
W112720B0	DEEP ADJUST CEILING REC 2.0 PAR16 B	max. 2x12W GU10 100-240VAC	116.75	126.20
W112720W0	DEEP ADJUST CEILING REC 2.0 PAR16 W	max. 2x12W GU10 100-240VAC	116.75	126.20
W112810B0	DEEP ADJUST TRIMLESS CEILING REC 1.0 MR16 B	max. 12W GU5.3 12V	75.35	81.45
W112810G0	DEEP ADJUST TRIMLESS CEILING REC 1.0 MR16 G	max. 12W GU5.3 12V	75.35	81.45

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W112810W0	DEEP ADJUST TRIMLESS CEILING REC 1.0 MR16 W	max. 12W GU5.3 12V	75.35	81.45
W112820B0	DEEP ADJUST TRIMLESS CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	75.35	81.45
W112820G0	DEEP ADJUST TRIMLESS CEILING REC 1.0 PAR16 G	max. 12W GU10 100-240VAC	75.35	81.45
W112820W0	DEEP ADJUST TRIMLESS CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	75.35	81.45
W112961B5	DEEP ADJUST FORT CEILING REC 1.0 LED 3000K B	25W 700mA 35V CRI90	225.95	244.25
W112961B7	DEEP ADJUST FORT CEILING REC 1.0 LED 4000K B	25W 700mA 35V CRI90	225.95	244.25
W112961W5	DEEP ADJUST FORT CEILING REC 1.0 LED 3000K W	25W 700mA 35V CRI90	225.95	244.25
W112961W7	DEEP ADJUST FORT CEILING REC 1.0 LED 4000K W	25W 700mA 35V CRI90	225.95	244.25
W114881B5	LUNA ROUND IP44 CEILING REC 1.0 LED 3000K B	6W 350mA 18V CRI90	91.95	99.40
W114881W5	LUNA ROUND IP44 CEILING REC 1.0 LED 3000K W	6W 350mA 18V CRI90	91.95	99.40
W114981B5	LUNA SQUARE IP44 CEILING REC 1.0 LED 3000K B	6W 350mA 18V CRI90	91.95	99.40
W114981W5	LUNA SQUARE IP44 CEILING REC 1.0 LED 3000K W	6W 350mA 18V CRI90	91.95	99.40
W115488B5	CITY IP44 CEILING REC 1.6 LED 3000K B	12W 220-240VAC DIM CRI90	228.30	246.80
W115488W5	CITY IP44 CEILING REC 1.6 LED 3000K W	12W 220-240VAC DIM CRI90	228.30	246.80
W115588B5	CITY IP44 CEILING REC 2.6 LED 3000K B	18W 220-240VAC DIM CRI90	357.45	386.40
W115588W5	CITY IP44 CEILING REC 2.6 LED 3000K W	18W 220-240VAC DIM CRI90	357.45	386.40
W118120B0	PLANO CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	68.90	74.50
W118120Q0	PLANO CEILING REC 1.0 PAR16 Q	max. 12W GU10 100-240VAC	68.90	74.50
W118120S0	PLANO CEILING REC 1.0 PAR16 S	max. 12W GU10 100-240VAC	68.90	74.50
W118120W0	PLANO CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	68.90	74.50
W118220B0	PLANO CEILING REC 2.0 PAR16 B	max. 2x12W GU10 100-240VAC	113.45	122.65
W118220Q0	PLANO CEILING REC 2.0 PAR16 Q	max. 2x12W GU10 100-240VAC	113.45	122.65
W118220S0	PLANO CEILING REC 2.0 PAR16 S	max. 2x12W GU10 100-240VAC	113.45	122.65
W118220W0	PLANO CEILING REC 2.0 PAR16 W	max. 2x12W GU10 100-240VAC	113.45	122.65
W118410B0	PLANO IP44 CEILING REC 1.0 MR16 B	max. 35W GU5.3 12V	84.75	91.60
W118410W0	PLANO IP44 CEILING REC 1.0 MR16 W	max. 35W GU5.3 12V	84.75	91.60
W118420B0	PLANO IP44 CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	84.75	91.60
W118420W0	PLANO IP44 CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	84.75	91.60
W118520B0	PLANO CEILING SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	213.10	230.35
W118520CH0	PLANO CEILING SURF 1.0 PAR16 CH	max. 12W GU10 100-240VAC	213.10	230.35
W118520E0	PLANO CEILING SURF 1.0 PAR16 E	max. 12W GU10 100-240VAC	213.10	230.35
W118520W0	PLANO CEILING SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC	213.10	230.35
W118541B3	PLANO CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 narrow	150.05	162.20
W118541B5	PLANO CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 narrow	150.05	162.20
W118541Q3	PLANO CEILING REC 1.0 LED 2700K Q	6/9W 350/500mA 17V CRI90 narrow	150.05	162.20
W118541Q5	PLANO CEILING REC 1.0 LED 3000K Q	6/9W 350/500mA 17V CRI90 narrow	150.05	162.20
W118541S3	PLANO CEILING REC 1.0 LED 2700K S	6/9W 350/500mA 17V CRI90 narrow	150.05	162.20
W118541S5	PLANO CEILING REC 1.0 LED 3000K S	6/9W 350/500mA 17V CRI90 narrow	150.05	162.20
W118541W3	PLANO CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90 narrow	150.05	162.20
W118541W5	PLANO CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90 narrow	150.05	162.20
W118544B3	PLANO CEILING SURF 1.0 LED 2700K B	12W 220-240VAC DIM CRI90 narrow	296.30	320.30
W118544B5	PLANO CEILING SURF 1.0 LED 3000K B	12W 220-240VAC DIM CRI90 narrow	296.30	320.30
W118544CH3	PLANO CEILING SURF 1.0 LED 2700K CH	12W 220-240VAC DIM CRI90 narrow	296.30	320.30
W118544CH5	PLANO CEILING SURF 1.0 LED 3000K CH	12W 220-240VAC DIM CRI90 narrow	296.30	320.30
W118544E3	PLANO CEILING SURF 1.0 LED 2700K E	12W 220-240VAC DIM CRI90 narrow	296.30	320.30
W118544E5	PLANO CEILING SURF 1.0 LED 3000K E	12W 220-240VAC DIM CRI90 narrow	296.30	320.30
W118544W3	PLANO CEILING SURF 1.0 LED 2700K W	12W 220-240VAC DIM CRI90 narrow	296.30	320.30
W118544W5	PLANO CEILING SURF 1.0 LED 3000K W	12W 220-240VAC DIM CRI90 narrow	296.30	320.30
W118561B3	PLANO CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 standard	150.05	162.20
W118561B5	PLANO CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 standard	150.05	162.20
W118561B9	PLANO CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 17V CRI90 standard	150.05	162.20
W118561Q3	PLANO CEILING REC 1.0 LED 2700K Q	6/9W 350/500mA 17V CRI90 standard	150.05	162.20
W118561Q5	PLANO CEILING REC 1.0 LED 3000K Q	6/9W 350/500mA 17V CRI90 standard	150.05	162.20
W118561Q9	PLANO CEILING REC 1.0 LED 2000-3000K Q	6/9W 350/500mA 17V CRI90 standard	150.05	162.20
W118561S3	PLANO CEILING REC 1.0 LED 2700K S	6/9W 350/500mA 17V CRI90 standard	150.05	162.20
W118561S5	PLANO CEILING REC 1.0 LED 3000K S	6/9W 350/500mA 17V CRI90 standard	150.05	162.20
W118561S9	PLANO CEILING REC 1.0 LED 2000-3000K S	6/9W 350/500mA 17V CRI90 standard	150.05	162.20
W118561W3	PLANO CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90 standard	150.05	162.20
W118561W5	PLANO CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90 standard	150.05	162.20
W118561W9	PLANO CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 17V CRI90 standard	150.05	162.20
W118564B3	PLANO CEILING SURF 1.0 LED 2700K B	12W 220-240VAC DIM CRI90 standard	296.30	320.30
W118564B5	PLANO CEILING SURF 1.0 LED 3000K B	12W 220-240VAC DIM CRI90 standard	296.30	320.30
W118564B9	PLANO CEILING SURF 1.0 LED 2000-3000K B	12W 220-240VAC DIM CRI90 standard	296.30	320.30
W118564CH3	PLANO CEILING SURF 1.0 LED 2700K CH	12W 220-240VAC DIM CRI90 standard	296.30	320.30
W118564CH5	PLANO CEILING SURF 1.0 LED 3000K CH	12W 220-240VAC DIM CRI90 standard	296.30	320.30
W118564CH9	PLANO CEILING SURF 1.0 LED 2000-3000K CH	12W 220-240VAC DIM CRI90 standard	296.30	320.30
W118564E3	PLANO CEILING SURF 1.0 LED 2700K E	12W 220-240VAC DIM CRI90 standard	296.30	320.30
W118564E5	PLANO CEILING SURF 1.0 LED 3000K E	12W 220-240VAC DIM CRI90 standard	296.30	320.30
W118564E9	PLANO CEILING SURF 1.0 LED 2000-3000K E	12W 220-240VAC DIM CRI90 standard	296.30	320.30
W118564W3	PLANO CEILING SURF 1.0 LED 2700K W	12W 220-240VAC DIM CRI90 standard	296.30	320.30
W118564W5	PLANO CEILING SURF 1.0 LED 3000K W	12W 220-240VAC DIM CRI90 standard	296.30	320.30
W118564W9	PLANO CEILING SURF 1.0 LED 2000-3000K W	12W 220-240VAC DIM CRI90 standard	296.30	320.30
W118620B0	PLANO CEILING SURF 2.0 PAR16 B	max. 2x12W GU10 100-240VAC	300.05	324.35
W118620CH0	PLANO CEILING SURF 2.0 PAR16 CH	max. 2x12W GU10 100-240VAC	300.05	324.35
W118620E0	PLANO CEILING SURF 2.0 PAR16 E	max. 2x12W GU10 100-240VAC	300.05	324.35
W118620W0	PLANO CEILING SURF 2.0 PAR16 W	max. 2x12W GU10 100-240VAC	300.05	324.35
W118641B3	PLANO CEILING REC 2.0 LED 2700K B	2x6/9W 350/500mA 17V CRI90 narrow	275.90	298.25
W118641B5	PLANO CEILING REC 2.0 LED 3000K B	2x6/9W 350/500mA 17V CRI90 narrow	275.90	298.25
W118641Q3	PLANO CEILING REC 2.0 LED 2700K Q	2x6/9W 350/500mA 17V CRI90 narrow	275.90	298.25
W118641Q5	PLANO CEILING REC 2.0 LED 3000K Q	2x6/9W 350/500mA 17V CRI90 narrow	275.90	298.25
W118641S3	PLANO CEILING REC 2.0 LED 2700K S	2x6/9W 350/500mA 17V CRI90 narrow	275.90	298.25
W118641S5	PLANO CEILING REC 2.0 LED 3000K S	2x6/9W 350/500mA 17V CRI90 narrow	275.90	298.25
W118641W3	PLANO CEILING REC 2.0 LED 2700K W	2x6/9W 350/500mA 17V CRI90 narrow	275.90	298.25
W118641W5	PLANO CEILING REC 2.0 LED 3000K W	2x6/9W 350/500mA 17V CRI90 narrow	275.90	298.25
W118644B3	PLANO CEILING SURF 2.0 LED 2700K B	22W 220-240VAC DIM CRI90 narrow	468.95	506.95
W118644B5	PLANO CEILING SURF 2.0 LED 3000K B	22W 220-240VAC DIM CRI90 narrow	468.95	506.95
W118644CH3	PLANO CEILING SURF 2.0 LED 2700K CH	22W 220-240VAC DIM CRI90 narrow	468.95	506.95
W118644CH5	PLANO CEILING SURF 2.0 LED 3000K CH	22W 220-240VAC DIM CRI90 narrow	468.95	506.95
W118644E3	PLANO CEILING SURF 2.0 LED 2700K E	22W 220-240VAC DIM CRI90 narrow	468.95	506.95
W118644E5	PLANO CEILING SURF 2.0 LED 3000K E	22W 220-240VAC DIM CRI90 narrow	468.95	506.95
W118644W3	PLANO CEILING SURF 2.0 LED 2700K W	22W 220-240VAC DIM CRI90 narrow	468.95	506.95
W118644W5	PLANO CEILING SURF 2.0 LED 3000K W	22W 220-240VAC DIM CRI90 narrow	468.95	506.95
W118661B3	PLANO CEILING REC 2.0 LED 2700K B	2x6/9W 350/500mA 17V CRI90 standard	275.90	298.25
W118661B5	PLANO CEILING REC 2.0 LED 3000K B	2x6/9W 350/500mA 17V CRI90 standard	275.90	298.25

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W129151WM3	PIRRO PETIT CEILING REC 2.0 LED 2700K WM	4W 350mA 12V CRI90	120.65	130.40
W129151WM5	PIRRO PETIT CEILING REC 2.0 LED 3000K WM	4W 350mA 12V CRI90	120.65	130.40
W129251B3	PIRRO PETIT CEILING REC 4.0 LED 2700K B	8W 350mA 24V CRI90	185.20	200.20
W129251B5	PIRRO PETIT CEILING REC 4.0 LED 3000K B	8W 350mA 24V CRI90	185.20	200.20
W129251CH3	PIRRO PETIT CEILING REC 4.0 LED 2700K CH	8W 350mA 24V CRI90	185.20	200.20
W129251CH5	PIRRO PETIT CEILING REC 4.0 LED 3000K CH	8W 350mA 24V CRI90	185.20	200.20
W129251E3	PIRRO PETIT CEILING REC 4.0 LED 2700K E	8W 350mA 24V CRI90	185.20	200.20
W129251E5	PIRRO PETIT CEILING REC 4.0 LED 3000K E	8W 350mA 24V CRI90	185.20	200.20
W129251WM3	PIRRO PETIT CEILING REC 4.0 LED 2700K WM	8W 350mA 24V CRI90	185.20	200.20
W129251WM5	PIRRO PETIT CEILING REC 4.0 LED 3000K WM	8W 350mA 24V CRI90	185.20	200.20
W129351B3	PIRRO PETIT CEILING REC 6.0 LED 2700K B	12W 350mA 36V CRI90	242.65	262.30
W129351B5	PIRRO PETIT CEILING REC 6.0 LED 3000K B	12W 350mA 36V CRI90	242.65	262.30
W129351CH3	PIRRO PETIT CEILING REC 6.0 LED 2700K CH	12W 350mA 36V CRI90	242.65	262.30
W129351CH5	PIRRO PETIT CEILING REC 6.0 LED 3000K CH	12W 350mA 36V CRI90	242.65	262.30
W129351E3	PIRRO PETIT CEILING REC 6.0 LED 2700K E	12W 350mA 36V CRI90	242.65	262.30
W129351E5	PIRRO PETIT CEILING REC 6.0 LED 3000K E	12W 350mA 36V CRI90	242.65	262.30
W129351WM3	PIRRO PETIT CEILING REC 6.0 LED 2700K WM	12W 350mA 36V CRI90	242.65	262.30
W129351WM5	PIRRO PETIT CEILING REC 6.0 LED 3000K WM	12W 350mA 36V CRI90	242.65	262.30
W129854B3	PIRRO PETIT CEILING SURF 6.0 LED 2700K B	14W 220-240VAC DIM CRI90	371.80	401.90
W129854B5	PIRRO PETIT CEILING SURF 6.0 LED 3000K B	14W 220-240VAC DIM CRI90	371.80	401.90
W129854CH3	PIRRO PETIT CEILING SURF 6.0 LED 2700K CH	14W 220-240VAC DIM CRI90	371.80	401.90
W129854CH5	PIRRO PETIT CEILING SURF 6.0 LED 3000K CH	14W 220-240VAC DIM CRI90	371.80	401.90
W129854E3	PIRRO PETIT CEILING SURF 6.0 LED 2700K E	14W 220-240VAC DIM CRI90	371.80	401.90
W129854E5	PIRRO PETIT CEILING SURF 6.0 LED 3000K E	14W 220-240VAC DIM CRI90	371.80	401.90
W129854WM3	PIRRO PETIT CEILING SURF 6.0 LED 2700K WM	14W 220-240VAC DIM CRI90	371.80	401.90
W129854WM5	PIRRO PETIT CEILING SURF 6.0 LED 3000K WM	14W 220-240VAC DIM CRI90	371.80	401.90
W129954B3	PIRRO PETIT CEILING SURF 12.0 LED 2700K B	28W 220-240VAC DIM CRI90	542.50	586.45
W129954B5	PIRRO PETIT CEILING SURF 12.0 LED 3000K B	28W 220-240VAC DIM CRI90	542.50	586.45
W129954CH3	PIRRO PETIT CEILING SURF 12.0 LED 2700K CH	28W 220-240VAC DIM CRI90	542.50	586.45
W129954CH5	PIRRO PETIT CEILING SURF 12.0 LED 3000K CH	28W 220-240VAC DIM CRI90	542.50	586.45
W129954E3	PIRRO PETIT CEILING SURF 12.0 LED 2700K E	28W 220-240VAC DIM CRI90	542.50	586.45
W129954E5	PIRRO PETIT CEILING SURF 12.0 LED 3000K E	28W 220-240VAC DIM CRI90	542.50	586.45
W129954WM3	PIRRO PETIT CEILING SURF 12.0 LED 2700K WM	28W 220-240VAC DIM CRI90	542.50	586.45
W129954WM5	PIRRO PETIT CEILING SURF 12.0 LED 3000K WM	28W 220-240VAC DIM CRI90	542.50	586.45
W131120B0	STRANGE TRIMLESS CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	78.95	85.35
W131120M0	STRANGE TRIMLESS CEILING REC 1.0 PAR16 M	max. 12W GU10 100-240VAC	78.95	85.35
W131120W0	STRANGE TRIMLESS CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	78.95	85.35
W131220B0	STRANGE TRIMLESS CEILING REC 2.0 PAR16 B	max. 2x12W GU10 100-240VAC	142.85	154.40
W131220M0	STRANGE TRIMLESS CEILING REC 2.0 PAR16 M	max. 2x12W GU10 100-240VAC	142.85	154.40
W131220W0	STRANGE TRIMLESS CEILING REC 2.0 PAR16 W	max. 2x12W GU10 100-240VAC	142.85	154.40
W131441B3	STRANGE TRIMLESS CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 narrow	160.10	173.05
W131441B5	STRANGE TRIMLESS CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 narrow	160.10	173.05
W131441M3	STRANGE TRIMLESS CEILING REC 1.0 LED 2700K M	6/9W 350/500mA 17V CRI90 narrow	160.10	173.05
W131441M5	STRANGE TRIMLESS CEILING REC 1.0 LED 3000K M	6/9W 350/500mA 17V CRI90 narrow	160.10	173.05
W131441W3	STRANGE TRIMLESS CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90 narrow	160.10	173.05
W131441W5	STRANGE TRIMLESS CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90 narrow	160.10	173.05
W131461B3	STRANGE TRIMLESS CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 standard	160.10	173.05
W131461B5	STRANGE TRIMLESS CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 standard	160.10	173.05
W131461B9	STRANGE TRIMLESS CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 17V CRI90 standard	160.10	173.05
W131461M3	STRANGE TRIMLESS CEILING REC 1.0 LED 2700K M	6/9W 350/500mA 17V CRI90 standard	160.10	173.05
W131461M5	STRANGE TRIMLESS CEILING REC 1.0 LED 3000K M	6/9W 350/500mA 17V CRI90 standard	160.10	173.05
W131461M9	STRANGE TRIMLESS CEILING REC 1.0 LED 2000-3000K M	6/9W 350/500mA 17V CRI90 standard	160.10	173.05
W131461W3	STRANGE TRIMLESS CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90 standard	160.10	173.05
W131461W5	STRANGE TRIMLESS CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90 standard	160.10	173.05
W131461W9	STRANGE TRIMLESS CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 17V CRI90 standard	160.10	173.05
W131541B3	STRANGE TRIMLESS CEILING REC 2.0 LED 2700K B	2x6/9W 350/500mA 17V CRI90 narrow	305.30	330.05
W131541B5	STRANGE TRIMLESS CEILING REC 2.0 LED 3000K B	2x6/9W 350/500mA 17V CRI90 narrow	305.30	330.05
W131541M3	STRANGE TRIMLESS CEILING REC 2.0 LED 2700K M	2x6/9W 350/500mA 17V CRI90 narrow	305.30	330.05
W131541M5	STRANGE TRIMLESS CEILING REC 2.0 LED 3000K M	2x6/9W 350/500mA 17V CRI90 narrow	305.30	330.05
W131541W3	STRANGE TRIMLESS CEILING REC 2.0 LED 2700K W	2x6/9W 350/500mA 17V CRI90 narrow	305.30	330.05
W131541W5	STRANGE TRIMLESS CEILING REC 2.0 LED 3000K W	2x6/9W 350/500mA 17V CRI90 narrow	305.30	330.05
W131561B3	STRANGE TRIMLESS CEILING REC 2.0 LED 2700K B	2x6/9W 350/500mA 17V CRI90 standard	305.30	330.05
W131561B5	STRANGE TRIMLESS CEILING REC 2.0 LED 3000K B	2x6/9W 350/500mA 17V CRI90 standard	305.30	330.05
W131561B9	STRANGE TRIMLESS CEILING REC 2.0 LED 2000-3000K B	2x6/9W 350/500mA 17V CRI90 standard	305.30	330.05
W131561M3	STRANGE TRIMLESS CEILING REC 2.0 LED 2700K M	2x6/9W 350/500mA 17V CRI90 standard	305.30	330.05
W131561M5	STRANGE TRIMLESS CEILING REC 2.0 LED 3000K M	2x6/9W 350/500mA 17V CRI90 standard	305.30	330.05
W131561M9	STRANGE TRIMLESS CEILING REC 2.0 LED 2000-3000K M	2x6/9W 350/500mA 17V CRI90 standard	305.30	330.05
W131561W3	STRANGE TRIMLESS CEILING REC 2.0 LED 2700K W	2x6/9W 350/500mA 17V CRI90 standard	305.30	330.05
W131561W5	STRANGE TRIMLESS CEILING REC 2.0 LED 3000K W	2x6/9W 350/500mA 17V CRI90 standard	305.30	330.05
W131561W9	STRANGE TRIMLESS CEILING REC 2.0 LED 2000-3000K W	2x6/9W 350/500mA 17V CRI90 standard	305.30	330.05
W133120B0	SOLID CEILING SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	160.80	173.80
W133120CH0	SOLID CEILING SURF 1.0 PAR16 CH	max. 12W GU10 100-240VAC	160.80	173.80
W133120H0	SOLID CEILING SURF 1.0 PAR16 H	max. 12W GU10 100-240VAC	165.05	178.40
W133120J0	SOLID CEILING SURF 1.0 PAR16 J	max. 12W GU10 100-240VAC	160.80	173.80
W133120K0	SOLID CEILING SURF 1.0 PAR16 K	max. 12W GU10 100-240VAC	160.80	173.80
W133120P0	SOLID CEILING SURF 1.0 PAR16 P	max. 12W GU10 100-240VAC	165.05	178.40
W133120Q0	SOLID CEILING SURF 1.0 PAR16 Q	max. 12W GU10 100-240VAC	165.05	178.40
W133120W0	SOLID CEILING SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC	160.80	173.80
W133744B3	SOLID CEILING SURF 1.0 LED 2700K B	12W 220-240VAC DIM CRI90 wide	277.00	299.45
W133744B5	SOLID CEILING SURF 1.0 LED 3000K B	12W 220-240VAC DIM CRI90 wide	277.00	299.45
W133744CH3	SOLID CEILING SURF 1.0 LED 2700K CH	12W 220-240VAC DIM CRI90 wide	277.00	299.45
W133744CH5	SOLID CEILING SURF 1.0 LED 3000K CH	12W 220-240VAC DIM CRI90 wide	277.00	299.45
W133744H3	SOLID CEILING SURF 1.0 LED 2700K H	12W 220-240VAC DIM CRI90 wide	281.25	304.05
W133744H5	SOLID CEILING SURF 1.0 LED 3000K H	12W 220-240VAC DIM CRI90 wide	281.25	304.05
W133744J3	SOLID CEILING SURF 1.0 LED 2700K J	12W 220-240VAC DIM CRI90 wide	277.00	299.45
W133744J5	SOLID CEILING SURF 1.0 LED 3000K J	12W 220-240VAC DIM CRI90 wide	277.00	299.45
W133744K3	SOLID CEILING SURF 1.0 LED 2700K K	12W 220-240VAC DIM CRI90 wide	277.00	299.45
W133744K5	SOLID CEILING SURF 1.0 LED 3000K K	12W 220-240VAC DIM CRI90 wide	277.00	299.45
W133744P3	SOLID CEILING SURF 1.0 LED 2700K P	12W 220-240VAC DIM CRI90 wide	281.25	304.05
W133744P5	SOLID CEILING SURF 1.0 LED 3000K P	12W 220-240VAC DIM CRI90 wide	281.25	304.05
W133744Q3	SOLID CEILING SURF 1.0 LED 2700K Q	12W 220-240VAC DIM CRI90 wide	281.25	304.05
W133744Q5	SOLID CEILING SURF 1.0 LED 3000K Q	12W 220-240VAC DIM CRI90 wide	281.25	304.05
W133744W3	SOLID CEILING SURF 1.0 LED 2700K W	12W 220-240VAC DIM CRI90 wide	277.00	299.45
W133744W5	SOLID CEILING SURF 1.0 LED 3000K W	12W 220-240VAC DIM CRI90 wide	277.00	299.45

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W133775W3	SOLID CEILING SURF 1.0 LED 2700K W	12W 220-240VAC DALI-2 / PUSH DIM CRI90 wide	328.75	355.40
W133775W5	SOLID CEILING SURF 1.0 LED 3000K W	12W 220-240VAC DALI-2 / PUSH DIM CRI90 wide	328.75	355.40
W133864B3	SOLID BIJOU CEILING SURF 1.0 LED 2700K B	6W 220-240VAC DIM CRI90	190.20	205.60
W133864B5	SOLID BIJOU CEILING SURF 1.0 LED 3000K B	6W 220-240VAC DIM CRI90	190.20	205.60
W133864CH3	SOLID BIJOU CEILING SURF 1.0 LED 2700K CH	6W 220-240VAC DIM CRI90	190.20	205.60
W133864CH5	SOLID BIJOU CEILING SURF 1.0 LED 3000K CH	6W 220-240VAC DIM CRI90	190.20	205.60
W133864H3	SOLID BIJOU CEILING SURF 1.0 LED 2700K H	6W 220-240VAC DIM CRI90	192.40	208.00
W133864H5	SOLID BIJOU CEILING SURF 1.0 LED 3000K H	6W 220-240VAC DIM CRI90	192.40	208.00
W133864J3	SOLID BIJOU CEILING SURF 1.0 LED 2700K J	6W 220-240VAC DIM CRI90	190.20	205.60
W133864J5	SOLID BIJOU CEILING SURF 1.0 LED 3000K J	6W 220-240VAC DIM CRI90	190.20	205.60
W133864K3	SOLID BIJOU CEILING SURF 1.0 LED 2700K K	6W 220-240VAC DIM CRI90	190.20	205.60
W133864K5	SOLID BIJOU CEILING SURF 1.0 LED 3000K K	6W 220-240VAC DIM CRI90	190.20	205.60
W133864W3	SOLID BIJOU CEILING SURF 1.0 LED 2700K W	6W 220-240VAC DIM CRI90	190.20	205.60
W133864W5	SOLID BIJOU CEILING SURF 1.0 LED 3000K W	6W 220-240VAC DIM CRI90	190.20	205.60
W133944B3	SOLID PETIT CEILING SURF 2.0 LED 2700K B	9W 220-240VAC DIM CRI90 narrow	242.65	262.30
W133944B5	SOLID PETIT CEILING SURF 2.0 LED 3000K B	9W 220-240VAC DIM CRI90 narrow	242.65	262.30
W133944CH3	SOLID PETIT CEILING SURF 2.0 LED 2700K CH	9W 220-240VAC DIM CRI90 narrow	242.65	262.30
W133944CH5	SOLID PETIT CEILING SURF 2.0 LED 3000K CH	9W 220-240VAC DIM CRI90 narrow	242.65	262.30
W133944H3	SOLID PETIT CEILING SURF 2.0 LED 2700K H	9W 220-240VAC DIM CRI90 narrow	245.40	265.30
W133944H5	SOLID PETIT CEILING SURF 2.0 LED 3000K H	9W 220-240VAC DIM CRI90 narrow	245.40	265.30
W133944J3	SOLID PETIT CEILING SURF 2.0 LED 2700K J	9W 220-240VAC DIM CRI90 narrow	242.65	262.30
W133944J5	SOLID PETIT CEILING SURF 2.0 LED 3000K J	9W 220-240VAC DIM CRI90 narrow	242.65	262.30
W133944K3	SOLID PETIT CEILING SURF 2.0 LED 2700K K	9W 220-240VAC DIM CRI90 narrow	242.65	262.30
W133944K5	SOLID PETIT CEILING SURF 2.0 LED 3000K K	9W 220-240VAC DIM CRI90 narrow	242.65	262.30
W133944W3	SOLID PETIT CEILING SURF 2.0 LED 2700K W	9W 220-240VAC DIM CRI90 narrow	242.65	262.30
W133944W5	SOLID PETIT CEILING SURF 2.0 LED 3000K W	9W 220-240VAC DIM CRI90 narrow	242.65	262.30
W133964B3	SOLID PETIT CEILING SURF 2.0 LED 2700K B	9W 220-240VAC DIM CRI90 standard	242.65	262.30
W133964B5	SOLID PETIT CEILING SURF 2.0 LED 3000K B	9W 220-240VAC DIM CRI90 standard	242.65	262.30
W133964B9	SOLID PETIT CEILING SURF 2.0 LED 2000-3000K B	9W 220-240VAC DIM CRI90 standard	242.65	262.30
W133964CH3	SOLID PETIT CEILING SURF 2.0 LED 2700K CH	9W 220-240VAC DIM CRI90 standard	242.65	262.30
W133964CH5	SOLID PETIT CEILING SURF 2.0 LED 3000K CH	9W 220-240VAC DIM CRI90 standard	242.65	262.30
W133964CH9	SOLID PETIT CEILING SURF 2.0 LED 2000-3000K CH	9W 220-240VAC DIM CRI90 standard	242.65	262.30
W133964H3	SOLID PETIT CEILING SURF 2.0 LED 2700K H	9W 220-240VAC DIM CRI90 standard	245.40	265.30
W133964H5	SOLID PETIT CEILING SURF 2.0 LED 3000K H	9W 220-240VAC DIM CRI90 standard	245.40	265.30
W133964H9	SOLID PETIT CEILING SURF 2.0 LED 2000-3000K H	9W 220-240VAC DIM CRI90 standard	245.40	265.30
W133964J3	SOLID PETIT CEILING SURF 2.0 LED 2700K J	9W 220-240VAC DIM CRI90 standard	242.65	262.30
W133964J5	SOLID PETIT CEILING SURF 2.0 LED 3000K J	9W 220-240VAC DIM CRI90 standard	242.65	262.30
W133964J9	SOLID PETIT CEILING SURF 2.0 LED 2000-3000K J	9W 220-240VAC DIM CRI90 standard	242.65	262.30
W133964K3	SOLID PETIT CEILING SURF 2.0 LED 2700K K	9W 220-240VAC DIM CRI90 standard	242.65	262.30
W133964K5	SOLID PETIT CEILING SURF 2.0 LED 3000K K	9W 220-240VAC DIM CRI90 standard	242.65	262.30
W133964K9	SOLID PETIT CEILING SURF 2.0 LED 2000-3000K K	9W 220-240VAC DIM CRI90 standard	242.65	262.30
W133964W3	SOLID PETIT CEILING SURF 2.0 LED 2700K W	9W 220-240VAC DIM CRI90 standard	242.65	262.30
W133964W5	SOLID PETIT CEILING SURF 2.0 LED 3000K W	9W 220-240VAC DIM CRI90 standard	242.65	262.30
W133964W9	SOLID PETIT CEILING SURF 2.0 LED 2000-3000K W	9W 220-240VAC DIM CRI90 standard	242.65	262.30
W135188B3	ROBY IP44 CEILING SURF 1.6 LED 2700K B	13W 220-240VAC DIM CRI90	300.05	324.35
W135188B5	ROBY IP44 CEILING SURF 1.6 LED 3000K B	13W 220-240VAC DIM CRI90	300.05	324.35
W135188W3	ROBY IP44 CEILING SURF 1.6 LED 2700K W	13W 220-240VAC DIM CRI90	300.05	324.35
W135188W5	ROBY IP44 CEILING SURF 1.6 LED 3000K W	13W 220-240VAC DIM CRI90	300.05	324.35
W135288B3	ROBY IP44 CEILING SURF 2.6 LED 2700K B	18W 220-240VAC DIM CRI90	437.75	473.20
W135288B5	ROBY IP44 CEILING SURF 2.6 LED 3000K B	18W 220-240VAC DIM CRI90	437.75	473.20
W135288W3	ROBY IP44 CEILING SURF 2.6 LED 2700K W	18W 220-240VAC DIM CRI90	437.75	473.20
W135288W5	ROBY IP44 CEILING SURF 2.6 LED 3000K W	18W 220-240VAC DIM CRI90	437.75	473.20
W135388B3	ROBY IP44 CEILING SURF 3.5 LED 2700K B	32W 220-240VAC DIM CRI90	589.85	637.65
W135388B5	ROBY IP44 CEILING SURF 3.5 LED 3000K B	32W 220-240VAC DIM CRI90	589.85	637.65
W135388W3	ROBY IP44 CEILING SURF 3.5 LED 2700K W	32W 220-240VAC DIM CRI90	589.85	637.65
W135388W5	ROBY IP44 CEILING SURF 3.5 LED 3000K W	32W 220-240VAC DIM CRI90	589.85	637.65
W139120B0	SIRRO CEILING SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	241.10	260.65
W139120E0	SIRRO CEILING SURF 1.0 PAR16 E	max. 12W GU10 100-240VAC	241.10	260.65
W139120W0	SIRRO CEILING SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC	241.10	260.65
W139220B0	SIRRO CEILING SURF 2.0 PAR16 B	max. 2x12W GU10 100-240VAC	355.95	384.80
W139220E0	SIRRO CEILING SURF 2.0 PAR16 E	max. 2x12W GU10 100-240VAC	355.95	384.80
W139220W0	SIRRO CEILING SURF 2.0 PAR16 W	max. 2x12W GU10 100-240VAC	355.95	384.80
W139320B0	SIRRO CEILING SURF 3.0 PAR16 B	max. 3x12W GU10 100-240VAC	470.75	508.90
W139320E0	SIRRO CEILING SURF 3.0 PAR16 E	max. 3x12W GU10 100-240VAC	470.75	508.90
W139320W0	SIRRO CEILING SURF 3.0 PAR16 W	max. 3x12W GU10 100-240VAC	470.75	508.90
W144120B0	SQUBE ON TRACK 1-PHASE 1.0 PAR16 B	max. 12W GU10 100-240VAC	150.70	162.90
W144120W0	SQUBE ON TRACK 1-PHASE 1.0 PAR16 W	max. 12W GU10 100-240VAC	150.70	162.90
W144168B3	SQUBE ON TRACK 1-PHASE 1.0 LED 2700K B	6W 220-240VAC DIM CRI90	242.65	262.30
W144168B5	SQUBE ON TRACK 1-PHASE 1.0 LED 3000K B	6W 220-240VAC DIM CRI90	242.65	262.30
W144168B9	SQUBE ON TRACK 1-PHASE 1.0 LED 1800-3000K B	6W 220-240VAC DIM CRI90	242.65	262.30
W144168W3	SQUBE ON TRACK 1-PHASE 1.0 LED 2700K W	6W 220-240VAC DIM CRI90	242.65	262.30
W144168W5	SQUBE ON TRACK 1-PHASE 1.0 LED 3000K W	6W 220-240VAC DIM CRI90	242.65	262.30
W144168W9	SQUBE ON TRACK 1-PHASE 1.0 LED 1800-3000K W	6W 220-240VAC DIM CRI90	242.65	262.30
W144220B0	SQUBE ON BASE CEILING SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	133.45	144.25
W144220W0	SQUBE ON BASE CEILING SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC	133.45	144.25
W144268B3	SQUBE ON BASE CEILING SURF 1.0 LED 2700K B	6W 220-240VAC DIM CRI90	226.75	245.10
W144268B5	SQUBE ON BASE CEILING SURF 1.0 LED 3000K B	6W 220-240VAC DIM CRI90	226.75	245.10
W144268B9	SQUBE ON BASE CEILING SURF 1.0 LED 1800-3000K B	6W 220-240VAC DIM CRI90	226.75	245.10
W144268W3	SQUBE ON BASE CEILING SURF 1.0 LED 2700K W	6W 220-240VAC DIM CRI90	226.75	245.10
W144268W5	SQUBE ON BASE CEILING SURF 1.0 LED 3000K W	6W 220-240VAC DIM CRI90	226.75	245.10
W144268W9	SQUBE ON BASE CEILING SURF 1.0 LED 1800-3000K W	6W 220-240VAC DIM CRI90	226.75	245.10
W144368B3	SQUBE ON TRACK 3-PHASE 2.0 LED 2700K B	12W 220-240VAC DIM CRI90	294.25	318.10
W144368B5	SQUBE ON TRACK 3-PHASE 2.0 LED 3000K B	12W 220-240VAC DIM CRI90	294.25	318.10
W144368B9	SQUBE ON TRACK 3-PHASE 2.0 LED 1800-3000K B	12W 220-240VAC DIM CRI90	294.25	318.10
W144368W3	SQUBE ON TRACK 3-PHASE 2.0 LED 2700K W	12W 220-240VAC DIM CRI90	294.25	318.10
W144368W5	SQUBE ON TRACK 3-PHASE 2.0 LED 3000K W	12W 220-240VAC DIM CRI90	294.25	318.10
W144368W9	SQUBE ON TRACK 3-PHASE 2.0 LED 1800-3000K W	12W 220-240VAC DIM CRI90	294.25	318.10
W144468B3	SQUBE ON BASE CEILING SURF 1.1 LED 2700K B	12W 220-240VAC DIM CRI90	261.25	282.40
W144468B5	SQUBE ON BASE CEILING SURF 1.1 LED 3000K B	12W 220-240VAC DIM CRI90	261.25	282.40
W144468B9	SQUBE ON BASE CEILING SURF 1.1 LED 1800-3000K B	12W 220-240VAC DIM CRI90	261.25	282.40
W144468W3	SQUBE ON BASE CEILING SURF 1.1 LED 2700K W	12W 220-240VAC DIM CRI90	261.25	282.40
W144468W5	SQUBE ON BASE CEILING SURF 1.1 LED 3000K W	12W 220-240VAC DIM CRI90	261.25	282.40
W144468W9	SQUBE ON BASE CEILING SURF 1.1 LED 1800-3000K W	12W 220-240VAC DIM CRI90	261.25	282.40
W144520B0	SQUBE ON BASE CEILING SURF 2.0 PAR16 B	max. 2x12W GU10 100-240VAC	269.80	291.65

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W144520W0	SQUBE ON BASE CEILING SURF 2.0 PAR16 W	max. 2x12W GU10 100-240VAC	269.80	291.65
W144558B3	SQUBE ON TRACK 3-PHASE 3.0 LED 2700K B	16W 220-240VAC DIM CRI90	320.05	345.95
W144558B5	SQUBE ON TRACK 3-PHASE 3.0 LED 3000K B	16W 220-240VAC DIM CRI90	320.05	345.95
W144558W3	SQUBE ON TRACK 3-PHASE 3.0 LED 2700K W	16W 220-240VAC DIM CRI90	320.05	345.95
W144558W5	SQUBE ON TRACK 3-PHASE 3.0 LED 3000K W	16W 220-240VAC DIM CRI90	320.05	345.95
W144620B0	SQUBE ON BASE CEILING SURF 3.0 PAR16 B	max. 3x12W GU10 100-240VAC	333.00	359.95
W144620W0	SQUBE ON BASE CEILING SURF 3.0 PAR16 W	max. 3x12W GU10 100-240VAC	333.00	359.95
W144720B0	SQUBE ON TRACK 3-PHASE 1.0 PAR16 B	max. 12W GU10 100-240VAC	150.70	162.90
W144720W0	SQUBE ON TRACK 3-PHASE 1.0 PAR16 W	max. 12W GU10 100-240VAC	150.70	162.90
W145381A5	LITO WALL REC 1.0 LED 3000K A	2/3W 350/500mA 6V CRI90	85.85	92.80
W145381B5	LITO WALL REC 1.0 LED 3000K B	2/3W 350/500mA 6V CRI90	85.85	92.80
W145381W5	LITO WALL REC 1.0 LED 3000K W	2/3W 350/500mA 6V CRI90	85.85	92.80
W1454A1A5	LITO WALL REC 2.0 LED 3000K A	2/3W 350/500mA 6V CRI90	85.85	92.80
W1454A1B5	LITO WALL REC 2.0 LED 3000K B	2/3W 350/500mA 6V CRI90	85.85	92.80
W1454A1W5	LITO WALL REC 2.0 LED 3000K W	2/3W 350/500mA 6V CRI90	85.85	92.80
W146120B0	BOX CEILING SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	89.05	96.25
W146120G0	BOX CEILING SURF 1.0 PAR16 G	max. 12W GU10 100-240VAC	90.40	97.70
W146120L0	BOX CEILING SURF 1.0 PAR16 L	max. 12W GU10 100-240VAC	90.40	97.70
W146120M0	BOX CEILING SURF 1.0 PAR16 M	max. 12W GU10 100-240VAC	90.40	97.70
W146120P0	BOX CEILING SURF 1.0 PAR16 P	max. 12W GU10 100-240VAC	90.40	97.70
W146120Q0	BOX CEILING SURF 1.0 PAR16 Q	max. 12W GU10 100-240VAC	90.40	97.70
W146120W0	BOX CEILING SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC	89.05	96.25
W146220B0	BOX CEILING SURF 2.0 PAR16 B	max. 2x12W GU10 100-240VAC	185.90	200.95
W146220G0	BOX CEILING SURF 2.0 PAR16 G	max. 2x12W GU10 100-240VAC	190.20	205.60
W146220L0	BOX CEILING SURF 2.0 PAR16 L	max. 2x12W GU10 100-240VAC	190.20	205.60
W146220M0	BOX CEILING SURF 2.0 PAR16 M	max. 2x12W GU10 100-240VAC	190.20	205.60
W146220P0	BOX CEILING SURF 2.0 PAR16 P	max. 2x12W GU10 100-240VAC	190.20	205.60
W146220Q0	BOX CEILING SURF 2.0 PAR16 Q	max. 2x12W GU10 100-240VAC	190.20	205.60
W146220W0	BOX CEILING SURF 2.0 PAR16 W	max. 2x12W GU10 100-240VAC	185.90	200.95
W146320B0	DOCUS CEILING SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	98.40	106.35
W146320G0	DOCUS CEILING SURF 1.0 PAR16 G	max. 12W GU10 100-240VAC	99.80	107.90
W146320L0	DOCUS CEILING SURF 1.0 PAR16 L	max. 12W GU10 100-240VAC	99.80	107.90
W146320P0	DOCUS CEILING SURF 1.0 PAR16 P	max. 12W GU10 100-240VAC	99.80	107.90
W146320W0	DOCUS CEILING SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC	98.40	106.35
W146420B0	DOCUS CEILING SURF 2.0 PAR16 B	max. 2x12W GU10 100-240VAC	191.55	207.05
W146420G0	DOCUS CEILING SURF 2.0 PAR16 G	max. 2x12W GU10 100-240VAC	196.65	212.60
W146420L0	DOCUS CEILING SURF 2.0 PAR16 L	max. 2x12W GU10 100-240VAC	196.65	212.60
W146420P0	DOCUS CEILING SURF 2.0 PAR16 P	max. 2x12W GU10 100-240VAC	196.65	212.60
W146420W0	DOCUS CEILING SURF 2.0 PAR16 W	max. 2x12W GU10 100-240VAC	191.55	207.05
W146520B0	HEXO CEILING SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	98.40	106.35
W146520G0	HEXO CEILING SURF 1.0 PAR16 G	max. 12W GU10 100-240VAC	99.80	107.90
W146520P0	HEXO CEILING SURF 1.0 PAR16 P	max. 12W GU10 100-240VAC	99.80	107.90
W146520Q0	HEXO CEILING SURF 1.0 PAR16 Q	max. 12W GU10 100-240VAC	99.80	107.90
W146520W0	HEXO CEILING SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC	98.40	106.35
W146620B0	HEXO CEILING SURF 2.0 PAR16 B	max. 2x12W GU10 100-240VAC	191.55	207.05
W146620G0	HEXO CEILING SURF 2.0 PAR16 G	max. 2x12W GU10 100-240VAC	196.65	212.60
W146620P0	HEXO CEILING SURF 2.0 PAR16 P	max. 2x12W GU10 100-240VAC	196.65	212.60
W146620Q0	HEXO CEILING SURF 2.0 PAR16 Q	max. 2x12W GU10 100-240VAC	196.65	212.60
W146620W0	HEXO CEILING SURF 2.0 PAR16 W	max. 2x12W GU10 100-240VAC	191.55	207.05
W146720B0	RAY CEILING SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	89.05	96.25
W146720G0	RAY CEILING SURF 1.0 PAR16 G	max. 12W GU10 100-240VAC	90.40	97.70
W146720L0	RAY CEILING SURF 1.0 PAR16 L	max. 12W GU10 100-240VAC	90.40	97.70
W146720M0	RAY CEILING SURF 1.0 PAR16 M	max. 12W GU10 100-240VAC	90.40	97.70
W146720P0	RAY CEILING SURF 1.0 PAR16 P	max. 12W GU10 100-240VAC	90.40	97.70
W146720Q0	RAY CEILING SURF 1.0 PAR16 Q	max. 12W GU10 100-240VAC	90.40	97.70
W146720W0	RAY CEILING SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC	89.05	96.25
W149184B2	VENN CEILING / WALL SURF 1.0 LED 2700K B	38W 220-240VAC DIM CRI80	975.95	1055.00
W149184B4	VENN CEILING / WALL SURF 1.0 LED 3000K B	38W 220-240VAC DIM CRI80	975.95	1055.00
W149184Q2	VENN CEILING / WALL SURF 1.0 LED 2700K Q	38W 220-240VAC DIM CRI80	975.95	1055.00
W149184Q4	VENN CEILING / WALL SURF 1.0 LED 3000K Q	38W 220-240VAC DIM CRI80	975.95	1055.00
W149184W2	VENN CEILING / WALL SURF 1.0 LED 2700K W	38W 220-240VAC DIM CRI80	975.95	1055.00
W149184W4	VENN CEILING / WALL SURF 1.0 LED 3000K W	38W 220-240VAC DIM CRI80	975.95	1055.00
W149284B2	VENN CEILING / WALL SURF 2.0 LED 2700K B	47W 220-240VAC DIM CRI80	1083.60	1171.35
W149284B4	VENN CEILING / WALL SURF 2.0 LED 3000K B	47W 220-240VAC DIM CRI80	1083.60	1171.35
W149284Q2	VENN CEILING / WALL SURF 2.0 LED 2700K Q	47W 220-240VAC DIM CRI80	1083.60	1171.35
W149284Q4	VENN CEILING / WALL SURF 2.0 LED 3000K Q	47W 220-240VAC DIM CRI80	1083.60	1171.35
W149284W2	VENN CEILING / WALL SURF 2.0 LED 2700K W	47W 220-240VAC DIM CRI80	1083.60	1171.35
W149284W4	VENN CEILING / WALL SURF 2.0 LED 3000K W	47W 220-240VAC DIM CRI80	1083.60	1171.35
W150161B3	PIRRO CEILING REC 1.0 LED 2700K B	5W 500mA 9V CRI90	107.65	116.35
W150161B5	PIRRO CEILING REC 1.0 LED 3000K B	5W 500mA 9V CRI90	107.65	116.35
W150161E3	PIRRO CEILING REC 1.0 LED 2700K E	5W 500mA 9V CRI90	107.65	116.35
W150161E5	PIRRO CEILING REC 1.0 LED 3000K E	5W 500mA 9V CRI90	107.65	116.35
W150161J3	PIRRO CEILING REC 1.0 LED 2700K J	5W 500mA 9V CRI90	107.65	116.35
W150161J5	PIRRO CEILING REC 1.0 LED 3000K J	5W 500mA 9V CRI90	107.65	116.35
W150161K3	PIRRO CEILING REC 1.0 LED 2700K K	5W 500mA 9V CRI90	107.65	116.35
W150161K5	PIRRO CEILING REC 1.0 LED 3000K K	5W 500mA 9V CRI90	107.65	116.35
W150261B3	PIRRO CEILING REC 2.0 LED 2700K B	2x5W 500mA 18V CRI90	136.35	147.40
W150261B5	PIRRO CEILING REC 2.0 LED 3000K B	2x5W 500mA 18V CRI90	136.35	147.40
W150261E3	PIRRO CEILING REC 2.0 LED 2700K E	2x5W 500mA 18V CRI90	136.35	147.40
W150261E5	PIRRO CEILING REC 2.0 LED 3000K E	2x5W 500mA 18V CRI90	136.35	147.40
W150261J3	PIRRO CEILING REC 2.0 LED 2700K J	2x5W 500mA 18V CRI90	136.35	147.40
W150261J5	PIRRO CEILING REC 2.0 LED 3000K J	2x5W 500mA 18V CRI90	136.35	147.40
W150261K3	PIRRO CEILING REC 2.0 LED 2700K K	2x5W 500mA 18V CRI90	136.35	147.40
W150261K5	PIRRO CEILING REC 2.0 LED 3000K K	2x5W 500mA 18V CRI90	136.35	147.40
W150461B3	PIRRO CEILING REC 4.0 LED 2700K B	4x5W 500mA 36V CRI90	199.55	215.70
W150461B5	PIRRO CEILING REC 4.0 LED 3000K B	4x5W 500mA 36V CRI90	199.55	215.70
W150461E3	PIRRO CEILING REC 4.0 LED 2700K E	4x5W 500mA 36V CRI90	199.55	215.70
W150461E5	PIRRO CEILING REC 4.0 LED 3000K E	4x5W 500mA 36V CRI90	199.55	215.70
W150461J3	PIRRO CEILING REC 4.0 LED 2700K J	4x5W 500mA 36V CRI90	199.55	215.70
W150461J5	PIRRO CEILING REC 4.0 LED 3000K J	4x5W 500mA 36V CRI90	199.55	215.70
W150461K3	PIRRO CEILING REC 4.0 LED 2700K K	4x5W 500mA 36V CRI90	199.55	215.70
W150461K5	PIRRO CEILING REC 4.0 LED 3000K K	4x5W 500mA 36V CRI90	199.55	215.70
W150661B3	PIRRO CEILING REC 6.0 LED 2700K B	6x5W 500mA 2x27V CRI90	265.55	287.05
W150661B5	PIRRO CEILING REC 6.0 LED 3000K B	6x5W 500mA 2x27V CRI90	265.55	287.05

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W150661E3	PIRRO CEILING REC 6.0 LED 2700K E	6x5W 500mA 2x27V CRI90	265.55	287.05
W150661E5	PIRRO CEILING REC 6.0 LED 3000K E	6x5W 500mA 2x27V CRI90	265.55	287.05
W150661J3	PIRRO CEILING REC 6.0 LED 2700K J	6x5W 500mA 2x27V CRI90	265.55	287.05
W150661J5	PIRRO CEILING REC 6.0 LED 3000K J	6x5W 500mA 2x27V CRI90	265.55	287.05
W150661K3	PIRRO CEILING REC 6.0 LED 2700K K	6x5W 500mA 2x27V CRI90	265.55	287.05
W150661K5	PIRRO CEILING REC 6.0 LED 3000K K	6x5W 500mA 2x27V CRI90	265.55	287.05
W151164B3	PIRRO SPOT CEILING SURF 1.0 LED 2700K B	6W 220-240VAC DIM CRI90	203.85	220.35
W151164B5	PIRRO SPOT CEILING SURF 1.0 LED 3000K B	6W 220-240VAC DIM CRI90	203.85	220.35
W151164E3	PIRRO SPOT CEILING SURF 1.0 LED 2700K E	6W 220-240VAC DIM CRI90	203.85	220.35
W151164E5	PIRRO SPOT CEILING SURF 1.0 LED 3000K E	6W 220-240VAC DIM CRI90	203.85	220.35
W151164J3	PIRRO SPOT CEILING SURF 1.0 LED 2700K J	6W 220-240VAC DIM CRI90	203.85	220.35
W151164J5	PIRRO SPOT CEILING SURF 1.0 LED 3000K J	6W 220-240VAC DIM CRI90	203.85	220.35
W151164K3	PIRRO SPOT CEILING SURF 1.0 LED 2700K K	6W 220-240VAC DIM CRI90	203.85	220.35
W151164K5	PIRRO SPOT CEILING SURF 1.0 LED 3000K K	6W 220-240VAC DIM CRI90	203.85	220.35
W151264B3	PIRRO SPOT CEILING SURF 2.0 LED 2700K B	11W 220-240VAC DIM CRI90	251.20	271.55
W151264B5	PIRRO SPOT CEILING SURF 2.0 LED 3000K B	11W 220-240VAC DIM CRI90	251.20	271.55
W151264E3	PIRRO SPOT CEILING SURF 2.0 LED 2700K E	11W 220-240VAC DIM CRI90	251.20	271.55
W151264E5	PIRRO SPOT CEILING SURF 2.0 LED 3000K E	11W 220-240VAC DIM CRI90	251.20	271.55
W151264J3	PIRRO SPOT CEILING SURF 2.0 LED 2700K J	11W 220-240VAC DIM CRI90	251.20	271.55
W151264J5	PIRRO SPOT CEILING SURF 2.0 LED 3000K J	11W 220-240VAC DIM CRI90	251.20	271.55
W151264K3	PIRRO SPOT CEILING SURF 2.0 LED 2700K K	11W 220-240VAC DIM CRI90	251.20	271.55
W151264K5	PIRRO SPOT CEILING SURF 2.0 LED 3000K K	11W 220-240VAC DIM CRI90	251.20	271.55
W151284B3	PIRRO OPAL CEILING SURF 2.0 LED 2700K B	7W 220-240VAC DIM CRI90	251.20	271.55
W151284B5	PIRRO OPAL CEILING SURF 2.0 LED 3000K B	7W 220-240VAC DIM CRI90	251.20	271.55
W151284E3	PIRRO OPAL CEILING SURF 2.0 LED 2700K E	7W 220-240VAC DIM CRI90	251.20	271.55
W151284E5	PIRRO OPAL CEILING SURF 2.0 LED 3000K E	7W 220-240VAC DIM CRI90	251.20	271.55
W151284J3	PIRRO OPAL CEILING SURF 2.0 LED 2700K J	7W 220-240VAC DIM CRI90	251.20	271.55
W151284J5	PIRRO OPAL CEILING SURF 2.0 LED 3000K J	7W 220-240VAC DIM CRI90	251.20	271.55
W151284K3	PIRRO OPAL CEILING SURF 2.0 LED 2700K K	7W 220-240VAC DIM CRI90	251.20	271.55
W151284K5	PIRRO OPAL CEILING SURF 2.0 LED 3000K K	7W 220-240VAC DIM CRI90	251.20	271.55
W151464B3	PIRRO SPOT CEILING SURF 4.0 LED 2700K B	20W 220-240VAC DIM CRI90	334.40	361.50
W151464B5	PIRRO SPOT CEILING SURF 4.0 LED 3000K B	20W 220-240VAC DIM CRI90	334.40	361.50
W151464E3	PIRRO SPOT CEILING SURF 4.0 LED 2700K E	20W 220-240VAC DIM CRI90	334.40	361.50
W151464E5	PIRRO SPOT CEILING SURF 4.0 LED 3000K E	20W 220-240VAC DIM CRI90	334.40	361.50
W151464J3	PIRRO SPOT CEILING SURF 4.0 LED 2700K J	20W 220-240VAC DIM CRI90	334.40	361.50
W151464J5	PIRRO SPOT CEILING SURF 4.0 LED 3000K J	20W 220-240VAC DIM CRI90	334.40	361.50
W151464K3	PIRRO SPOT CEILING SURF 4.0 LED 2700K K	20W 220-240VAC DIM CRI90	334.40	361.50
W151464K5	PIRRO SPOT CEILING SURF 4.0 LED 3000K K	20W 220-240VAC DIM CRI90	334.40	361.50
W151484B3	PIRRO OPAL CEILING SURF 4.0 LED 2700K B	12W 220-240VAC DIM CRI90	334.40	361.50
W151484B5	PIRRO OPAL CEILING SURF 4.0 LED 3000K B	12W 220-240VAC DIM CRI90	334.40	361.50
W151484E3	PIRRO OPAL CEILING SURF 4.0 LED 2700K E	12W 220-240VAC DIM CRI90	334.40	361.50
W151484E5	PIRRO OPAL CEILING SURF 4.0 LED 3000K E	12W 220-240VAC DIM CRI90	334.40	361.50
W151484J3	PIRRO OPAL CEILING SURF 4.0 LED 2700K J	12W 220-240VAC DIM CRI90	334.40	361.50
W151484J5	PIRRO OPAL CEILING SURF 4.0 LED 3000K J	12W 220-240VAC DIM CRI90	334.40	361.50
W151484K3	PIRRO OPAL CEILING SURF 4.0 LED 2700K K	12W 220-240VAC DIM CRI90	334.40	361.50
W151484K5	PIRRO OPAL CEILING SURF 4.0 LED 3000K K	12W 220-240VAC DIM CRI90	334.40	361.50
W151564B3	PIRRO SPOT CEILING SURF 4.1 LED 2700K B	20W 220-240VAC DIM CRI90	327.20	353.70
W151564B5	PIRRO SPOT CEILING SURF 4.1 LED 3000K B	20W 220-240VAC DIM CRI90	327.20	353.70
W151564E3	PIRRO SPOT CEILING SURF 4.1 LED 2700K E	20W 220-240VAC DIM CRI90	327.20	353.70
W151564E5	PIRRO SPOT CEILING SURF 4.1 LED 3000K E	20W 220-240VAC DIM CRI90	327.20	353.70
W151564J3	PIRRO SPOT CEILING SURF 4.1 LED 2700K J	20W 220-240VAC DIM CRI90	327.20	353.70
W151564J5	PIRRO SPOT CEILING SURF 4.1 LED 3000K J	20W 220-240VAC DIM CRI90	327.20	353.70
W151564K3	PIRRO SPOT CEILING SURF 4.1 LED 2700K K	20W 220-240VAC DIM CRI90	327.20	353.70
W151564K5	PIRRO SPOT CEILING SURF 4.1 LED 3000K K	20W 220-240VAC DIM CRI90	327.20	353.70
W151664B3	PIRRO SPOT CEILING SURF 6.0 LED 2700K B	29W 220-240VAC DIM CRI90	466.45	504.25
W151664B5	PIRRO SPOT CEILING SURF 6.0 LED 3000K B	29W 220-240VAC DIM CRI90	466.45	504.25
W151664E3	PIRRO SPOT CEILING SURF 6.0 LED 2700K E	29W 220-240VAC DIM CRI90	466.45	504.25
W151664E5	PIRRO SPOT CEILING SURF 6.0 LED 3000K E	29W 220-240VAC DIM CRI90	466.45	504.25
W151664J3	PIRRO SPOT CEILING SURF 6.0 LED 2700K J	29W 220-240VAC DIM CRI90	466.45	504.25
W151664J5	PIRRO SPOT CEILING SURF 6.0 LED 3000K J	29W 220-240VAC DIM CRI90	466.45	504.25
W151664K3	PIRRO SPOT CEILING SURF 6.0 LED 2700K K	29W 220-240VAC DIM CRI90	466.45	504.25
W151664K5	PIRRO SPOT CEILING SURF 6.0 LED 3000K K	29W 220-240VAC DIM CRI90	466.45	504.25
W152110B0	DEEPER CEILING REC 1.0 MR16 B	max. 12W GU5.3 12V	66.00	71.35
W152110B0C	DEEPER CEILING REC 1.0 MR16 B	max. 12W GU5.3 12V BLADE SPRINGS	67.50	72.95
W152110G0	DEEPER CEILING REC 1.0 MR16 G	max. 12W GU5.3 12V	66.00	71.35
W152110Q0	DEEPER CEILING REC 1.0 MR16 Q	max. 12W GU5.3 12V	66.00	71.35
W152110S0	DEEPER CEILING REC 1.0 MR16 S	max. 12W GU5.3 12V	66.00	71.35
W152110W0	DEEPER CEILING REC 1.0 MR16 W	max. 12W GU5.3 12V	66.00	71.35
W152110W0C	DEEPER CEILING REC 1.0 MR16 W	max. 12W GU5.3 12V BLADE SPRINGS	67.50	72.95
W152120B0	DEEPER CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	66.00	71.35
W152120B0C	DEEPER CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC BLADE SPRINGS	67.50	72.95
W152120G0	DEEPER CEILING REC 1.0 PAR16 G	max. 12W GU10 100-240VAC	66.00	71.35
W152120Q0	DEEPER CEILING REC 1.0 PAR16 Q	max. 12W GU10 100-240VAC	66.00	71.35
W152120S0	DEEPER CEILING REC 1.0 PAR16 S	max. 12W GU10 100-240VAC	66.00	71.35
W152120W0	DEEPER CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	66.00	71.35
W152120W0C	DEEPER CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC BLADE SPRINGS	67.50	72.95
W152210B0	DEEPER IP44 CEILING REC 1.0 MR16 B	max. 12W GU5.3 12V	88.90	96.10
W152210W0	DEEPER IP44 CEILING REC 1.0 MR16 W	max. 12W GU5.3 12V	88.90	96.10
W152220B0	DEEPER IP44 CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	88.90	96.10
W152220W0	DEEPER IP44 CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	88.90	96.10
W152341B3	DEEPER CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 narrow	147.15	159.05
W152341B3C	DEEPER CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 narrow BLADE SPRINGS	148.65	160.70
W152341B5	DEEPER CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 narrow	147.15	159.05
W152341B5C	DEEPER CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 narrow BLADE SPRINGS	148.65	160.70
W152341G3	DEEPER CEILING REC 1.0 LED 2700K G	6/9W 350/500mA 17V CRI90 narrow	147.15	159.05
W152341G5	DEEPER CEILING REC 1.0 LED 3000K G	6/9W 350/500mA 17V CRI90 narrow	147.15	159.05
W152341Q3	DEEPER CEILING REC 1.0 LED 2700K Q	6/9W 350/500mA 17V CRI90 narrow	147.15	159.05
W152341Q5	DEEPER CEILING REC 1.0 LED 3000K Q	6/9W 350/500mA 17V CRI90 narrow	147.15	159.05
W152341S3	DEEPER CEILING REC 1.0 LED 2700K S	6/9W 350/500mA 17V CRI90 narrow	147.15	159.05
W152341S5	DEEPER CEILING REC 1.0 LED 3000K S	6/9W 350/500mA 17V CRI90 narrow	147.15	159.05
W152341W3	DEEPER CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90 narrow	147.15	159.05
W152341W3C	DEEPER CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90 narrow BLADE SPRINGS	148.65	160.70
W152341W5	DEEPER CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90 narrow	147.15	159.05
W152341W5C	DEEPER CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90 narrow BLADE SPRINGS	148.65	160.70

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W153661G9C	DEEP ADJUST PETIT CEILING REC 1.0 LED 2000-3000K G	6W 350mA 16V CRI90 standard BLADE SPRINGS	125.75	135.95
W153661M3	DEEP ADJUST PETIT CEILING REC 1.0 LED 2700K M	6W 350mA 17V CRI90 standard	124.20	134.25
W153661M3C	DEEP ADJUST PETIT CEILING REC 1.0 LED 2700K M	6W 350mA 17V CRI90 standard BLADE SPRINGS	125.75	135.95
W153661M5	DEEP ADJUST PETIT CEILING REC 1.0 LED 3000K M	6W 350mA 17V CRI90 standard	124.20	134.25
W153661M5C	DEEP ADJUST PETIT CEILING REC 1.0 LED 3000K M	6W 350mA 17V CRI90 standard BLADE SPRINGS	125.75	135.95
W153661M9	DEEP ADJUST PETIT CEILING REC 1.0 LED 2000-3000K M	6W 350mA 16V CRI90 standard	124.20	134.25
W153661M9C	DEEP ADJUST PETIT CEILING REC 1.0 LED 2000-3000K M	6W 350mA 16V CRI90 standard BLADE SPRINGS	125.75	135.95
W153661Q3	DEEP ADJUST PETIT CEILING REC 1.0 LED 2700K Q	6W 350mA 17V CRI90 standard	124.20	134.25
W153661Q3C	DEEP ADJUST PETIT CEILING REC 1.0 LED 2700K Q	6W 350mA 17V CRI90 standard BLADE SPRINGS	125.75	135.95
W153661Q5	DEEP ADJUST PETIT CEILING REC 1.0 LED 3000K Q	6W 350mA 17V CRI90 standard	124.20	134.25
W153661Q5C	DEEP ADJUST PETIT CEILING REC 1.0 LED 3000K Q	6W 350mA 17V CRI90 standard BLADE SPRINGS	125.75	135.95
W153661Q9	DEEP ADJUST PETIT CEILING REC 1.0 LED 2000-3000K Q	6W 350mA 16V CRI90 standard	124.20	134.25
W153661Q9C	DEEP ADJUST PETIT CEILING REC 1.0 LED 2000-3000K Q	6W 350mA 16V CRI90 standard BLADE SPRINGS	125.75	135.95
W153661W3	DEEP ADJUST PETIT CEILING REC 1.0 LED 2700K W	6W 350mA 17V CRI90 standard	124.20	134.25
W153661W3C	DEEP ADJUST PETIT CEILING REC 1.0 LED 2700K W	6W 350mA 17V CRI90 standard BLADE SPRINGS	125.75	135.95
W153661W5	DEEP ADJUST PETIT CEILING REC 1.0 LED 3000K W	6W 350mA 17V CRI90 standard	124.20	134.25
W153661W5C	DEEP ADJUST PETIT CEILING REC 1.0 LED 3000K W	6W 350mA 17V CRI90 standard BLADE SPRINGS	125.75	135.95
W153661W9	DEEP ADJUST PETIT CEILING REC 1.0 LED 2000-3000K W	6W 350mA 16V CRI90 standard	124.20	134.25
W153661W9C	DEEP ADJUST PETIT CEILING REC 1.0 LED 2000-3000K W	6W 350mA 16V CRI90 standard BLADE SPRINGS	125.75	135.95
W153671B3	DEEP ADJUST PETIT CEILING REC 1.0 LED 2700K B	6W 350mA 17V CRI90 wide	124.20	134.25
W153671B3C	DEEP ADJUST PETIT CEILING REC 1.0 LED 2700K B	6W 350mA 17V CRI90 wide BLADE SPRINGS	125.75	135.95
W153671B5	DEEP ADJUST PETIT CEILING REC 1.0 LED 3000K B	6W 350mA 17V CRI90 wide	124.20	134.25
W153671B5C	DEEP ADJUST PETIT CEILING REC 1.0 LED 3000K B	6W 350mA 17V CRI90 wide BLADE SPRINGS	125.75	135.95
W153671G3	DEEP ADJUST PETIT CEILING REC 1.0 LED 2700K G	6W 350mA 17V CRI90 wide	124.20	134.25
W153671G3C	DEEP ADJUST PETIT CEILING REC 1.0 LED 2700K G	6W 350mA 17V CRI90 wide BLADE SPRINGS	125.75	135.95
W153671G5	DEEP ADJUST PETIT CEILING REC 1.0 LED 3000K G	6W 350mA 17V CRI90 wide	124.20	134.25
W153671G5C	DEEP ADJUST PETIT CEILING REC 1.0 LED 3000K G	6W 350mA 17V CRI90 wide BLADE SPRINGS	125.75	135.95
W153671M3	DEEP ADJUST PETIT CEILING REC 1.0 LED 2700K M	6W 350mA 17V CRI90 wide	124.20	134.25
W153671M3C	DEEP ADJUST PETIT CEILING REC 1.0 LED 2700K M	6W 350mA 17V CRI90 wide BLADE SPRINGS	125.75	135.95
W153671M5	DEEP ADJUST PETIT CEILING REC 1.0 LED 3000K M	6W 350mA 17V CRI90 wide	124.20	134.25
W153671M5C	DEEP ADJUST PETIT CEILING REC 1.0 LED 3000K M	6W 350mA 17V CRI90 wide BLADE SPRINGS	125.75	135.95
W153671Q3	DEEP ADJUST PETIT CEILING REC 1.0 LED 2700K Q	6W 350mA 17V CRI90 wide	124.20	134.25
W153671Q3C	DEEP ADJUST PETIT CEILING REC 1.0 LED 2700K Q	6W 350mA 17V CRI90 wide BLADE SPRINGS	125.75	135.95
W153671Q5	DEEP ADJUST PETIT CEILING REC 1.0 LED 3000K Q	6W 350mA 17V CRI90 wide	124.20	134.25
W153671Q5C	DEEP ADJUST PETIT CEILING REC 1.0 LED 3000K Q	6W 350mA 17V CRI90 wide BLADE SPRINGS	125.75	135.95
W153671W3	DEEP ADJUST PETIT CEILING REC 1.0 LED 2700K W	6W 350mA 17V CRI90 wide	124.20	134.25
W153671W3C	DEEP ADJUST PETIT CEILING REC 1.0 LED 2700K W	6W 350mA 17V CRI90 wide BLADE SPRINGS	125.75	135.95
W153671W5	DEEP ADJUST PETIT CEILING REC 1.0 LED 3000K W	6W 350mA 17V CRI90 wide	124.20	134.25
W153671W5C	DEEP ADJUST PETIT CEILING REC 1.0 LED 3000K W	6W 350mA 17V CRI90 wide BLADE SPRINGS	125.75	135.95
W153761B3	DEEP PETIT IP65 CEILING REC 1.0 LED 2700K B	6W 350mA 17V CRI90	132.10	142.80
W153761B5	DEEP PETIT IP65 CEILING REC 1.0 LED 3000K B	6W 350mA 17V CRI90	132.10	142.80
W153761W3	DEEP PETIT IP65 CEILING REC 1.0 LED 2700K W	6W 350mA 17V CRI90	132.10	142.80
W153761W5	DEEP PETIT IP65 CEILING REC 1.0 LED 3000K W	6W 350mA 17V CRI90	132.10	142.80
W154210B0	RINI SNEAK IP44 CEILING REC 1.0 MR16 B	max. 12W GU5.3 12V	61.00	65.95
W154210W0	RINI SNEAK IP44 CEILING REC 1.0 MR16 W	max. 12W GU5.3 12V	61.00	65.95
W154220B0	RINI SNEAK IP44 CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	61.00	65.95
W154220W0	RINI SNEAK IP44 CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC	61.00	65.95
W154441B3	RINI SNEAK IP44 CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 narrow	142.15	153.65
W154441B5	RINI SNEAK IP44 CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 narrow	142.15	153.65
W154441W3	RINI SNEAK IP44 CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90 narrow	142.15	153.65
W154441W5	RINI SNEAK IP44 CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90 narrow	142.15	153.65
W154461B3	RINI SNEAK IP44 CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 standard	142.15	153.65
W154461B5	RINI SNEAK IP44 CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 standard	142.15	153.65
W154461B9	RINI SNEAK IP44 CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 17V CRI90 standard	142.15	153.65
W154461W3	RINI SNEAK IP44 CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90 standard	142.15	153.65
W154461W5	RINI SNEAK IP44 CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90 standard	142.15	153.65
W154461W9	RINI SNEAK IP44 CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 17V CRI90 standard	142.15	153.65
W155551B3	SNEAK TRIMLESS CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90	171.30	185.20
W155551B5	SNEAK TRIMLESS CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90	171.30	185.20
W155551B9	SNEAK TRIMLESS CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 17V CRI90	171.30	185.20
W155551K3	SNEAK TRIMLESS CEILING REC 1.0 LED 2700K K	6/9W 350/500mA 17V CRI90	174.60	188.75
W155551K5	SNEAK TRIMLESS CEILING REC 1.0 LED 3000K K	6/9W 350/500mA 17V CRI90	174.60	188.75
W155551K9	SNEAK TRIMLESS CEILING REC 1.0 LED 2000-3000K K	6/9W 350/500mA 17V CRI90	174.60	188.75
W155551W3	SNEAK TRIMLESS CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90	171.30	185.20
W155551W5	SNEAK TRIMLESS CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90	171.30	185.20
W155551W9	SNEAK TRIMLESS CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 17V CRI90	171.30	185.20
W155651B3	SNEAK TRIMLESS CEILING REC 2.0 LED 2700K B	2x6/9W 350/500mA 17V CRI90	327.65	354.20
W155651B5	SNEAK TRIMLESS CEILING REC 2.0 LED 3000K B	2x6/9W 350/500mA 17V CRI90	327.65	354.20
W155651B9	SNEAK TRIMLESS CEILING REC 2.0 LED 2000-3000K B	2x6/9W 350/500mA 17V CRI90	327.65	354.20
W155651K3	SNEAK TRIMLESS CEILING REC 2.0 LED 2700K K	2x6/9W 350/500mA 17V CRI90	334.25	361.30
W155651K5	SNEAK TRIMLESS CEILING REC 2.0 LED 3000K K	2x6/9W 350/500mA 17V CRI90	334.25	361.30
W155651K9	SNEAK TRIMLESS CEILING REC 2.0 LED 2000-3000K K	2x6/9W 350/500mA 17V CRI90	334.25	361.30
W155651W3	SNEAK TRIMLESS CEILING REC 2.0 LED 2700K W	2x6/9W 350/500mA 17V CRI90	327.65	354.20
W155651W5	SNEAK TRIMLESS CEILING REC 2.0 LED 3000K W	2x6/9W 350/500mA 17V CRI90	327.65	354.20
W155651W9	SNEAK TRIMLESS CEILING REC 2.0 LED 2000-3000K W	2x6/9W 350/500mA 17V CRI90	327.65	354.20
W155751B3	SNEAK CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90	161.20	174.25
W155751B5	SNEAK CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90	161.20	174.25
W155751B9	SNEAK CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 17V CRI90	161.20	174.25
W155751K3	SNEAK CEILING REC 1.0 LED 2700K K	6/9W 350/500mA 17V CRI90	164.50	177.80
W155751K5	SNEAK CEILING REC 1.0 LED 3000K K	6/9W 350/500mA 17V CRI90	164.50	177.80
W155751K9	SNEAK CEILING REC 1.0 LED 2000-3000K K	6/9W 350/500mA 17V CRI90	164.50	177.80
W155751W3	SNEAK CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90	161.20	174.25
W155751W5	SNEAK CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90	161.20	174.25
W155751W9	SNEAK CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 17V CRI90	161.20	174.25
W155851B3	SNEAK CEILING REC 2.0 LED 2700K B	2x6/9W 350/500mA 17V CRI90	298.25	322.40
W155851B5	SNEAK CEILING REC 2.0 LED 3000K B	2x6/9W 350/500mA 17V CRI90	298.25	322.40
W155851B9	SNEAK CEILING REC 2.0 LED 2000-3000K B	2x6/9W 350/500mA 17V CRI90	298.25	322.40
W155851K3	SNEAK CEILING REC 2.0 LED 2700K K	2x6/9W 350/500mA 17V CRI90	304.85	329.55
W155851K5	SNEAK CEILING REC 2.0 LED 3000K K	2x6/9W 350/500mA 17V CRI90	304.85	329.55
W155851K9	SNEAK CEILING REC 2.0 LED 2000-3000K K	2x6/9W 350/500mA 17V CRI90	304.85	329.55
W155851W3	SNEAK CEILING REC 2.0 LED 2700K W	2x6/9W 350/500mA 17V CRI90	298.25	322.40
W155851W5	SNEAK CEILING REC 2.0 LED 3000K W	2x6/9W 350/500mA 17V CRI90	298.25	322.40
W155851W9	SNEAK CEILING REC 2.0 LED 2000-3000K W	2x6/9W 350/500mA 17V CRI90	298.25	322.40
W157120B0	SARA ON TRACK 1-PHASE 1.0 PAR16 B	max. 12W GU10 100-240VAC	126.30	136.55

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W157120G0	SARA ON TRACK 1-PHASE 1.0 PAR16 G	max. 12W GU10 100-240VAC	135.70	146.70
W157120K0	SARA ON TRACK 1-PHASE 1.0 PAR16 K	max. 12W GU10 100-240VAC	137.05	148.15
W157120W0	SARA ON TRACK 1-PHASE 1.0 PAR16 W	max. 12W GU10 100-240VAC	126.30	136.55
W157168B3	SARA ON TRACK 1-PHASE 1.0 LED 2700K B	8W 220-240VAC DIM CRI90	222.50	240.50
W157168B5	SARA ON TRACK 1-PHASE 1.0 LED 3000K B	8W 220-240VAC DIM CRI90	222.50	240.50
W157168G3	SARA ON TRACK 1-PHASE 1.0 LED 2700K G	8W 220-240VAC DIM CRI90	231.85	250.65
W157168G5	SARA ON TRACK 1-PHASE 1.0 LED 3000K G	8W 220-240VAC DIM CRI90	231.85	250.65
W157168K3	SARA ON TRACK 1-PHASE 1.0 LED 2700K K	8W 220-240VAC DIM CRI90	233.25	252.15
W157168K5	SARA ON TRACK 1-PHASE 1.0 LED 3000K K	8W 220-240VAC DIM CRI90	233.25	252.15
W157168W3	SARA ON TRACK 1-PHASE 1.0 LED 2700K W	8W 220-240VAC DIM CRI90	222.50	240.50
W157168W5	SARA ON TRACK 1-PHASE 1.0 LED 3000K W	8W 220-240VAC DIM CRI90	222.50	240.50
W157220B0	SARA ON BASE CEILING SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	109.05	117.90
W157220G0	SARA ON BASE CEILING SURF 1.0 PAR16 G	max. 12W GU10 100-240VAC	113.45	122.65
W157220K0	SARA ON BASE CEILING SURF 1.0 PAR16 K	max. 12W GU10 100-240VAC	116.20	125.60
W157220W0	SARA ON BASE CEILING SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC	109.05	117.90
W157320B0	SARA SNOOZE WALL SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC incl. switch on/off	213.90	231.25
W157320G0	SARA SNOOZE WALL SURF 1.0 PAR16 G	max. 12W GU10 100-240VAC incl. switch on/off	218.20	236.85
W157320K0	SARA SNOOZE WALL SURF 1.0 PAR16 K	max. 12W GU10 100-240VAC incl. switch on/off	221.10	239.00
W157320W0	SARA SNOOZE WALL SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC incl. switch on/off	213.90	231.25
W157420B0	SARA ON BASE CEILING SURF 1.1 PAR16 B	max. 12W GU10 100-240VAC	167.30	180.85
W157420W0	SARA ON BASE CEILING SURF 1.1 PAR16 W	max. 12W GU10 100-240VAC	167.30	180.85
W157520B0	SARA ON BASE CEILING SURF 3.0 PAR16 B	max. 3x12W GU10 100-240VAC	341.55	369.20
W157520W0	SARA ON BASE CEILING SURF 3.0 PAR16 W	max. 3x12W GU10 100-240VAC	341.55	369.20
W159144J3	MICK CEILING SURF 1.0 LED 2700K J	14W 220-240VAC DIM CRI90	370.30	400.30
W159144J5	MICK CEILING SURF 1.0 LED 3000K J	14W 220-240VAC DIM CRI90	370.30	400.30
W159144K3	MICK CEILING SURF 1.0 LED 2700K K	14W 220-240VAC DIM CRI90	370.30	400.30
W159144K5	MICK CEILING SURF 1.0 LED 3000K K	14W 220-240VAC DIM CRI90	370.30	400.30
W159244J3	MICK CEILING / WALL SURF 2.0 LED 2700K J	14W 220-240VAC DIM CRI90	485.10	524.40
W159244J5	MICK CEILING / WALL SURF 2.0 LED 3000K J	14W 220-240VAC DIM CRI90	485.10	524.40
W159244K3	MICK CEILING / WALL SURF 2.0 LED 2700K K	14W 220-240VAC DIM CRI90	485.10	524.40
W159244K5	MICK CEILING / WALL SURF 2.0 LED 3000K K	14W 220-240VAC DIM CRI90	485.10	524.40
W159344J3	MICK WALL SURF 1.0 LED 2700K J	8W 220-240VAC DIM CRI90	370.30	400.30
W159344J5	MICK WALL SURF 1.0 LED 3000K J	8W 220-240VAC DIM CRI90	370.30	400.30
W159344K3	MICK WALL SURF 1.0 LED 2700K K	8W 220-240VAC DIM CRI90	370.30	400.30
W159344K5	MICK WALL SURF 1.0 LED 3000K K	8W 220-240VAC DIM CRI90	370.30	400.30
W159442J3	MICK ON STREX 1.0 LED 2700K J	10W 48V NON DIM CRI90	264.15	285.55
W159442J5	MICK ON STREX 1.0 LED 3000K J	10W 48V NON DIM CRI90	264.15	285.55
W159442K3	MICK ON STREX 1.0 LED 2700K K	10W 48V NON DIM CRI90	264.15	285.55
W159442K5	MICK ON STREX 1.0 LED 3000K K	10W 48V NON DIM CRI90	264.15	285.55
W159445J3	MICK ON STREX 1.0 LED 2700K J	10W 48V DALI-2 CRI90	393.30	425.15
W159445J5	MICK ON STREX 1.0 LED 3000K J	10W 48V DALI-2 CRI90	393.30	425.15
W159445K3	MICK ON STREX 1.0 LED 2700K K	10W 48V DALI-2 CRI90	393.30	425.15
W159445K5	MICK ON STREX 1.0 LED 3000K K	10W 48V DALI-2 CRI90	393.30	425.15
W159542J3	MICK ON STREX 2.0 LED 2700K J	19W 48V NON DIM CRI90	390.45	422.10
W159542J5	MICK ON STREX 2.0 LED 3000K J	19W 48V NON DIM CRI90	390.45	422.10
W159542K3	MICK ON STREX 2.0 LED 2700K K	19W 48V NON DIM CRI90	390.45	422.10
W159542K5	MICK ON STREX 2.0 LED 3000K K	19W 48V NON DIM CRI90	390.45	422.10
W159545J3	MICK ON STREX 2.0 LED 2700K J	10W 48V DALI-2 CRI90	536.85	580.35
W159545J5	MICK ON STREX 2.0 LED 3000K J	10W 48V DALI-2 CRI90	536.85	580.35
W159545K3	MICK ON STREX 2.0 LED 2700K K	10W 48V DALI-2 CRI90	536.85	580.35
W159545K5	MICK ON STREX 2.0 LED 3000K K	10W 48V DALI-2 CRI90	536.85	580.35
W159643J3	MICK SNOOZE WALL SURF 1.0 LED 2700K J	8W 220-240VAC CRI90 incl. switch on/off	409.05	442.20
W159643J5	MICK SNOOZE WALL SURF 1.0 LED 3000K J	8W 220-240VAC CRI90 incl. switch on/off	409.05	442.20
W159643K3	MICK SNOOZE WALL SURF 1.0 LED 2700K K	8W 220-240VAC CRI90 incl. switch on/off	409.05	442.20
W159643K5	MICK SNOOZE WALL SURF 1.0 LED 3000K K	8W 220-240VAC CRI90 incl. switch on/off	409.05	442.20
W160120B0	SPINEO CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC	50.25	54.30
W160120B0C	SPINEO CEILING REC 1.0 PAR16 B	max. 12W GU10 100-240VAC BLADE SPRINGS	51.75	55.95
W160120W0	SPINEO CEILING REC 2.0 PAR16 W	max. 12W GU10 100-240VAC	50.25	54.30
W160120W0C	SPINEO CEILING REC 1.0 PAR16 W	max. 12W GU10 100-240VAC BLADE SPRINGS	51.75	55.95
W162441B3	PLANO PETIT CEILING REC 1.0 LED 2700K B	6W 350mA 17V CRI90 narrow	137.75	148.90
W162441B5	PLANO PETIT CEILING REC 1.0 LED 3000K B	6W 350mA 17V CRI90 narrow	137.75	148.90
W162441Q3	PLANO PETIT CEILING REC 1.0 LED 2700K Q	6W 350mA 17V CRI90 narrow	137.75	148.90
W162441Q5	PLANO PETIT CEILING REC 1.0 LED 3000K Q	6W 350mA 17V CRI90 narrow	137.75	148.90
W162441W3	PLANO PETIT CEILING REC 1.0 LED 2700K W	6W 350mA 17V CRI90 narrow	137.75	148.90
W162441W5	PLANO PETIT CEILING REC 1.0 LED 3000K W	6W 350mA 17V CRI90 narrow	137.75	148.90
W162461B3	PLANO PETIT CEILING REC 1.0 LED 2700K B	6W 350mA 17V CRI90 standard	137.75	148.90
W162461B5	PLANO PETIT CEILING REC 1.0 LED 3000K B	6W 350mA 17V CRI90 standard	137.75	148.90
W162461B9	PLANO PETIT CEILING REC 1.0 LED 2000-3000K B	6W 350mA 16V CRI90 standard	137.75	148.90
W162461Q3	PLANO PETIT CEILING REC 1.0 LED 2700K Q	6W 350mA 17V CRI90 standard	137.75	148.90
W162461Q5	PLANO PETIT CEILING REC 1.0 LED 3000K Q	6W 350mA 17V CRI90 standard	137.75	148.90
W162461Q9	PLANO PETIT CEILING REC 1.0 LED 2000-3000K Q	6W 350mA 16V CRI90 standard	137.75	148.90
W162461W3	PLANO PETIT CEILING REC 1.0 LED 2700K W	6W 350mA 17V CRI90 standard	137.75	148.90
W162461W5	PLANO PETIT CEILING REC 1.0 LED 3000K W	6W 350mA 17V CRI90 standard	137.75	148.90
W162461W9	PLANO PETIT CEILING REC 1.0 LED 2000-3000K W	6W 350mA 16V CRI90 standard	137.75	148.90
W162471B3	PLANO PETIT CEILING REC 1.0 LED 2700K B	6W 350mA 17V CRI90 wide	137.75	148.90
W162471B5	PLANO PETIT CEILING REC 1.0 LED 3000K B	6W 350mA 17V CRI90 wide	137.75	148.90
W162471Q3	PLANO PETIT CEILING REC 1.0 LED 2700K Q	6W 350mA 17V CRI90 wide	137.75	148.90
W162471Q5	PLANO PETIT CEILING REC 1.0 LED 3000K Q	6W 350mA 17V CRI90 wide	137.75	148.90
W162471W3	PLANO PETIT CEILING REC 1.0 LED 2700K W	6W 350mA 17V CRI90 wide	137.75	148.90
W162471W5	PLANO PETIT CEILING REC 1.0 LED 3000K W	6W 350mA 17V CRI90 wide	137.75	148.90
W162541B3	PLANO PETIT CEILING REC 2.0 LED 2700K B	2x6W 350mA 17V CRI90 narrow	237.50	256.75
W162541B5	PLANO PETIT CEILING REC 2.0 LED 3000K B	2x6W 350mA 17V CRI90 narrow	237.50	256.75
W162541Q3	PLANO PETIT CEILING REC 2.0 LED 2700K Q	2x6W 350mA 17V CRI90 narrow	237.50	256.75
W162541Q5	PLANO PETIT CEILING REC 2.0 LED 3000K Q	2x6W 350mA 17V CRI90 narrow	237.50	256.75
W162541W3	PLANO PETIT CEILING REC 2.0 LED 2700K W	2x6W 350mA 17V CRI90 narrow	237.50	256.75
W162541W5	PLANO PETIT CEILING REC 2.0 LED 3000K W	2x6W 350mA 17V CRI90 narrow	237.50	256.75
W162544B3	PLANO PETIT CEILING SURF 1.0 LED 2700K B	8W 220-240VAC DIM CRI90 narrow	232.55	251.40
W162544B5	PLANO PETIT CEILING SURF 1.0 LED 3000K B	8W 220-240VAC DIM CRI90 narrow	232.55	251.40
W162544CH3	PLANO PETIT CEILING SURF 1.0 LED 2700K CH	8W 220-240VAC DIM CRI90 narrow	232.55	251.40
W162544CH5	PLANO PETIT CEILING SURF 1.0 LED 3000K CH	8W 220-240VAC DIM CRI90 narrow	232.55	251.40
W162544E3	PLANO PETIT CEILING SURF 1.0 LED 2700K E	8W 220-240VAC DIM CRI90 narrow	232.55	251.40
W162544E5	PLANO PETIT CEILING SURF 1.0 LED 3000K E	8W 220-240VAC DIM CRI90 narrow	232.55	251.40
W162544W3	PLANO PETIT CEILING SURF 1.0 LED 2700K W	8W 220-240VAC DIM CRI90 narrow	232.55	251.40
W162544W5	PLANO PETIT CEILING SURF 1.0 LED 3000K W	8W 220-240VAC DIM CRI90 narrow	232.55	251.40

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W165161G3	DEEP BIJOU CEILING REC 1.0 LED 2700K G	4W 250mA 17V CRI90	77.60	83.90
W165161G3C	DEEP BIJOU CEILING REC 1.0 LED 2700K G	4W 250mA 17V CRI90 BLADE SPRINGS	79.10	85.50
W165161G5	DEEP BIJOU CEILING REC 1.0 LED 3000K G	4W 250mA 17V CRI90	77.60	83.90
W165161G5C	DEEP BIJOU CEILING REC 1.0 LED 3000K G	4W 250mA 17V CRI90 BLADE SPRINGS	79.10	85.50
W165161M3	DEEP BIJOU CEILING REC 1.0 LED 2700K M	4W 250mA 17V CRI90	77.60	83.90
W165161M3C	DEEP BIJOU CEILING REC 1.0 LED 2700K M	4W 250mA 17V CRI90 BLADE SPRINGS	79.10	85.50
W165161M5	DEEP BIJOU CEILING REC 1.0 LED 3000K M	4W 250mA 17V CRI90	77.60	83.90
W165161M5C	DEEP BIJOU CEILING REC 1.0 LED 3000K M	4W 250mA 17V CRI90 BLADE SPRINGS	79.10	85.50
W165161Q3	DEEP BIJOU CEILING REC 1.0 LED 2700K Q	4W 250mA 17V CRI90	77.60	83.90
W165161Q3C	DEEP BIJOU CEILING REC 1.0 LED 2700K Q	4W 250mA 17V CRI90 BLADE SPRINGS	79.10	85.50
W165161Q5	DEEP BIJOU CEILING REC 1.0 LED 3000K Q	4W 250mA 17V CRI90	77.60	83.90
W165161Q5C	DEEP BIJOU CEILING REC 1.0 LED 3000K Q	4W 250mA 17V CRI90 BLADE SPRINGS	79.10	85.50
W165161W3	DEEP BIJOU CEILING REC 1.0 LED 2700K W	4W 250mA 17V CRI90	77.60	83.90
W165161W3C	DEEP BIJOU CEILING REC 1.0 LED 2700K W	4W 250mA 17V CRI90 BLADE SPRINGS	79.10	85.50
W165161W5	DEEP BIJOU CEILING REC 1.0 LED 3000K W	4W 250mA 17V CRI90	77.60	83.90
W165161W5C	DEEP BIJOU CEILING REC 1.0 LED 3000K W	4W 250mA 17V CRI90 BLADE SPRINGS	79.10	85.50
W165261B3	DEEP BIJOU CEILING REC 2.0 LED 2700K B	2x4W 250mA 34V CRI90	149.35	161.45
W165261B5	DEEP BIJOU CEILING REC 2.0 LED 3000K B	2x4W 250mA 34V CRI90	149.35	161.45
W165261G3	DEEP BIJOU CEILING REC 2.0 LED 2700K G	2x4W 250mA 34V CRI90	149.35	161.45
W165261G5	DEEP BIJOU CEILING REC 2.0 LED 3000K G	2x4W 250mA 34V CRI90	149.35	161.45
W165261M3	DEEP BIJOU CEILING REC 2.0 LED 2700K M	2x4W 250mA 34V CRI90	149.35	161.45
W165261M5	DEEP BIJOU CEILING REC 2.0 LED 3000K M	2x4W 250mA 34V CRI90	149.35	161.45
W165261W3	DEEP BIJOU CEILING REC 2.0 LED 2700K W	2x4W 250mA 34V CRI90	149.35	161.45
W165261W5	DEEP BIJOU CEILING REC 2.0 LED 3000K W	2x4W 250mA 34V CRI90	149.35	161.45
W165361B3	DEEP BIJOU IP65 CEILING REC 1.0 LED 2700K B	4W 500mA 8V CRI90	96.20	104.00
W165361B3C	DEEP BIJOU IP65 CEILING REC 1.0 LED 2700K B	4W 500mA 8V CRI90 BLADE SPRINGS	97.75	105.65
W165361B5	DEEP BIJOU IP65 CEILING REC 1.0 LED 3000K B	4W 500mA 8V CRI90	96.20	104.00
W165361B5C	DEEP BIJOU IP65 CEILING REC 1.0 LED 3000K B	4W 500mA 8V CRI90 BLADE SPRINGS	97.75	105.65
W165361Q3	DEEP BIJOU IP65 CEILING REC 1.0 LED 2700K Q	4W 500mA 8V CRI90	96.20	104.00
W165361Q3C	DEEP BIJOU IP65 CEILING REC 1.0 LED 2700K Q	4W 500mA 8V CRI90 BLADE SPRINGS	97.75	105.65
W165361Q5	DEEP BIJOU IP65 CEILING REC 1.0 LED 3000K Q	4W 500mA 8V CRI90	96.20	104.00
W165361Q5C	DEEP BIJOU IP65 CEILING REC 1.0 LED 3000K Q	4W 500mA 8V CRI90 BLADE SPRINGS	97.75	105.65
W165361W3	DEEP BIJOU IP65 CEILING REC 1.0 LED 2700K W	4W 500mA 8V CRI90	96.20	104.00
W165361W3C	DEEP BIJOU IP65 CEILING REC 1.0 LED 2700K W	4W 500mA 8V CRI90 BLADE SPRINGS	97.75	105.65
W165361W5	DEEP BIJOU IP65 CEILING REC 1.0 LED 3000K W	4W 500mA 8V CRI90	96.20	104.00
W165361W5C	DEEP BIJOU IP65 CEILING REC 1.0 LED 3000K W	4W 500mA 8V CRI90 BLADE SPRINGS	97.75	105.65
W166562B3	CENO ON STREX 1.0 LED 2700K B	7W 48V NON DIM CRI90	232.55	251.40
W166562B5	CENO ON STREX 1.0 LED 3000K B	7W 48V NON DIM CRI90	232.55	251.40
W166562BQ3	CENO ON STREX 1.0 LED 2700K BQ	7W 48V NON DIM CRI90	232.55	251.40
W166562BQ5	CENO ON STREX 1.0 LED 3000K BQ	7W 48V NON DIM CRI90	232.55	251.40
W166562CH3	CENO ON STREX 1.0 LED 2700K CH	7W 48V NON DIM CRI90	232.55	251.40
W166562CH5	CENO ON STREX 1.0 LED 3000K CH	7W 48V NON DIM CRI90	232.55	251.40
W166562K3	CENO ON STREX 1.0 LED 2700K K	7W 48V NON DIM CRI90	232.55	251.40
W166562K5	CENO ON STREX 1.0 LED 3000K K	7W 48V NON DIM CRI90	232.55	251.40
W166562W3	CENO ON STREX 1.0 LED 2700K W	7W 48V NON DIM CRI90	232.55	251.40
W166562W5	CENO ON STREX 1.0 LED 3000K W	7W 48V NON DIM CRI90	232.55	251.40
W166565B3	CENO ON STREX 1.0 LED 2700K B	7W 48V DALI CRI90	351.65	380.15
W166565B5	CENO ON STREX 1.0 LED 3000K B	7W 48V DALI CRI90	351.65	380.15
W166565BQ3	CENO ON STREX 1.0 LED 2700K BQ	7W 48V DALI CRI90	351.65	380.15
W166565BQ5	CENO ON STREX 1.0 LED 3000K BQ	7W 48V DALI CRI90	351.65	380.15
W166565CH3	CENO ON STREX 1.0 LED 2700K CH	7W 48V DALI CRI90	351.65	380.15
W166565CH5	CENO ON STREX 1.0 LED 3000K CH	7W 48V DALI CRI90	351.65	380.15
W166565K3	CENO ON STREX 1.0 LED 2700K K	7W 48V DALI CRI90	351.65	380.15
W166565K5	CENO ON STREX 1.0 LED 3000K K	7W 48V DALI CRI90	351.65	380.15
W166565W3	CENO ON STREX 1.0 LED 2700K W	7W 48V DALI CRI90	351.65	380.15
W166565W5	CENO ON STREX 1.0 LED 3000K W	7W 48V DALI CRI90	351.65	380.15
W166662B3	CENO ON STREX 2.0 LED 2700K B	13W 48V NON DIM CRI90	355.95	384.80
W166662B5	CENO ON STREX 2.0 LED 3000K B	13W 48V NON DIM CRI90	355.95	384.80
W166662BQ3	CENO ON STREX 2.0 LED 2700K BQ	13W 48V NON DIM CRI90	355.95	384.80
W166662BQ5	CENO ON STREX 2.0 LED 3000K BQ	13W 48V NON DIM CRI90	355.95	384.80
W166662CH3	CENO ON STREX 2.0 LED 2700K CH	13W 48V NON DIM CRI90	355.95	384.80
W166662CH5	CENO ON STREX 2.0 LED 3000K CH	13W 48V NON DIM CRI90	355.95	384.80
W166662K3	CENO ON STREX 2.0 LED 2700K K	13W 48V NON DIM CRI90	355.95	384.80
W166662K5	CENO ON STREX 2.0 LED 3000K K	13W 48V NON DIM CRI90	355.95	384.80
W166662W3	CENO ON STREX 2.0 LED 2700K W	13W 48V NON DIM CRI90	355.95	384.80
W166662W5	CENO ON STREX 2.0 LED 3000K W	13W 48V NON DIM CRI90	355.95	384.80
W166665B3	CENO ON STREX 2.0 LED 2700K B	13W 48V DALI-2 CRI90	462.20	499.65
W166665B5	CENO ON STREX 2.0 LED 3000K B	13W 48V DALI-2 CRI90	462.20	499.65
W166665BQ3	CENO ON STREX 2.0 LED 2700K BQ	13W 48V DALI-2 CRI90	462.20	499.65
W166665BQ5	CENO ON STREX 2.0 LED 3000K BQ	13W 48V DALI-2 CRI90	462.20	499.65
W166665CH3	CENO ON STREX 2.0 LED 2700K CH	13W 48V DALI-2 CRI90	462.20	499.65
W166665CH5	CENO ON STREX 2.0 LED 3000K CH	13W 48V DALI-2 CRI90	462.20	499.65
W166665K3	CENO ON STREX 2.0 LED 2700K K	13W 48V DALI-2 CRI90	462.20	499.65
W166665K5	CENO ON STREX 2.0 LED 3000K K	13W 48V DALI-2 CRI90	462.20	499.65
W166665W3	CENO ON STREX 2.0 LED 2700K W	13W 48V DALI-2 CRI90	462.20	499.65
W166665W5	CENO ON STREX 2.0 LED 3000K W	13W 48V DALI-2 CRI90	462.20	499.65
W166963B5	CENO FORT ON TRACK 3-PHASE 1.0 LED 3000K B	36W 220-240VAC NON DIM CRI90	298.50	322.70
W166963B7	CENO FORT ON TRACK 3-PHASE 1.0 LED 4000K B	36W 220-240VAC NON DIM CRI90	298.50	322.70
W166963W5	CENO FORT ON TRACK 3-PHASE 1.0 LED 3000K W	36W 220-240VAC NON DIM CRI90	298.50	322.70
W166963W7	CENO FORT ON TRACK 3-PHASE 1.0 LED 4000K W	36W 220-240VAC NON DIM CRI90	298.50	322.70
W166965B5	CENO FORT ON TRACK 3-PHASE 1.0 LED 3000K B	36W 220-240VAC DALI-2 CRI90	351.65	380.15
W166965B7	CENO FORT ON TRACK 3-PHASE 1.0 LED 4000K B	36W 220-240VAC DALI-2 CRI90	351.65	380.15
W166965W5	CENO FORT ON TRACK 3-PHASE 1.0 LED 3000K W	36W 220-240VAC DALI-2 CRI90	351.65	380.15
W166965W7	CENO FORT ON TRACK 3-PHASE 1.0 LED 4000K W	36W 220-240VAC DALI-2 CRI90	351.65	380.15
W1671E0B0	RUVI CEILING REC 1.0 E27 B	max. 12W G95 220-240VAC	124.90	135.00
W168185B5	ROOMOR OFFICE CABLE SUSP 1.0 OPAL LED 3000K B	36W 220-240VAC DALI-2 PUSH DIM CRI90	1212.75	1311.00
W168185B7	ROOMOR OFFICE CABLE SUSP 1.0 OPAL LED 4000K B	36W 220-240VAC DALI-2 PUSH DIM CRI90	1212.75	1311.00
W168185W5	ROOMOR OFFICE CABLE SUSP 1.0 OPAL LED 3000K W	36W 220-240VAC DALI-2 PUSH DIM CRI90	1212.75	1311.00
W168185W7	ROOMOR OFFICE CABLE SUSP 1.0 OPAL LED 4000K W	36W 220-240VAC DALI-2 PUSH DIM CRI90	1212.75	1311.00
W1681M5B5	ROOMOR OFFICE CABLE SUSP 1.0 MICROPRISM LED 3000K B	36W 220-240VAC DALI-2 PUSH DIM CRI90	1241.45	1342.00
W1681M5B7	ROOMOR OFFICE CABLE SUSP 1.0 MICROPRISM LED 4000K B	36W 220-240VAC DALI-2 PUSH DIM CRI90	1241.45	1342.00
W1681M5W5	ROOMOR OFFICE CABLE SUSP 1.0 MICROPRISM LED 3000K W	36W 220-240VAC DALI-2 PUSH DIM CRI90	1241.45	1342.00
W1681M5W7	ROOMOR OFFICE CABLE SUSP 1.0 MICROPRISM LED 4000K W	36W 220-240VAC DALI-2 PUSH DIM CRI90	1241.45	1342.00
W168385B5	ROOMOR OFFICE CEILING SURF 1.0 OPAL LED 3000K B	36W 220-240VAC DALI-2 PUSH DIM CRI90	1145.30	1238.05

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W168385B7	ROOMOR OFFICE CEILING SURF 1.0 OPAL LED 4000K B	36W 220-240VAC DALI-2 1 PUSH DIM CRI90	1145.30	1238.05
W168385W5	ROOMOR OFFICE CEILING SURF 1.0 OPAL LED 3000K W	36W 220-240VAC DALI-2 1 PUSH DIM CRI90	1145.30	1238.05
W168385W7	ROOMOR OFFICE CEILING SURF 1.0 OPAL LED 4000K W	36W 220-240VAC DALI-2 1 PUSH DIM CRI90	1145.30	1238.05
W1683M5B5	ROOMOR OFFICE CEILING SURF 1.0 MICROPRISM LED 3000K B	36W 220-240VAC DALI-2 1 PUSH DIM CRI90	1198.40	1295.45
W1683M5B7	ROOMOR OFFICE CEILING SURF 1.0 MICROPRISM LED 4000K B	36W 220-240VAC DALI-2 1 PUSH DIM CRI90	1198.40	1295.45
W1683M5W5	ROOMOR OFFICE CEILING SURF 1.0 MICROPRISM LED 3000K W	36W 220-240VAC DALI-2 1 PUSH DIM CRI90	1198.40	1295.45
W1683M5W7	ROOMOR OFFICE CEILING SURF 1.0 MICROPRISM LED 4000K W	36W 220-240VAC DALI-2 1 PUSH DIM CRI90	1198.40	1295.45
W168485B5	ROOMOR OFFICE ON TRACK 3-PHASE 1.0 OPAL LED 3000K B	36W 220-240VAC DALI-2 CRI90	1212.75	1311.00
W168485B7	ROOMOR OFFICE ON TRACK 3-PHASE 1.0 OPAL LED 4000K B	36W 220-240VAC DALI-2 CRI90	1212.75	1311.00
W168485W5	ROOMOR OFFICE ON TRACK 3-PHASE 1.0 OPAL LED 3000K W	36W 220-240VAC DALI-2 CRI90	1212.75	1311.00
W168485W7	ROOMOR OFFICE ON TRACK 3-PHASE 1.0 OPAL LED 4000K W	36W 220-240VAC DALI-2 CRI90	1212.75	1311.00
W1684M5B5	ROOMOR OFFICE ON TRACK 3-PHASE 1.0 MICROPRISM LED 3000K B	36W 220-240VAC DALI-2 CRI90	1241.45	1342.00
W1684M5B7	ROOMOR OFFICE ON TRACK 3-PHASE 1.0 MICROPRISM LED 4000K B	36W 220-240VAC DALI-2 CRI90	1241.45	1342.00
W1684M5W5	ROOMOR OFFICE ON TRACK 3-PHASE 1.0 MICROPRISM LED 3000K W	36W 220-240VAC DALI-2 CRI90	1241.45	1342.00
W1684M5W7	ROOMOR OFFICE ON TRACK 3-PHASE 1.0 MICROPRISM LED 4000K W	36W 220-240VAC DALI-2 CRI90	1241.45	1342.00
W171342B3	STREX MODULE 1.0 DOT LED 2700K B	9W 48V NON DIM CRI90	380.35	411.15
W171342B5	STREX MODULE 1.0 DOT LED 3000K B	9W 48V NON DIM CRI90	380.35	411.15
W171342W3	STREX MODULE 1.0 DOT LED 2700K W	9W 48V NON DIM CRI90	380.35	411.15
W171342W5	STREX MODULE 1.0 DOT LED 3000K W	9W 48V NON DIM CRI90	380.35	411.15
W171345B3	STREX MODULE 1.0 DOT LED 2700K B	9W 48V DALI CRI90	472.25	510.50
W171345B5	STREX MODULE 1.0 DOT LED 3000K B	9W 48V DALI CRI90	472.25	510.50
W171345W3	STREX MODULE 1.0 DOT LED 2700K W	9W 48V DALI CRI90	472.25	510.50
W171345W5	STREX MODULE 1.0 DOT LED 3000K W	9W 48V DALI CRI90	472.25	510.50
W171382B3	STREX MODULE 1.0 OPAL LED 2700K B	12W 48V NON DIM CRI90	257.00	277.80
W171382B5	STREX MODULE 1.0 OPAL LED 3000K B	12W 48V NON DIM CRI90	257.00	277.80
W171382W3	STREX MODULE 1.0 OPAL LED 2700K W	12W 48V NON DIM CRI90	257.00	277.80
W171382W5	STREX MODULE 1.0 OPAL LED 3000K W	12W 48V NON DIM CRI90	257.00	277.80
W171385B3	STREX MODULE 1.0 OPAL LED 2700K B	12W 48V DALI CRI90	314.40	339.85
W171385B5	STREX MODULE 1.0 OPAL LED 3000K B	12W 48V DALI CRI90	314.40	339.85
W171385W3	STREX MODULE 1.0 OPAL LED 2700K W	12W 48V DALI CRI90	314.40	339.85
W171385W5	STREX MODULE 1.0 OPAL LED 3000K W	12W 48V DALI CRI90	314.40	339.85
W171482B3	STREX MODULE 2.0 OPAL LED 2700K B	24W 48V NON DIM CRI90	371.80	401.90
W171482B5	STREX MODULE 2.0 OPAL LED 3000K B	24W 48V NON DIM CRI90	371.80	401.90
W171482W3	STREX MODULE 2.0 OPAL LED 2700K W	24W 48V NON DIM CRI90	371.80	401.90
W171482W5	STREX MODULE 2.0 OPAL LED 3000K W	24W 48V NON DIM CRI90	371.80	401.90
W171485B3	STREX MODULE 2.0 OPAL LED 2700K B	24W 48V DALI CRI90	427.70	462.35
W171485B5	STREX MODULE 2.0 OPAL LED 3000K B	24W 48V DALI CRI90	427.70	462.35
W171485W3	STREX MODULE 2.0 OPAL LED 2700K W	24W 48V DALI CRI90	427.70	462.35
W171485W5	STREX MODULE 2.0 OPAL LED 3000K W	24W 48V DALI CRI90	427.70	462.35
W1721G0WB0	DRO CEILING SURF 1.0 QT14 B-W	max. 5W G9 220-240VAC	203.15	219.60
W1722C0WB0	DRO CEILING SURF 2.0 E14 B-W	max. 6W C35 220-240VAC	297.85	322.00
W1723E0WB0	DRO CEILING SURF 3.0 E27 B-W	max. 12W A60 220-240VAC	424.80	459.20
W1724G0WB0	DRO ON TRACK 1-PHASE 1.0 QT14 B-W	max. 5W G9 220-240VAC	203.85	220.35
W173264B3	PIRRO SPOT ON TRACK 1-PHASE 2.0 LED 2700K B	11W 220-240VAC DIM CRI90	268.45	290.20
W173264B5	PIRRO SPOT ON TRACK 1-PHASE 2.0 LED 3000K B	11W 220-240VAC DIM CRI90	268.45	290.20
W173264E3	PIRRO SPOT ON TRACK 1-PHASE 2.0 LED 2700K E	11W 220-240VAC DIM CRI90	268.45	290.20
W173264E5	PIRRO SPOT ON TRACK 1-PHASE 2.0 LED 3000K E	11W 220-240VAC DIM CRI90	268.45	290.20
W173264K3	PIRRO SPOT ON TRACK 1-PHASE 2.0 LED 2700K K	11W 220-240VAC DIM CRI90	268.45	290.20
W173264K5	PIRRO SPOT ON TRACK 1-PHASE 2.0 LED 3000K K	11W 220-240VAC DIM CRI90	268.45	290.20
W173284B3	PIRRO OPAL ON TRACK 1-PHASE 2.0 LED 2700K B	7W 220-240VAC DIM CRI90	268.45	290.20
W173284B5	PIRRO OPAL ON TRACK 1-PHASE 2.0 LED 3000K B	7W 220-240VAC DIM CRI90	268.45	290.20
W173284E3	PIRRO OPAL ON TRACK 1-PHASE 2.0 LED 2700K E	7W 220-240VAC DIM CRI90	268.45	290.20
W173284E5	PIRRO OPAL ON TRACK 1-PHASE 2.0 LED 3000K E	7W 220-240VAC DIM CRI90	268.45	290.20
W173284K3	PIRRO OPAL ON TRACK 1-PHASE 2.0 LED 2700K K	7W 220-240VAC DIM CRI90	268.45	290.20
W173284K5	PIRRO OPAL ON TRACK 1-PHASE 2.0 LED 3000K K	7W 220-240VAC DIM CRI90	268.45	290.20
W173464B3	PIRRO SPOT ON TRACK 1-PHASE 4.0 LED 2700K B	20W 220-240VAC DIM CRI90	351.65	380.15
W173464B5	PIRRO SPOT ON TRACK 1-PHASE 4.0 LED 3000K B	20W 220-240VAC DIM CRI90	351.65	380.15
W173464E3	PIRRO SPOT ON TRACK 1-PHASE 4.0 LED 2700K E	20W 220-240VAC DIM CRI90	351.65	380.15
W173464E5	PIRRO SPOT ON TRACK 1-PHASE 4.0 LED 3000K E	20W 220-240VAC DIM CRI90	351.65	380.15
W173464K3	PIRRO SPOT ON TRACK 1-PHASE 4.0 LED 2700K K	20W 220-240VAC DIM CRI90	351.65	380.15
W173464K5	PIRRO SPOT ON TRACK 1-PHASE 4.0 LED 3000K K	20W 220-240VAC DIM CRI90	351.65	380.15
W173484B3	PIRRO OPAL ON TRACK 1-PHASE 4.0 LED 2700K B	12W 220-240VAC DIM CRI90	351.65	380.15
W173484B5	PIRRO OPAL ON TRACK 1-PHASE 4.0 LED 3000K B	12W 220-240VAC DIM CRI90	351.65	380.15
W173484E3	PIRRO OPAL ON TRACK 1-PHASE 4.0 LED 2700K E	12W 220-240VAC DIM CRI90	351.65	380.15
W173484E5	PIRRO OPAL ON TRACK 1-PHASE 4.0 LED 3000K E	12W 220-240VAC DIM CRI90	351.65	380.15
W173484K3	PIRRO OPAL ON TRACK 1-PHASE 4.0 LED 2700K K	12W 220-240VAC DIM CRI90	351.65	380.15
W173484K5	PIRRO OPAL ON TRACK 1-PHASE 4.0 LED 3000K K	12W 220-240VAC DIM CRI90	351.65	380.15
W174184B3	FINLIN CEILING SURF 1.0 LED 2700K B	5W 220-240VAC DIM CRI90	370.30	400.30
W174184B5	FINLIN CEILING SURF 1.0 LED 3000K B	5W 220-240VAC DIM CRI90	370.30	400.30
W174184CH3	FINLIN CEILING SURF 1.0 LED 2700K CH	5W 220-240VAC DIM CRI90	370.30	400.30
W174184CH5	FINLIN CEILING SURF 1.0 LED 3000K CH	5W 220-240VAC DIM CRI90	370.30	400.30
W174184W3	FINLIN CEILING SURF 1.0 LED 2700K W	5W 220-240VAC DIM CRI90	370.30	400.30
W174184W5	FINLIN CEILING SURF 1.0 LED 3000K W	5W 220-240VAC DIM CRI90	370.30	400.30
W174284B3	FINLIN CEILING SURF 2.0 LED 2700K B	8W 220-240VAC DIM CRI90	381.75	412.65
W174284B5	FINLIN CEILING SURF 2.0 LED 3000K B	8W 220-240VAC DIM CRI90	381.75	412.65
W174284CH3	FINLIN CEILING SURF 2.0 LED 2700K CH	8W 220-240VAC DIM CRI90	381.75	412.65
W174284CH5	FINLIN CEILING SURF 2.0 LED 3000K CH	8W 220-240VAC DIM CRI90	381.75	412.65
W174284W3	FINLIN CEILING SURF 2.0 LED 2700K W	8W 220-240VAC DIM CRI90	381.75	412.65
W174284W5	FINLIN CEILING SURF 2.0 LED 3000K W	8W 220-240VAC DIM CRI90	381.75	412.65
W174384B3	FINLIN CEILING SURF 3.0 LED 2700K B	9W 220-240VAC DIM CRI90	427.70	462.35
W174384B5	FINLIN CEILING SURF 3.0 LED 3000K B	9W 220-240VAC DIM CRI90	427.70	462.35
W174384CH3	FINLIN CEILING SURF 3.0 LED 2700K CH	9W 220-240VAC DIM CRI90	427.70	462.35
W174384CH5	FINLIN CEILING SURF 3.0 LED 3000K CH	9W 220-240VAC DIM CRI90	427.70	462.35
W174384W3	FINLIN CEILING SURF 3.0 LED 2700K W	9W 220-240VAC DIM CRI90	427.70	462.35
W174384W5	FINLIN CEILING SURF 3.0 LED 3000K W	9W 220-240VAC DIM CRI90	427.70	462.35
W175488BW5	MIRBI IP44 CEILING SURF 1.0 LED 3000K BW	8W 220-240VAC DIM CRI90	251.20	271.55
W175488W5	MIRBI IP44 CEILING SURF 1.0 LED 3000K W	8W 220-240VAC DIM CRI90	251.20	271.55
W175588BW5	MIRBI IP44 CEILING SURF 2.0 LED 3000K BW	8W 220-240VAC DIM CRI90	265.55	287.05
W175588W5	MIRBI IP44 CEILING SURF 2.0 LED 3000K W	8W 220-240VAC DIM CRI90	265.55	287.05
W175688W5	MIRBI IP44 CEILING REC 1.0 LED 3000K W	8W 220-240VAC DIM CRI90	208.15	225.00
W175788W5	MIRBI IP44 CEILING REC 2.0 LED 3000K W	8W 220-240VAC DIM CRI90	208.15	225.00
W176064B3	CENO CEILING SURF 6.0 LED 2700K B	42W 220-240VAC DIM CRI90	782.20	845.55
W176064B5	CENO CEILING SURF 6.0 LED 3000K B	42W 220-240VAC DIM CRI90	782.20	845.55
W176064Q3	CENO CEILING SURF 6.0 LED 2700K Q	42W 220-240VAC DIM CRI90	782.20	845.55

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W176964K5	CENO CEILING SURF 4.1 LED 3000K K	30W 220-240VAC DIM CRI90	566.95	612.85
W176964Q3	CENO CEILING SURF 4.1 LED 2700K Q	30W 220-240VAC DIM CRI90	566.95	612.85
W176964Q5	CENO CEILING SURF 4.1 LED 3000K Q	30W 220-240VAC DIM CRI90	566.95	612.85
W176964W3	CENO CEILING SURF 4.1 LED 2700K W	30W 220-240VAC DIM CRI90	566.95	612.85
W176964W5	CENO CEILING SURF 4.1 LED 3000K W	30W 220-240VAC DIM CRI90	566.95	612.85
W177154B3	MATCH CEILING SURF 2.0 LED 2700K B	9W 220-240VAC DIM CRI90	241.10	260.65
W177154B5	MATCH CEILING SURF 1.0 LED 3000K B	9W 220-240VAC DIM CRI90	241.10	260.65
W177154BL3	MATCH CEILING SURF 1.0 LED 2700K BL	9W 220-240VAC DIM CRI90	246.90	266.90
W177154BL5	MATCH CEILING SURF 1.0 LED 3000K BL	9W 220-240VAC DIM CRI90	246.90	266.90
W177154W3	MATCH CEILING SURF 1.0 LED 2700K W	9W 220-240VAC DIM CRI90	241.10	260.65
W177154W5	MATCH CEILING SURF 1.0 LED 3000K W	9W 220-240VAC DIM CRI90	241.10	260.65
W177254B3	MATCH CEILING SURF 2.0 LED 2700K B	18W 220-240VAC DIM CRI90	390.45	422.10
W177254B5	MATCH CEILING SURF 2.0 LED 3000K B	18W 220-240VAC DIM CRI90	390.45	422.10
W177254BL3	MATCH CEILING SURF 2.0 LED 2700K BL	18W 220-240VAC DIM CRI90	396.10	428.20
W177254BL5	MATCH CEILING SURF 2.0 LED 3000K BL	18W 220-240VAC DIM CRI90	396.10	428.20
W177254W3	MATCH CEILING SURF 2.0 LED 2700K W	18W 220-240VAC DIM CRI90	390.45	422.10
W177254W5	MATCH CEILING SURF 2.0 LED 3000K W	18W 220-240VAC DIM CRI90	390.45	422.10
W177353B3	MATCH SNOOZE WALL SURF 1.0 LED 2700K B	5W 220-240VAC CRI90 incl. switch on/off	279.90	302.55
W177353B5	MATCH SNOOZE WALL SURF 1.0 LED 3000K B	5W 220-240VAC CRI90 incl. switch on/off	279.90	302.55
W177353W3	MATCH SNOOZE WALL SURF 1.0 LED 2700K W	5W 220-240VAC CRI90 incl. switch on/off	279.90	302.55
W177353W5	MATCH SNOOZE WALL SURF 1.0 LED 3000K W	5W 220-240VAC CRI90 incl. switch on/off	279.90	302.55
W177454B3	MATCH CEILING SURF 4.0 LED 2700K B	30W 220-240VAC DIM CRI90	624.35	674.90
W177454B5	MATCH CEILING SURF 4.0 LED 3000K B	30W 220-240VAC DIM CRI90	624.35	674.90
W177454W3	MATCH CEILING SURF 4.0 LED 2700K W	30W 220-240VAC DIM CRI90	624.35	674.90
W177454W5	MATCH CEILING SURF 4.0 LED 3000K W	30W 220-240VAC DIM CRI90	624.35	674.90
W178188B3	TOWNA IP44 CEILING SURF 1.0 LED 2700K B	12W 220-240VAC DIM CRI90	350.25	378.60
W178188B5	TOWNA IP44 CEILING SURF 1.0 LED 3000K B	12W 220-240VAC DIM CRI90	350.25	378.60
W178188J3	TOWNA IP44 CEILING SURF 1.0 LED 2700K J	12W 220-240VAC DIM CRI90	354.55	383.25
W178188J5	TOWNA IP44 CEILING SURF 1.0 LED 3000K J	12W 220-240VAC DIM CRI90	354.55	383.25
W178188K3	TOWNA IP44 CEILING SURF 1.0 LED 2700K K	12W 220-240VAC DIM CRI90	354.55	383.25
W178188K5	TOWNA IP44 CEILING SURF 1.0 LED 3000K K	12W 220-240VAC DIM CRI90	354.55	383.25
W178188W3	TOWNA IP44 CEILING SURF 1.0 LED 2700K W	12W 220-240VAC DIM CRI90	350.25	378.60
W178188W5	TOWNA IP44 CEILING SURF 1.0 LED 3000K W	12W 220-240VAC DIM CRI90	350.25	378.60
W178188Z3	TOWNA IP44 CEILING SURF 1.0 LED 2700K Z	12W 220-240VAC DIM CRI90	354.55	383.25
W178188Z5	TOWNA IP44 CEILING SURF 1.0 LED 3000K Z	12W 220-240VAC DIM CRI90	354.55	383.25
W178288B3	TOWNA IP44 CEILING SURF 2.0 LED 2700K B	18W 220-240VAC DIM CRI90	509.50	550.75
W178288B5	TOWNA IP44 CEILING SURF 2.0 LED 3000K B	18W 220-240VAC DIM CRI90	509.50	550.75
W178288J3	TOWNA IP44 CEILING SURF 2.0 LED 2700K J	18W 220-240VAC DIM CRI90	515.30	557.05
W178288J5	TOWNA IP44 CEILING SURF 2.0 LED 3000K J	18W 220-240VAC DIM CRI90	515.30	557.05
W178288K3	TOWNA IP44 CEILING SURF 2.0 LED 2700K K	18W 220-240VAC DIM CRI90	515.30	557.05
W178288K5	TOWNA IP44 CEILING SURF 2.0 LED 3000K K	18W 220-240VAC DIM CRI90	515.30	557.05
W178288W3	TOWNA IP44 CEILING SURF 2.0 LED 2700K W	18W 220-240VAC DIM CRI90	509.50	550.75
W178288W5	TOWNA IP44 CEILING SURF 2.0 LED 3000K W	18W 220-240VAC DIM CRI90	509.50	550.75
W178288Z3	TOWNA IP44 CEILING SURF 2.0 LED 2700K Z	18W 220-240VAC DIM CRI90	515.30	557.05
W178288Z5	TOWNA IP44 CEILING SURF 2.0 LED 3000K Z	18W 220-240VAC DIM CRI90	515.30	557.05
W178388B3	TOWNA IP44 CEILING SURF 3.0 LED 2700K B	32W 220-240VAC DIM CRI90	667.40	721.45
W178388B5	TOWNA IP44 CEILING SURF 3.0 LED 3000K B	32W 220-240VAC DIM CRI90	667.40	721.45
W178388J3	TOWNA IP44 CEILING SURF 3.0 LED 2700K J	32W 220-240VAC DIM CRI90	677.45	732.30
W178388J5	TOWNA IP44 CEILING SURF 3.0 LED 3000K J	32W 220-240VAC DIM CRI90	677.45	732.30
W178388K3	TOWNA IP44 CEILING SURF 3.0 LED 2700K K	32W 220-240VAC DIM CRI90	677.45	732.30
W178388K5	TOWNA IP44 CEILING SURF 3.0 LED 3000K K	32W 220-240VAC DIM CRI90	677.45	732.30
W178388W3	TOWNA IP44 CEILING SURF 3.0 LED 2700K W	32W 220-240VAC DIM CRI90	667.40	721.45
W178388W5	TOWNA IP44 CEILING SURF 3.0 LED 3000K W	32W 220-240VAC DIM CRI90	667.40	721.45
W178388Z3	TOWNA IP44 CEILING SURF 3.0 LED 2700K Z	32W 220-240VAC DIM CRI90	677.45	732.30
W178388Z5	TOWNA IP44 CEILING SURF 3.0 LED 3000K Z	32W 220-240VAC DIM CRI90	677.45	732.30
W179152B3	MATCH ON STREX 1.0 LED 2700K B	7W 48V non dim CRI90	242.65	262.30
W179152B5	MATCH ON STREX 1.0 LED 3000K B	7W 48V non dim CRI90	242.65	262.30
W179152BL3	MATCH ON STREX 1.0 LED 2700K BL	7W 48V non dim CRI90	251.20	271.55
W179152BL5	MATCH ON STREX 1.0 LED 3000K BL	7W 48V non dim CRI90	251.20	271.55
W179152CH3	MATCH ON STREX 1.0 LED 2700K CH	7W 48V non dim CRI90	245.40	265.30
W179152CH5	MATCH ON STREX 1.0 LED 3000K CH	7W 48V non dim CRI90	245.40	265.30
W179152W3	MATCH ON STREX 1.0 LED 2700K W	7W 48V non dim CRI90	242.65	262.30
W179152W5	MATCH ON STREX 1.0 LED 3000K W	7W 48V non dim CRI90	242.65	262.30
W179155B3	MATCH ON STREX 1.0 LED 2700K B	7W 48V DALI-2 CRI90	361.70	391.00
W179155B5	MATCH ON STREX 1.0 LED 3000K B	7W 48V DALI-2 CRI90	361.70	391.00
W179155BL3	MATCH ON STREX 1.0 LED 2700K BL	7W 48V DALI-2 CRI90	370.30	400.30
W179155BL5	MATCH ON STREX 1.0 LED 3000K BL	7W 48V DALI-2 CRI90	370.30	400.30
W179155CH3	MATCH ON STREX 1.0 LED 2700K CH	7W 48V DALI-2 CRI90	364.60	394.15
W179155CH5	MATCH ON STREX 1.0 LED 3000K CH	7W 48V DALI-2 CRI90	364.60	394.15
W179155W3	MATCH ON STREX 1.0 LED 2700K W	7W 48V DALI-2 CRI90	361.70	391.00
W179155W5	MATCH ON STREX 1.0 LED 3000K W	7W 48V DALI-2 CRI90	361.70	391.00
W179265B3	MATCH ON STREX 3.0 LED 2700K B	8W 48V DALI-2 CRI90 cable 0.95 - 1.20m	394.70	426.65
W179265B5	MATCH ON STREX 3.0 LED 3000K B	8W 48V DALI-2 CRI90 cable 0.95 - 1.20m	394.70	426.65
W179265L3	MATCH ON STREX 3.0 LED 2700K L	8W 48V DALI-2 CRI90 cable 0.95 - 1.20m	403.25	435.90
W179265L5	MATCH ON STREX 3.0 LED 3000K L	8W 48V DALI-2 CRI90 cable 0.95 - 1.20m	403.25	435.90
W179265M3	MATCH ON STREX 3.0 LED 2700K M	8W 48V DALI-2 CRI90 cable 0.95 - 1.20m	399.00	431.30
W179265M5	MATCH ON STREX 3.0 LED 3000K M	8W 48V DALI-2 CRI90 cable 0.95 - 1.20m	399.00	431.30
W179265W3	MATCH ON STREX 3.0 LED 2700K W	8W 48V DALI-2 CRI90 cable 0.95 - 1.20m	394.70	426.65
W179265W5	MATCH ON STREX 3.0 LED 3000K W	8W 48V DALI-2 CRI90 cable 0.95 - 1.20m	394.70	426.65
W179365B3	MATCH ON STREX 5.0 LED 2700K B	8W 48V DALI-2 CRI90 cable 0.95 - 1.20m	410.45	443.70
W179365B5	MATCH ON STREX 5.0 LED 3000K B	8W 48V DALI-2 CRI90 cable 0.95 - 1.20m	410.45	443.70
W179365L3	MATCH ON STREX 5.0 LED 2700K L	8W 48V DALI-2 CRI90 cable 0.95 - 1.20m	423.40	457.70
W179365L5	MATCH ON STREX 5.0 LED 3000K L	8W 48V DALI-2 CRI90 cable 0.95 - 1.20m	423.40	457.70
W179365M3	MATCH ON STREX 5.0 LED 2700K M	8W 48V DALI-2 CRI90 cable 0.95 - 1.20m	416.25	449.95
W179365M5	MATCH ON STREX 5.0 LED 3000K M	8W 48V DALI-2 CRI90 cable 0.95 - 1.20m	416.25	449.95
W179365W3	MATCH ON STREX 5.0 LED 2700K W	8W 48V DALI-2 CRI90 cable 0.95 - 1.20m	410.45	443.70
W179365W5	MATCH ON STREX 5.0 LED 3000K W	8W 48V DALI-2 CRI90 cable 0.95 - 1.20m	410.45	443.70
W179465B3	MATCH ON STREX 3.0 LED 2700K B	8W 48V DALI-2 CRI90 cable 0.35 - 0.60m	394.70	426.65
W179465B5	MATCH ON STREX 3.0 LED 3000K B	8W 48V DALI-2 CRI90 cable 0.35 - 0.60m	394.70	426.65
W179465L3	MATCH ON STREX 3.0 LED 2700K L	8W 48V DALI-2 CRI90 cable 0.35 - 0.60m	403.25	435.90
W179465L5	MATCH ON STREX 3.0 LED 3000K L	8W 48V DALI-2 CRI90 cable 0.35 - 0.60m	403.25	435.90
W179465M3	MATCH ON STREX 3.0 LED 2700K M	8W 48V DALI-2 CRI90 cable 0.35 - 0.60m	399.00	431.30
W179465M5	MATCH ON STREX 3.0 LED 3000K M	8W 48V DALI-2 CRI90 cable 0.35 - 0.60m	394.70	426.65
W179465W3	MATCH ON STREX 3.0 LED 2700K W	8W 48V DALI-2 CRI90 cable 0.35 - 0.60m	394.70	426.65

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W179465W5	MATCH ON STREX 3.0 LED 3000K W	8W 48V DALI-2 CRI90 cable 0.35 - 0.60m	399.00	431.30
W179565B3	MATCH ON STREX 5.0 LED 2700K B	8W 48V DALI-2 CRI90 cable 0.35 - 0.60m	416.25	449.95
W179565B5	MATCH ON STREX 5.0 LED 3000K B	8W 48V DALI-2 CRI90 cable 0.35 - 0.60m	410.45	443.70
W179565L3	MATCH ON STREX 5.0 LED 2700K L	8W 48V DALI-2 CRI90 cable 0.35 - 0.60m	423.40	457.70
W179565L5	MATCH ON STREX 5.0 LED 3000K L	8W 48V DALI-2 CRI90 cable 0.35 - 0.60m	423.40	457.70
W179565M3	MATCH ON STREX 5.0 LED 2700K M	8W 48V DALI-2 CRI90 cable 0.35 - 0.60m	416.25	449.95
W179565M5	MATCH ON STREX 5.0 LED 3000K M	8W 48V DALI-2 CRI90 cable 0.35 - 0.60m	416.25	449.95
W179565W3	MATCH ON STREX 5.0 LED 2700K W	8W 48V DALI-2 CRI90 cable 0.35 - 0.60m	410.45	443.70
W179565W5	MATCH ON STREX 5.0 LED 3000K W	8W 48V DALI-2 CRI90 cable 0.35 - 0.60m	410.45	443.70
W180584A3	TAIO OUTDOOR WALL SURF 1.0 LED 2700K A	12W 220-240VAC DIM CRI90	251.20	271.55
W180584A5	TAIO OUTDOOR WALL SURF 1.0 LED 3000K A	12W 220-240VAC DIM CRI90	251.20	271.55
W180584B3	TAIO OUTDOOR WALL SURF 1.0 LED 2700K B	12W 220-240VAC DIM CRI90	251.20	271.55
W180584B5	TAIO OUTDOOR WALL SURF 1.0 LED 3000K B	12W 220-240VAC DIM CRI90	251.20	271.55
W180584Q3	TAIO OUTDOOR WALL SURF 1.0 LED 2700K Q	12W 220-240VAC DIM CRI90	251.20	271.55
W180584Q5	TAIO OUTDOOR WALL SURF 1.0 LED 3000K Q	12W 220-240VAC DIM CRI90	251.20	271.55
W180584W3	TAIO OUTDOOR WALL SURF 1.0 LED 2700K W	12W 220-240VAC DIM CRI90	251.20	271.55
W180584W5	TAIO OUTDOOR WALL SURF 1.0 LED 3000K W	12W 220-240VAC DIM CRI90	251.20	271.55
W180684A3	TAIO OUTDOOR WALL SURF 2.0 LED 2700K A	20W 220-240VAC DIM CRI90	394.70	426.65
W180684A5	TAIO OUTDOOR WALL SURF 2.0 LED 3000K A	20W 220-240VAC DIM CRI90	394.70	426.65
W180684B3	TAIO OUTDOOR WALL SURF 2.0 LED 2700K B	20W 220-240VAC DIM CRI90	394.70	426.65
W180684B5	TAIO OUTDOOR WALL SURF 2.0 LED 3000K B	20W 220-240VAC DIM CRI90	394.70	426.65
W180684Q3	TAIO OUTDOOR WALL SURF 2.0 LED 2700K Q	20W 220-240VAC DIM CRI90	394.70	426.65
W180684Q5	TAIO OUTDOOR WALL SURF 2.0 LED 3000K Q	20W 220-240VAC DIM CRI90	394.70	426.65
W180684W3	TAIO OUTDOOR WALL SURF 2.0 LED 2700K W	20W 220-240VAC DIM CRI90	394.70	426.65
W180684W5	TAIO OUTDOOR WALL SURF 2.0 LED 3000K W	20W 220-240VAC DIM CRI90	394.70	426.65
W180781B3	TAIO IP65 CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 18V CRI90	127.80	138.15
W180781B5	TAIO IP65 CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 18V CRI90	127.80	138.15
W180781G3	TAIO IP65 CEILING REC 1.0 LED 2700K G	6/9W 350/500mA 18V CRI90	127.80	138.15
W180781G5	TAIO IP65 CEILING REC 1.0 LED 3000K G	6/9W 350/500mA 18V CRI90	127.80	138.15
W180781W3	TAIO IP65 CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 18V CRI90	127.80	138.15
W180781W5	TAIO IP65 CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 18V CRI90	127.80	138.15
W180884A3	TAIO IP65 CEILING SURF 1.0 LED 2700K A	12W 220-240VAC DIM CRI90	279.90	302.55
W180884A5	TAIO IP65 CEILING SURF 1.0 LED 3000K A	12W 220-240VAC DIM CRI90	279.90	302.55
W180884B3	TAIO IP65 CEILING SURF 1.0 LED 2700K B	12W 220-240VAC DIM CRI90	279.90	302.55
W180884B5	TAIO IP65 CEILING SURF 1.0 LED 3000K B	12W 220-240VAC DIM CRI90	279.90	302.55
W180884Q3	TAIO IP65 CEILING SURF 1.0 LED 2700K Q	12W 220-240VAC DIM CRI90	279.90	302.55
W180884Q5	TAIO IP65 CEILING SURF 1.0 LED 3000K Q	12W 220-240VAC DIM CRI90	279.90	302.55
W180884W3	TAIO IP65 CEILING SURF 1.0 LED 2700K W	12W 220-240VAC DIM CRI90	279.90	302.55
W180884W5	TAIO IP65 CEILING SURF 1.0 LED 3000K W	12W 220-240VAC DIM CRI90	279.90	302.55
W181184B3	CLEA CEILING SURF 1.0 LED 2700K B	14W 220-240VAC DIM CRI90	394.70	426.65
W181184B5	CLEA CEILING SURF 1.0 LED 3000K B	14W 220-240VAC DIM CRI90	394.70	426.65
W181184FJ3	CLEA CEILING SURF 1.0 LED 2700K FJ	14W 220-240VAC DIM CRI90	424.80	459.20
W181184FJ5	CLEA CEILING SURF 1.0 LED 3000K FJ	14W 220-240VAC DIM CRI90	424.80	459.20
W181184LS3	CLEA CEILING SURF 1.0 LED 2700K LS	14W 220-240VAC DIM CRI90	424.80	459.20
W181184LS5	CLEA CEILING SURF 1.0 LED 3000K LS	14W 220-240VAC DIM CRI90	424.80	459.20
W181184SG3	CLEA CEILING SURF 1.0 LED 2700K SG	14W 220-240VAC DIM CRI90	424.80	459.20
W181184SG5	CLEA CEILING SURF 1.0 LED 3000K SG	14W 220-240VAC DIM CRI90	424.80	459.20
W181184W3	CLEA CEILING SURF 1.0 LED 2700K W	14W 220-240VAC DIM CRI90	394.70	426.65
W181184W5	CLEA CEILING SURF 1.0 LED 3000K W	14W 220-240VAC DIM CRI90	394.70	426.65
W181284B3	CLEA CEILING SURF 2.0 LED 2700K B	14W 220-240VAC DIM CRI90	588.45	636.10
W181284B5	CLEA CEILING SURF 2.0 LED 3000K B	14W 220-240VAC DIM CRI90	588.45	636.10
W181284FJ3	CLEA CEILING SURF 2.0 LED 2700K FJ	14W 220-240VAC DIM CRI90	631.50	682.65
W181284FJ5	CLEA CEILING SURF 2.0 LED 3000K FJ	14W 220-240VAC DIM CRI90	631.50	682.65
W181284LS3	CLEA CEILING SURF 2.0 LED 2700K LS	14W 220-240VAC DIM CRI90	631.50	682.65
W181284LS5	CLEA CEILING SURF 2.0 LED 3000K LS	14W 220-240VAC DIM CRI90	631.50	682.65
W181284SG3	CLEA CEILING SURF 2.0 LED 2700K SG	14W 220-240VAC DIM CRI90	631.50	682.65
W181284SG5	CLEA CEILING SURF 2.0 LED 3000K SG	14W 220-240VAC DIM CRI90	631.50	682.65
W181284W3	CLEA CEILING SURF 2.0 LED 2700K W	14W 220-240VAC DIM CRI90	588.45	636.10
W181284W5	CLEA CEILING SURF 2.0 LED 3000K W	14W 220-240VAC DIM CRI90	588.45	636.10
W181384B3	CLEA CEILING SURF 3.0 LED 2700K B	14W 220-240VAC DIM CRI90	753.50	814.55
W181384B5	CLEA CEILING SURF 3.0 LED 3000K B	14W 220-240VAC DIM CRI90	753.50	814.55
W181384FJ3	CLEA CEILING SURF 3.0 LED 2700K FJ	14W 220-240VAC DIM CRI90	800.85	865.70
W181384FJ5	CLEA CEILING SURF 3.0 LED 3000K FJ	14W 220-240VAC DIM CRI90	800.85	865.70
W181384LS3	CLEA CEILING SURF 3.0 LED 2700K LS	14W 220-240VAC DIM CRI90	800.85	865.70
W181384LS5	CLEA CEILING SURF 3.0 LED 3000K LS	14W 220-240VAC DIM CRI90	800.85	865.70
W181384SG3	CLEA CEILING SURF 3.0 LED 2700K SG	14W 220-240VAC DIM CRI90	800.85	865.70
W181384SG5	CLEA CEILING SURF 3.0 LED 3000K SG	14W 220-240VAC DIM CRI90	800.85	865.70
W181384W3	CLEA CEILING SURF 3.0 LED 2700K W	14W 220-240VAC DIM CRI90	753.50	814.55
W181384W5	CLEA CEILING SURF 3.0 LED 3000K W	14W 220-240VAC DIM CRI90	753.50	814.55
W181484B3	CLEA WALL SURF 1.0 LED 2700K B	10W 220-240VAC DIM CRI90	394.70	426.65
W181484B5	CLEA WALL SURF 1.0 LED 3000K B	10W 220-240VAC DIM CRI90	394.70	426.65
W181484FJ3	CLEA WALL SURF 1.0 LED 2700K FJ	10W 220-240VAC DIM CRI90	424.80	459.20
W181484FJ5	CLEA WALL SURF 1.0 LED 3000K FJ	10W 220-240VAC DIM CRI90	424.80	459.20
W181484LS3	CLEA WALL SURF 1.0 LED 2700K LS	10W 220-240VAC DIM CRI90	424.80	459.20
W181484LS5	CLEA WALL SURF 1.0 LED 3000K LS	10W 220-240VAC DIM CRI90	424.80	459.20
W181484SG3	CLEA WALL SURF 1.0 LED 2700K SG	10W 220-240VAC DIM CRI90	424.80	459.20
W181484SG5	CLEA WALL SURF 1.0 LED 3000K SG	10W 220-240VAC DIM CRI90	424.80	459.20
W181484W3	CLEA WALL SURF 1.0 LED 2700K W	10W 220-240VAC DIM CRI90	394.70	426.65
W181484W5	CLEA WALL SURF 1.0 LED 3000K W	10W 220-240VAC DIM CRI90	394.70	426.65
W181584B3	CLEA WALL SURF 2.0 LED 2700K B	10W 220-240VAC DIM CRI90	588.45	636.10
W181584B5	CLEA WALL SURF 2.0 LED 3000K B	10W 220-240VAC DIM CRI90	588.45	636.10
W181584FJ3	CLEA WALL SURF 2.0 LED 2700K FJ	10W 220-240VAC DIM CRI90	631.50	682.65
W181584FJ5	CLEA WALL SURF 2.0 LED 3000K FJ	10W 220-240VAC DIM CRI90	631.50	682.65
W181584LS3	CLEA WALL SURF 2.0 LED 2700K LS	10W 220-240VAC DIM CRI90	631.50	682.65
W181584LS5	CLEA WALL SURF 2.0 LED 3000K LS	10W 220-240VAC DIM CRI90	631.50	682.65
W181584SG3	CLEA WALL SURF 2.0 LED 2700K SG	10W 220-240VAC DIM CRI90	631.50	682.65
W181584SG5	CLEA WALL SURF 2.0 LED 3000K SG	10W 220-240VAC DIM CRI90	631.50	682.65
W181584W3	CLEA WALL SURF 2.0 LED 2700K W	10W 220-240VAC DIM CRI90	588.45	636.10
W181584W5	CLEA WALL SURF 2.0 LED 3000K W	10W 220-240VAC DIM CRI90	588.45	636.10
W181684B3	CLEA WALL SURF 3.0 LED 2700K B	10W 220-240VAC DIM CRI90	753.50	814.55
W181684B5	CLEA WALL SURF 3.0 LED 3000K B	10W 220-240VAC DIM CRI90	753.50	814.55
W181684FJ3	CLEA WALL SURF 3.0 LED 2700K FJ	10W 220-240VAC DIM CRI90	800.85	865.70
W181684FJ5	CLEA WALL SURF 3.0 LED 3000K FJ	10W 220-240VAC DIM CRI90	800.85	865.70
W181684LS3	CLEA WALL SURF 3.0 LED 2700K LS	10W 220-240VAC DIM CRI90	800.85	865.70

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W181684LS5	CLEA WALL SURF 3.0 LED 3000K LS	10W 220-240VAC DIM CRI90	800.85	865.70
W181684SG3	CLEA WALL SURF 3.0 LED 2700K SG	10W 220-240VAC DIM CRI90	800.85	865.70
W181684SG5	CLEA WALL SURF 3.0 LED 3000K SG	10W 220-240VAC DIM CRI90	800.85	865.70
W181684W3	CLEA WALL SURF 3.0 LED 2700K W	10W 220-240VAC DIM CRI90	753.50	814.55
W181684W5	CLEA WALL SURF 3.0 LED 3000K W	10W 220-240VAC DIM CRI90	753.50	814.55
W183164B3	TRACE CEILING SURF 1.0 LED 2700K B	6W 220-240VAC DIM CRI90	213.90	231.25
W183164B5	TRACE CEILING SURF 1.0 LED 3000K B	6W 220-240VAC DIM CRI90	213.90	231.25
W183164BL3	TRACE CEILING SURF 1.0 LED 2700K BL	6W 220-240VAC DIM CRI90	216.70	234.25
W183164BL5	TRACE CEILING SURF 1.0 LED 3000K BL	6W 220-240VAC DIM CRI90	216.70	234.25
W183164CH3	TRACE CEILING SURF 1.0 LED 2700K CH	6W 220-240VAC DIM CRI90	216.70	234.25
W183164CH5	TRACE CEILING SURF 1.0 LED 3000K CH	6W 220-240VAC DIM CRI90	216.70	234.25
W183164W3	TRACE CEILING SURF 1.0 LED 2700K W	6W 220-240VAC DIM CRI90	213.90	231.25
W183164W5	TRACE CEILING SURF 1.0 LED 3000K W	6W 220-240VAC DIM CRI90	213.90	231.25
W183264B3	TRACE SPIN CEILING SURF 1.0 LED 2700K B	21W 220-240VAC DIM CRI90	566.95	612.85
W183264CH3	TRACE SPIN CEILING SURF 1.0 LED 2700K CH	21W 220-240VAC DIM CRI90	566.95	612.85
W183364B3	TRACE GRID CEILING SURF 1.0 LED 2700K B	40W 220-240VAC DIM CRI90	947.25	1024.00
W183364CH3	TRACE GRID CEILING SURF 1.0 LED 2700K CH	40W 220-240VAC DIM CRI90	947.25	1024.00
W183464B3	TRACE GRID CEILING SURF 2.0 LED 2700K B	26W 220-240VAC DIM CRI90	897.00	969.65
W183464CH3	TRACE GRID CEILING SURF 2.0 LED 2700K CH	26W 220-240VAC DIM CRI90	897.00	969.65
W184161B3	DEEP IP65 CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90	150.70	162.90
W184161B3C	DEEP IP65 CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 BLADE SPRINGS	152.25	164.60
W184161B5	DEEP IP65 CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90	150.70	162.90
W184161B5C	DEEP IP65 CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 BLADE SPRINGS	152.25	164.60
W184161W3	DEEP IP65 CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90	150.70	162.90
W184161W3C	DEEP IP65 CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90 BLADE SPRINGS	152.25	164.60
W184161W5	DEEP IP65 CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90	150.70	162.90
W184161W5C	DEEP IP65 CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90 BLADE SPRINGS	152.25	164.60
W184241B3	DEEP CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 narrow	136.90	148.00
W184241B3C	DEEP CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 narrow BLADE SPRINGS	138.45	149.65
W184241B5	DEEP CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 narrow	136.90	148.00
W184241B5C	DEEP CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 narrow BLADE SPRINGS	138.45	149.65
W184241G3	DEEP CEILING REC 1.0 LED 2700K G	6/9W 350/500mA 17V CRI90 narrow	136.90	148.00
W184241G5	DEEP CEILING REC 1.0 LED 3000K G	6/9W 350/500mA 17V CRI90 narrow	136.90	148.00
W184241M3	DEEP CEILING REC 1.0 LED 2700K M	6/9W 350/500mA 17V CRI90 narrow	136.90	148.00
W184241M5	DEEP CEILING REC 1.0 LED 3000K M	6/9W 350/500mA 17V CRI90 narrow	136.90	148.00
W184241S3	DEEP CEILING REC 1.0 LED 2700K S	6/9W 350/500mA 17V CRI90 narrow	136.90	148.00
W184241S5	DEEP CEILING REC 1.0 LED 3000K S	6/9W 350/500mA 17V CRI90 narrow	136.90	148.00
W184241W3	DEEP CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90 narrow	136.90	148.00
W184241W3C	DEEP CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90 narrow BLADE SPRINGS	138.45	149.65
W184241W5	DEEP CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90 narrow	136.90	148.00
W184241W5C	DEEP CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90 narrow BLADE SPRINGS	138.45	149.65
W184261B3	DEEP CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 standard	136.90	148.00
W184261B3C	DEEP CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 standard BLADE SPRINGS	138.45	149.65
W184261B5	DEEP CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 standard	136.90	148.00
W184261B5C	DEEP CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 standard BLADE SPRINGS	138.45	149.65
W184261B7	DEEP CEILING REC 1.0 LED 4000K B	6/9W 350/500mA 17V CRI90 standard	136.90	148.00
W184261B7C	DEEP CEILING REC 1.0 LED 4000K B	6/9W 350/500mA 17V CRI90 standard BLADE SPRINGS	138.45	149.65
W184261B9	DEEP CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 17V CRI90 standard	136.90	148.00
W184261B9C	DEEP CEILING REC 1.0 LED 2000-3000K B	6/9W 350/500mA 17V CRI90 standard BLADE SPRINGS	138.45	149.65
W184261G3	DEEP CEILING REC 1.0 LED 2700K G	6/9W 350/500mA 17V CRI90 standard	136.90	148.00
W184261G5	DEEP CEILING REC 1.0 LED 3000K G	6/9W 350/500mA 17V CRI90 standard	136.90	148.00
W184261G7	DEEP CEILING REC 1.0 LED 4000K G	6/9W 350/500mA 17V CRI90 standard	136.90	148.00
W184261G9	DEEP CEILING REC 1.0 LED 2000-3000K G	6/9W 350/500mA 17V CRI90 standard	136.90	148.00
W184261M3	DEEP CEILING REC 1.0 LED 2700K M	6/9W 350/500mA 17V CRI90 standard	136.90	148.00
W184261M5	DEEP CEILING REC 1.0 LED 3000K M	6/9W 350/500mA 17V CRI90 standard	136.90	148.00
W184261M7	DEEP CEILING REC 1.0 LED 4000K M	6/9W 350/500mA 17V CRI90 standard	136.90	148.00
W184261M9	DEEP CEILING REC 1.0 LED 2000-3000K M	6/9W 350/500mA 17V CRI90 standard	136.90	148.00
W184261S3	DEEP CEILING REC 1.0 LED 2700K S	6/9W 350/500mA 17V CRI90 standard	136.90	148.00
W184261S5	DEEP CEILING REC 1.0 LED 3000K S	6/9W 350/500mA 17V CRI90 standard	136.90	148.00
W184261S7	DEEP CEILING REC 1.0 LED 4000K S	6/9W 350/500mA 17V CRI90 standard	136.90	148.00
W184261S9	DEEP CEILING REC 1.0 LED 2000-3000K S	6/9W 350/500mA 17V CRI90 standard	136.90	148.00
W184261W3	DEEP CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90 standard	136.90	148.00
W184261W3C	DEEP CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90 standard BLADE SPRINGS	138.45	149.65
W184261W5	DEEP CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90 standard	136.90	148.00
W184261W5C	DEEP CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90 standard BLADE SPRINGS	138.45	149.65
W184261W7	DEEP CEILING REC 1.0 LED 4000K W	6/9W 350/500mA 17V CRI90 standard	136.90	148.00
W184261W7C	DEEP CEILING REC 1.0 LED 4000K W	6/9W 350/500mA 17V CRI90 standard BLADE SPRINGS	138.45	149.65
W184261W9	DEEP CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 17V CRI90 standard	136.90	148.00
W184261W9C	DEEP CEILING REC 1.0 LED 2000-3000K W	6/9W 350/500mA 17V CRI90 standard BLADE SPRINGS	138.45	149.65
W184271B3	DEEP CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 wide	136.90	148.00
W184271B3C	DEEP CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 wide BLADE SPRINGS	138.45	149.65
W184271B5	DEEP CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 wide	136.90	148.00
W184271B5C	DEEP CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 wide BLADE SPRINGS	138.45	149.65
W184271G3	DEEP CEILING REC 1.0 LED 2700K G	6/9W 350/500mA 17V CRI90 wide	136.90	148.00
W184271G5	DEEP CEILING REC 1.0 LED 3000K G	6/9W 350/500mA 17V CRI90 wide	136.90	148.00
W184271M3	DEEP CEILING REC 1.0 LED 2700K M	6/9W 350/500mA 17V CRI90 wide	136.90	148.00
W184271M5	DEEP CEILING REC 1.0 LED 3000K M	6/9W 350/500mA 17V CRI90 wide	136.90	148.00
W184271S3	DEEP CEILING REC 1.0 LED 2700K S	6/9W 350/500mA 17V CRI90 wide	136.90	148.00
W184271S5	DEEP CEILING REC 1.0 LED 3000K S	6/9W 350/500mA 17V CRI90 wide	136.90	148.00
W184271W3	DEEP CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90 wide	136.90	148.00
W184271W3C	DEEP CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 17V CRI90 wide BLADE SPRINGS	138.45	149.65
W184271W5	DEEP CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90 wide	136.90	148.00
W184271W5C	DEEP CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 17V CRI90 wide BLADE SPRINGS	138.45	149.65
W184341B3	DEEP ADJUST CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 narrow	143.00	154.60
W184341B3C	DEEP ADJUST CEILING REC 1.0 LED 2700K B	6/9W 350/500mA 17V CRI90 narrow BLADE SPRINGS	144.50	156.20
W184341B5	DEEP ADJUST CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 narrow	143.00	154.60
W184341B5C	DEEP ADJUST CEILING REC 1.0 LED 3000K B	6/9W 350/500mA 17V CRI90 narrow BLADE SPRINGS	144.50	156.20
W184341G3	DEEP ADJUST CEILING REC 1.0 LED 2700K G	6/9W 350/500mA 17V CRI90 narrow	143.00	154.60
W184341G3C	DEEP ADJUST CEILING REC 1.0 LED 2700K G	6/9W 350/500mA 17V CRI90 narrow BLADE SPRINGS	144.50	156.20
W184341G5	DEEP ADJUST CEILING REC 1.0 LED 3000K G	6/9W 350/500mA 17V CRI90 narrow	143.00	154.60
W184341G5C	DEEP ADJUST CEILING REC 1.0 LED 3000K G	6/9W 350/500mA 17V CRI90 narrow BLADE SPRINGS	144.50	156.20
W184341M3	DEEP ADJUST CEILING REC 1.0 LED 2700K M	6/9W 350/500mA 17V CRI90 narrow	143.00	154.60
W184341M3C	DEEP ADJUST CEILING REC 1.0 LED 2700K M	6/9W 350/500mA 17V CRI90 narrow BLADE SPRINGS	144.50	156.20
W184341M5	DEEP ADJUST CEILING REC 1.0 LED 3000K M	6/9W 350/500mA 17V CRI90 narrow	143.00	154.60

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W187420GB0	ODREY ON TRACK 1-PHASE 1.4 PAR16 G-B	max. 12W GU10 100-240VAC	223.85	242.00
W187420GG0	ODREY ON TRACK 1-PHASE 1.4 PAR16 G-G	max. 12W GU10 100-240VAC	223.85	242.00
W187420WG0	ODREY ON TRACK 1-PHASE 1.4 PAR16 W-G	max. 12W GU10 100-240VAC	223.85	242.00
W187420WW0	ODREY ON TRACK 1-PHASE 1.4 PAR16 W-W	max. 12W GU10 100-240VAC	223.85	242.00
W187465BB3	ODREY ON STREX 1.4 LED 2700K B-B	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	456.40	493.35
W187465BB5	ODREY ON STREX 1.4 LED 3000K B-B	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	456.40	493.35
W187465BG3	ODREY ON STREX 1.4 LED 2700K B-G	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	456.40	493.35
W187465BG5	ODREY ON STREX 1.4 LED 3000K B-G	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	456.40	493.35
W187465GB3	ODREY ON STREX 1.4 LED 2700K G-B	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	456.40	493.35
W187465GB5	ODREY ON STREX 1.4 LED 3000K G-B	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	456.40	493.35
W187465GG3	ODREY ON STREX 1.4 LED 2700K G-G	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	456.40	493.35
W187465GG5	ODREY ON STREX 1.4 LED 3000K G-G	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	456.40	493.35
W187465WG3	ODREY ON STREX 1.4 LED 2700K W-G	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	456.40	493.35
W187465WG5	ODREY ON STREX 1.4 LED 3000K W-G	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	456.40	493.35
W187465WW3	ODREY ON STREX 1.4 LED 2700K W-W	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	456.40	493.35
W187465WW5	ODREY ON STREX 1.4 LED 3000K W-W	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	456.40	493.35
W187620BB0	ODREY ON TRACK 1-PHASE 1.6 PAR16 B-B	max. 12W GU10 100-240VAC	225.40	243.65
W187620BG0	ODREY ON TRACK 1-PHASE 1.6 PAR16 B-G	max. 12W GU10 100-240VAC	225.40	243.65
W187620GB0	ODREY ON TRACK 1-PHASE 1.6 PAR16 G-B	max. 12W GU10 100-240VAC	225.40	243.65
W187620GG0	ODREY ON TRACK 1-PHASE 1.6 PAR16 G-G	max. 12W GU10 100-240VAC	225.40	243.65
W187620WG0	ODREY ON TRACK 1-PHASE 1.6 PAR16 W-G	max. 12W GU10 100-240VAC	225.40	243.65
W187620WW0	ODREY ON TRACK 1-PHASE 1.6 PAR16 W-W	max. 12W GU10 100-240VAC	225.40	243.65
W187665BB3	ODREY ON STREX 1.6 LED 2700K B-B	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	457.90	495.00
W187665BB5	ODREY ON STREX 1.6 LED 3000K B-B	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	457.90	495.00
W187665BG3	ODREY ON STREX 1.6 LED 2700K B-G	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	457.90	495.00
W187665BG5	ODREY ON STREX 1.6 LED 3000K B-G	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	457.90	495.00
W187665GB3	ODREY ON STREX 1.6 LED 2700K G-B	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	457.90	495.00
W187665GB5	ODREY ON STREX 1.6 LED 3000K G-B	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	457.90	495.00
W187665GG3	ODREY ON STREX 1.6 LED 2700K G-G	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	457.90	495.00
W187665GG5	ODREY ON STREX 1.6 LED 3000K G-G	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	457.90	495.00
W187665WG3	ODREY ON STREX 1.6 LED 2700K W-G	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	457.90	495.00
W187665WG5	ODREY ON STREX 1.6 LED 3000K W-G	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	457.90	495.00
W187665WW3	ODREY ON STREX 1.6 LED 2700K W-W	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	457.90	495.00
W187665WW5	ODREY ON STREX 1.6 LED 3000K W-W	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	457.90	495.00
W187720BB0	ODREY ON TRACK 1-PHASE 1.7 PAR16 B-B	max. 12W GU10 100-240VAC	226.75	245.10
W187720BG0	ODREY ON TRACK 1-PHASE 1.7 PAR16 B-G	max. 12W GU10 100-240VAC	226.75	245.10
W187720GB0	ODREY ON TRACK 1-PHASE 1.7 PAR16 G-B	max. 12W GU10 100-240VAC	226.75	245.10
W187720GG0	ODREY ON TRACK 1-PHASE 1.7 PAR16 G-G	max. 12W GU10 100-240VAC	226.75	245.10
W187720WG0	ODREY ON TRACK 1-PHASE 1.7 PAR16 W-G	max. 12W GU10 100-240VAC	226.75	245.10
W187720WW0	ODREY ON TRACK 1-PHASE 1.7 PAR16 W-W	max. 12W GU10 100-240VAC	226.75	245.10
W187765BB3	ODREY ON STREX 1.7 LED 2700K B-B	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	459.30	496.50
W187765BB5	ODREY ON STREX 1.7 LED 3000K B-B	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	459.30	496.50
W187765BG3	ODREY ON STREX 1.7 LED 2700K B-G	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	459.30	496.50
W187765BG5	ODREY ON STREX 1.7 LED 3000K B-G	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	459.30	496.50
W187765GB3	ODREY ON STREX 1.7 LED 2700K G-B	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	459.30	496.50
W187765GB5	ODREY ON STREX 1.7 LED 3000K G-B	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	459.30	496.50
W187765GG3	ODREY ON STREX 1.7 LED 2700K G-G	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	459.30	496.50
W187765GG5	ODREY ON STREX 1.7 LED 3000K G-G	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	459.30	496.50
W187765WG3	ODREY ON STREX 1.7 LED 2700K W-G	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	459.30	496.50
W187765WG5	ODREY ON STREX 1.7 LED 3000K W-G	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	459.30	496.50
W187765WW3	ODREY ON STREX 1.7 LED 2700K W-W	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	459.30	496.50
W187765WW5	ODREY ON STREX 1.7 LED 3000K W-W	7W 48V DALI-2 CRI90 cable 0.95 - 1.20m	459.30	496.50
W188161B3	LECA CEILING REC 1.0 LED 2700K B	6W 350mA 18V CRI90	195.15	210.95
W188161Q3	LECA CEILING REC 1.0 LED 2700K Q	6W 350mA 18V CRI90	195.15	210.95
W188161W3	LECA CEILING REC 1.0 LED 2700K W	6W 350mA 18V CRI90	195.15	210.95
W188264B3	LECA CEILING SURF 1.0 LED 2700K B	8W 220-240VAC DIM CRI90	246.90	266.90
W188264Q3	LECA CEILING SURF 1.0 LED 2700K Q	8W 220-240VAC DIM CRI90	246.90	266.90
W188264W3	LECA CEILING SURF 1.0 LED 2700K W	8W 220-240VAC DIM CRI90	246.90	266.90
W188364B3	LECA CEILING SURF 2.0 LED 2700K B	17W 220-240VAC DIM CRI90	396.10	428.20
W188364Q3	LECA CEILING SURF 2.0 LED 2700K Q	17W 220-240VAC DIM CRI90	396.10	428.20
W188364W3	LECA CEILING SURF 2.0 LED 2700K W	17W 220-240VAC DIM CRI90	396.10	428.20
W188464B3	LECA CEILING SURF 4.0 LED 2700K B	34W 220-240VAC DIM CRI90	638.70	690.45
W188464W3	LECA CEILING SURF 4.0 LED 2700K W	34W 220-240VAC DIM CRI90	638.70	690.45
W189164B3	SIRRO CEILING SURF 1.0 LED 2700K B	9W 220-240VAC DIM CRI90	371.80	401.90
W189164B5	SIRRO CEILING SURF 1.0 LED 3000K B	9W 220-240VAC DIM CRI90	371.80	401.90
W189164B9	SIRRO CEILING SURF 1.0 LED 2000-3000K B	9W 220-240VAC DIM CRI90	371.80	401.90
W189164E3	SIRRO CEILING SURF 1.0 LED 2700K E	9W 220-240VAC DIM CRI90	371.80	401.90
W189164E5	SIRRO CEILING SURF 1.0 LED 3000K E	9W 220-240VAC DIM CRI90	371.80	401.90
W189164E9	SIRRO CEILING SURF 1.0 LED 2000-3000K E	9W 220-240VAC DIM CRI90	371.80	401.90
W189164W3	SIRRO CEILING SURF 1.0 LED 2700K W	9W 220-240VAC DIM CRI90	371.80	401.90
W189164W5	SIRRO CEILING SURF 1.0 LED 3000K W	9W 220-240VAC DIM CRI90	371.80	401.90
W189164W9	SIRRO CEILING SURF 1.0 LED 2000-3000K W	9W 220-240VAC DIM CRI90	371.80	401.90
W189264B3	SIRRO CEILING SURF 2.0 LED 2700K B	20W 220-240VAC DIM CRI90	614.25	664.00
W189264B5	SIRRO CEILING SURF 2.0 LED 3000K B	20W 220-240VAC DIM CRI90	614.25	664.00
W189264B9	SIRRO CEILING SURF 2.0 LED 2000-3000K B	20W 220-240VAC DIM CRI90	614.25	664.00
W189264E3	SIRRO CEILING SURF 2.0 LED 2700K E	20W 220-240VAC DIM CRI90	614.25	664.00
W189264E5	SIRRO CEILING SURF 2.0 LED 3000K E	20W 220-240VAC DIM CRI90	614.25	664.00
W189264E9	SIRRO CEILING SURF 2.0 LED 2000-3000K E	20W 220-240VAC DIM CRI90	614.25	664.00
W189264W3	SIRRO CEILING SURF 2.0 LED 2700K W	20W 220-240VAC DIM CRI90	614.25	664.00
W189264W5	SIRRO CEILING SURF 2.0 LED 3000K W	20W 220-240VAC DIM CRI90	614.25	664.00
W189264W9	SIRRO CEILING SURF 2.0 LED 2000-3000K W	20W 220-240VAC DIM CRI90	614.25	664.00
W190151B3	MATCH CEILING REC 1.0 LED 2700K B	6W 350mA 18V CRI90	185.20	200.20
W190151B3C	MATCH CEILING REC 1.0 LED 2700K B	6W 350mA 18V CRI90 BLADE SPRINGS	186.75	201.90
W190151B5	MATCH CEILING REC 1.0 LED 3000K B	6W 350mA 18V CRI90	185.20	200.20
W190151B5C	MATCH CEILING REC 1.0 LED 3000K B	6W 350mA 18V CRI90 BLADE SPRINGS	186.75	201.90
W190151BL3	MATCH CEILING REC 1.0 LED 2700K BL	6W 350mA 18V CRI90	190.90	206.35
W190151BL3C	MATCH CEILING REC 1.0 LED 2700K BL	6W 350mA 18V CRI90 BLADE SPRINGS	192.40	208.00
W190151BL5	MATCH CEILING REC 1.0 LED 3000K BL	6W 350mA 18V CRI90	190.90	206.35
W190151BL5C	MATCH CEILING REC 1.0 LED 3000K BL	6W 350mA 18V CRI90 BLADE SPRINGS	192.40	208.00
W190151CH3	MATCH CEILING REC 1.0 LED 2700K CH	6W 350mA 18V CRI90	188.00	203.25
W190151CH3C	MATCH CEILING REC 1.0 LED 2700K CH	6W 350mA 18V CRI90 BLADE SPRINGS	189.50	204.85
W190151CH5	MATCH CEILING REC 1.0 LED 3000K CH	6W 350mA 18V CRI90	188.00	203.25
W190151CH5C	MATCH CEILING REC 1.0 LED 3000K CH	6W 350mA 18V CRI90 BLADE SPRINGS	189.50	204.85
W190151W3	MATCH CEILING REC 1.0 LED 2700K W	6W 350mA 18V CRI90	185.20	200.20

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W190151W3C	MATCH CEILING REC 1.0 LED 2700K W	6W 350mA 18V CRI90 BLADE SPRINGS	186.75	201.90
W190151W5	MATCH CEILING REC 1.0 LED 3000K W	6W 350mA 18V CRI90	185.20	200.20
W190151W5C	MATCH CEILING REC 1.0 LED 3000K W	6W 350mA 18V CRI90 BLADE SPRINGS	186.75	201.90
W190251B3	MATCH CEILING REC 2.0 LED 2700K B	2x6W 700mA 18V CRI90	279.90	302.55
W190251B5	MATCH CEILING REC 2.0 LED 3000K B	2x6W 700mA 18V CRI90	279.90	302.55
W190251W3	MATCH CEILING REC 2.0 LED 2700K W	2x6W 700mA 18V CRI90	279.90	302.55
W190251W5	MATCH CEILING REC 2.0 LED 3000K W	2x6W 700mA 18V CRI90	279.90	302.55
W190851B3	MATCH TRIMLESS CEILING REC 1.0 LED 2700K B	6W 350mA 18V CRI90	228.30	246.80
W190851B5	MATCH TRIMLESS CEILING REC 1.0 LED 3000K B	6W 350mA 18V CRI90	228.30	246.80
W190851BL3	MATCH TRIMLESS CEILING REC 1.0 LED 2700K BL	6W 350mA 18V CRI90	232.55	251.40
W190851BL5	MATCH TRIMLESS CEILING REC 1.0 LED 3000K BL	6W 350mA 18V CRI90	232.55	251.40
W190851W3	MATCH TRIMLESS CEILING REC 1.0 LED 2700K W	6W 350mA 18V CRI90	228.30	246.80
W190851W5	MATCH TRIMLESS CEILING REC 1.0 LED 3000K W	6W 350mA 18V CRI90	228.30	246.80
W190951B3	MATCH STICK TRIMLESS CEILING REC 1.0 LED 2700K B	6W 350mA 18V CRI90	309.95	335.05
W190951B5	MATCH STICK TRIMLESS CEILING REC 1.0 LED 3000K B	6W 350mA 18V CRI90	309.95	335.05
W190951BL3	MATCH STICK TRIMLESS CEILING REC 1.0 LED 2700K BL	6W 350mA 18V CRI90	320.05	345.95
W190951BL5	MATCH STICK TRIMLESS CEILING REC 1.0 LED 3000K BL	6W 350mA 18V CRI90	320.05	345.95
W190951W3	MATCH STICK TRIMLESS CEILING REC 1.0 LED 2700K W	6W 350mA 18V CRI90	309.95	335.05
W190951W5	MATCH STICK TRIMLESS CEILING REC 1.0 LED 3000K W	6W 350mA 18V CRI90	309.95	335.05
W191161B3	MATCH POINT CEILING REC 1.0 LED 2700K B	5W 250mA 18V CRI90	74.70	80.75
W191161B5	MATCH POINT CEILING REC 1.0 LED 3000K B	5W 250mA 18V CRI90	74.70	80.75
W191161W3	MATCH POINT CEILING REC 1.0 LED 2700K W	5W 250mA 18V CRI90	74.70	80.75
W191161W5	MATCH POINT CEILING REC 1.0 LED 3000K W	5W 250mA 18V CRI90	74.70	80.75
W191261B3	MATCH POINT IP44 CEILING REC 1.0 LED 2700K B	5W 250mA 18V CRI90	91.95	99.40
W191261B5	MATCH POINT IP44 CEILING REC 1.0 LED 3000K B	5W 250mA 18V CRI90	91.95	99.40
W191261W3	MATCH POINT IP44 CEILING REC 1.0 LED 2700K W	5W 250mA 18V CRI90	91.95	99.40
W191261W5	MATCH POINT IP44 CEILING REC 1.0 LED 3000K W	5W 250mA 18V CRI90	91.95	99.40
W191861B3	MATCH POINT TRIMLESS CEILING REC 1.0 LED 2700K B	5W 250mA 18V CRI90	113.45	122.65
W191861B5	MATCH POINT TRIMLESS CEILING REC 1.0 LED 3000K B	5W 250mA 18V CRI90	113.45	122.65
W192181W3	PERLEZ IP44 CEILING REC 1.0 LED 2700K W	6/9W 350/500mA 18V CRI95	212.40	229.60
W192181W5	PERLEZ IP44 CEILING REC 1.0 LED 3000K W	6/9W 350/500mA 18V CRI95	212.40	229.60
W192281W3	PERLEZ IP44 CEILING REC 2.0 LED 2700K W	6/9W 350/500mA 18V CRI95	236.85	256.05
W192281W5	PERLEZ IP44 CEILING REC 2.0 LED 3000K W	6/9W 350/500mA 18V CRI95	236.85	256.05
W192381W3	PERLEZ IP44 CEILING REC 3.0 LED 2700K W	6/9W 350/500mA 18V CRI95	255.45	276.15
W192381W5	PERLEZ IP44 CEILING REC 3.0 LED 3000K W	6/9W 350/500mA 18V CRI95	255.45	276.15
W192484W3	PERLEZ IP44 CEILING SURF 1.0 LED 2700K W	8W 220-240VAC DIM CRI95	255.45	276.15
W192484W5	PERLEZ IP44 CEILING / WALL SURF 1.0 LED 3000K W	8W 220-240VAC DIM CRI95	255.45	276.15
W192484W7	PERLEZ IP44 WALL SURF 1.0 LED 4000K W	8W 220-240VAC DIM CRI95	255.45	276.15
W192584W3	PERLEZ IP44 CEILING SURF 2.0 LED 2700K W	8W 220-240VAC DIM CRI95	279.90	302.55
W192584W5	PERLEZ IP44 CEILING / WALL SURF 2.0 LED 3000K W	8W 220-240VAC DIM CRI95	279.90	302.55
W192584W7	PERLEZ IP44 WALL SURF 2.0 LED 4000K W	8W 220-240VAC DIM CRI95	279.90	302.55
W192684W3	PERLEZ IP44 CEILING SURF 3.0 LED 2700K W	8W 220-240VAC DIM CRI95	298.50	322.70
W192684W5	PERLEZ IP44 CEILING / WALL SURF 3.0 LED 3000K W	8W 220-240VAC DIM CRI95	298.50	322.70
W192684W7	PERLEZ IP44 WALL SURF 3.0 LED 4000K W	8W 220-240VAC DIM CRI95	298.50	322.70
W192784BW3	PERLEZ SPIN CEILING SURF 1.0 LED 2700K BW	21W 220-240VAC DIM CRI90	681.75	736.95
W192884BW3	PERLEZ GRID CEILING SURF 1.0 LED 2700K B-W	40W 220-240VAC DIM CRI90	1073.55	1160.50
W192884QW3	PERLEZ GRID CEILING SURF 1.0 LED 2700K Q-W	40W 220-240VAC DIM CRI90	1073.55	1160.50
W193161B3	RONY POINT CEILING REC 1.0 LED 2700K B	5W 250mA 18V CRI90	77.60	83.90
W193161B3C	RONY POINT CEILING REC 1.0 LED 2700K B	5W 250mA 18V CRI90 BLADE SPRINGS	79.10	85.50
W193161B5	RONY POINT CEILING REC 1.0 LED 3000K B	5W 250mA 18V CRI90	77.60	83.90
W193161B5C	RONY POINT CEILING REC 1.0 LED 3000K B	5W 250mA 18V CRI90 BLADE SPRINGS	79.10	85.50
W193161W3	RONY POINT CEILING REC 1.0 LED 2700K W	5W 250mA 18V CRI90	77.60	83.90
W193161W3C	RONY POINT CEILING REC 1.0 LED 2700K W	5W 250mA 18V CRI90 BLADE SPRINGS	79.10	85.50
W193161W5	RONY POINT CEILING REC 1.0 LED 3000K W	5W 250mA 18V CRI90	77.60	83.90
W193161W5C	RONY POINT CEILING REC 1.0 LED 3000K W	5W 250mA 18V CRI90 BLADE SPRINGS	79.10	85.50
W200184B3	CONE CEILING SUSP 1.0 LED 2700K B	8W 220-240VAC DIM CRI90	386.15	417.45
W200184W3	CONE CEILING SUSP 1.0 LED 2700K W	8W 220-240VAC DIM CRI90	386.15	417.45
W2051E0G0	J.J.W. CEILING SURFACE 03 GOLD	max. 3x15W E27 A60 220-240VAC	1198.40	1295.45
W2051E0S0	J.J.W. CEILING SURFACE 03 SILVER	max. 3x15W E27 A60 220-240VAC	1198.40	1295.45
W2052E0G0	J.J.W. CEILING SUSPENDED 04 GOLD	max. 6x15W E27 A60 220-240VAC	2698.20	2916.75
W2052E0S0	J.J.W. CEILING SUSPENDED 04 SILVER	max. 6x15W E27 A60 220-240VAC	2698.20	2916.75
W2053E0G0	J.J.W. CEILING SUSPENDED 05 GOLD	max. 3x15W E27 A60 220-240VAC	2368.10	2559.90
W2053E0S0	J.J.W. CEILING SUSPENDED 05 SILVER	max. 3x15W E27 A60 220-240VAC	2368.10	2559.90
W2054E0G0	J.J.W. WALL SURFACE 01 GOLD	max. 2x15W E27 A60 220-240VAC	944.35	1020.85
W2054E0S0	J.J.W. WALL SURFACE 01 SILVER	max. 2x15W E27 A60 220-240VAC	944.35	1020.85
W2055E0G0	J.J.W. WALL SURFACE 02 GOLD	max. 15W E27 A60 220-240VAC	588.45	636.10
W2055E0Q0	J.J.W. WALL SURFACE 02 BRONZE	max. 15W E27 A60 220-240VAC	588.45	636.10
W2055E0S0	J.J.W. WALL SURFACE 02 SILVER	max. 15W E27 A60 220-240VAC	588.45	636.10
W2056E0G0	J.J.W. CEILING SUSPENDED 042 GOLD	max. 6x15W E27 A60 220-240VAC	4994.50	5399.05
W2056E0S0	J.J.W. CEILING SUSPENDED 042 SILVER	max. 6x15W E27 A60 220-240VAC	4994.50	5399.05
W2080E0B0	WIRO 1.0 CONE CEILING SURF E27 B	max. 60W T30-225 220-240VAC	427.70	462.35
W2080E0V0	WIRO 1.0 CONE CEILING SURF E27 V	max. 60W T30-225 220-240VAC	427.70	462.35
W2082E0B0	WIRO 1.8 WIRO CEILING SURF E27 B	max. 25W T30-225 220-240VAC	443.55	479.50
W2082E0V0	WIRO 1.8 WIRO CEILING SURF E27 V	max. 25W T30-225 220-240VAC	443.55	479.50
W2083E0B0	WIRO 3.8 WIRO CEILING SURF E27 B	max. 60W T30-225 220-240VAC	559.75	605.10
W2083E0V0	WIRO 3.8 WIRO CEILING SURF E27 V	max. 60W T30-225 220-240VAC	559.75	605.10
W2086E0B0	WIRO 2.0 WIRO CEILING SURF E27 B	max. 60W A60 220-240VAC	377.45	408.00
W2086E0V0	WIRO 2.0 WIRO CEILING SURF E27 V	max. 60W A60 220-240VAC	377.45	408.00
W2090E0B0	WIRO 1.8 WIRO CEILING SUSP E27 B 6.0m cable	max. 60W A60/T30-225 220-240VAC	470.90	509.05
W2090E0V0	WIRO 1.8 WIRO CEILING SUSP E27 V 6.0m cable	max. 60W A60/T30-225 220-240VAC	470.90	509.05
W2091E0B0	WIRO 2.0 WIRO CEILING SUSP E27 B 6.0m cable	max. 60W A60 220-240VAC	404.80	437.60
W209200B0	WIRO SHADE 1.8 WIRO B		292.85	316.55
W209200V0	WIRO SHADE 1.8 WIRO V		292.85	316.55
W2092E0B0	WIRO 1.8 WIRO CEILING SUSP E27 B 2.6m cable	max. 60W A60/T30-225 220-240VAC	429.20	463.95
W2092E0V0	WIRO 1.8 WIRO CEILING SUSP E27 V 2.6m cable	max. 60W A60/T30-225 220-240VAC	429.20	463.95
W209300B0	WIRO SHADE 3.8 WIRO B		409.05	442.20
W209300V0	WIRO SHADE 3.8 WIRO V		409.05	442.20
W2093E0B0	WIRO 3.8 WIRO CEILING SUSP E27 B 2.6m cable	max. 60W A60/T30-225 220-240VAC	545.40	589.60
W2093E0V0	WIRO 3.8 WIRO CEILING SUSP E27 V 2.6m cable	max. 60W A60/T30-225 220-240VAC	545.40	589.60
W2094E0B0	WIRO 6.1 WIRO CEILING SUSP E27 B 2.6m cable	max. 60W A60/T30-300 220-240VAC	617.15	667.15
W2094E0V0	WIRO 6.1 WIRO CEILING SUSP E27 V 2.6m cable	max. 60W A60/T30-300 220-240VAC	617.15	667.15
W2095E0B0	WIRO 6.5 WIRO CEILING SUSP E27 B 2.6m cable	max. 60W A60/T30-300 220-240VAC	819.45	885.85
W2095E0V0	WIRO 6.5 WIRO CEILING SUSP E27 V 2.6m cable	max. 60W A60/T30-300 220-240VAC	819.45	885.85
W209600B0	WIRO SHADE 2.0 WIRO B		226.75	245.10

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W2096E0B0	WIRO 2.0 WIRO CEILING SUSP E27 B 2.6m cable	max. 60W A60 220-240VAC	363.10	392.50
W2097E0B0	WIRO 3.8 WIRO CEILING SUSP E27 B 6.0m cable	max. 60W A60/T30-225 220-240VAC	587.10	634.65
W2097E0V0	WIRO 3.8 WIRO CEILING SUSP E27 V 6.0m cable	max. 60W A60/T30-225 220-240VAC	587.10	634.65
W2098E0B0	WIRO 6.1 WIRO CEILING SUSP E27 B 6.0m cable	max. 60W A60/T30-300 220-240VAC	666.00	719.95
W2098E0V0	WIRO 6.1 WIRO CEILING SUSP E27 V 6.0m cable	max. 60W A60/T30-300 220-240VAC	666.00	719.95
W2099E0B0	WIRO 6.5 WIRO CEILING SUSP E27 B 6.0m cable	max. 60W A60/T30-300 220-240VAC	868.30	938.65
W2099E0V0	WIRO 6.5 WIRO CEILING SUSP E27 V 6.0m cable	max. 60W A60/T30-300 220-240VAC	868.30	938.65
W210363B2	CORK CEILING SUSP 1.0 LED 2700K B	4W 100-240VAC CRI80	182.30	197.05
W213385W4	GIGANT CEILING SUSP 10.0 LED 3000K W	42W 220-240VAC DALI-2 SWITCH DIM CRI80	2353.75	2544.40
W213385W6	GIGANT CEILING SUSP 10.0 LED 4000K W	42W 220-240VAC DALI-2 SWITCH DIM CRI80	2353.75	2544.40
W213485W4	GIGANT CEILING SUSP 16.0 LED 3000K W	84W 220-240VAC DALI-2 SWITCH DIM CRI80	3143.10	3397.70
W213485W6	GIGANT CEILING SUSP 16.0 LED 4000K W	84W 220-240VAC DALI-2 SWITCH DIM CRI80	3143.10	3397.70
W215320B0	HEXO SUSP ON TRACK 3-PHASE 2.0 PAR16 B	max. 12W GU10 100-240VAC	154.15	166.65
W215320G0	HEXO SUSP ON TRACK 3-PHASE 2.0 PAR16 G	max. 12W GU10 100-240VAC	158.30	171.10
W215320P0	HEXO SUSP ON TRACK 3-PHASE 2.0 PAR16 P	max. 12W GU10 100-240VAC	158.30	171.10
W215320Q0	HEXO SUSP ON TRACK 3-PHASE 2.0 PAR16 Q	max. 12W GU10 100-240VAC	158.30	171.10
W215420B0	HEXO SUSP ON TRACK 3-PHASE 3.0 PAR16 B	max. 12W GU10 100-240VAC	164.25	177.55
W215420G0	HEXO SUSP ON TRACK 3-PHASE 3.0 PAR16 G	max. 12W GU10 100-240VAC	167.40	180.95
W215420P0	HEXO SUSP ON TRACK 3-PHASE 3.0 PAR16 P	max. 12W GU10 100-240VAC	167.40	180.95
W215420Q0	HEXO SUSP ON TRACK 3-PHASE 3.0 PAR16 Q	max. 12W GU10 100-240VAC	167.40	180.95
W215520B0	HEXO SUSP ON TRACK 1-PHASE 2.0 PAR16 B	max. 12W GU10 100-240VAC	154.15	166.65
W215520G0	HEXO SUSP ON TRACK 1-PHASE 2.0 PAR16 G	max. 12W GU10 100-240VAC	158.30	171.10
W215520P0	HEXO SUSP ON TRACK 1-PHASE 2.0 PAR16 P	max. 12W GU10 100-240VAC	158.30	171.10
W215520Q0	HEXO SUSP ON TRACK 1-PHASE 2.0 PAR16 Q	max. 12W GU10 100-240VAC	158.30	171.10
W215620B0	HEXO SUSP ON TRACK 1-PHASE 3.0 PAR16 B	max. 12W GU10 100-240VAC	164.25	177.55
W215620G0	HEXO SUSP ON TRACK 1-PHASE 3.0 PAR16 G	max. 12W GU10 100-240VAC	167.40	180.95
W215620P0	HEXO SUSP ON TRACK 1-PHASE 3.0 PAR16 P	max. 12W GU10 100-240VAC	167.40	180.95
W215620Q0	HEXO SUSP ON TRACK 1-PHASE 3.0 PAR16 Q	max. 12W GU10 100-240VAC	167.40	180.95
W217320B0	RAY SUSP ON TRACK 3-PHASE 2.0 PAR16 B	max. 12W GU10 100-240VAC	139.95	151.30
W217320G0	RAY SUSP ON TRACK 3-PHASE 2.0 PAR16 G	max. 12W GU10 100-240VAC	150.05	162.20
W217320M0	RAY SUSP ON TRACK 3-PHASE 2.0 PAR16 M	max. 12W GU10 100-240VAC	150.05	162.20
W217320P0	RAY SUSP ON TRACK 3-PHASE 2.0 PAR16 P	max. 12W GU10 100-240VAC	150.05	162.20
W217320W0	RAY SUSP ON TRACK 3-PHASE 2.0 PAR16 W	max. 12W GU10 100-240VAC	139.80	151.10
W217420B0	RAY SUSP ON TRACK 3-PHASE 3.0 PAR16 B	max. 12W GU10 100-240VAC	148.65	160.70
W217420G0	RAY SUSP ON TRACK 3-PHASE 3.0 PAR16 G	max. 12W GU10 100-240VAC	158.30	171.10
W217420M0	RAY SUSP ON TRACK 3-PHASE 3.0 PAR16 M	max. 12W GU10 100-240VAC	158.30	171.10
W217420P0	RAY SUSP ON TRACK 3-PHASE 3.0 PAR16 P	max. 12W GU10 100-240VAC	158.30	171.10
W217420W0	RAY SUSP ON TRACK 3-PHASE 3.0 PAR16 W	max. 12W GU10 100-240VAC	148.50	160.55
W217520B0	RAY SUSP ON TRACK 1-PHASE 2.0 PAR16 B	max. 12W GU10 100-240VAC	139.95	151.30
W217520G0	RAY SUSP ON TRACK 1-PHASE 2.0 PAR16 G	max. 12W GU10 100-240VAC	150.05	162.20
W217520M0	RAY SUSP ON TRACK 1-PHASE 2.0 PAR16 M	max. 12W GU10 100-240VAC	150.05	162.20
W217520P0	RAY SUSP ON TRACK 1-PHASE 2.0 PAR16 P	max. 12W GU10 100-240VAC	150.05	162.20
W217520W0	RAY SUSP ON TRACK 1-PHASE 2.0 PAR16 W	max. 12W GU10 100-240VAC	139.80	151.10
W217620B0	RAY SUSP ON TRACK 1-PHASE 3.0 PAR16 B	max. 12W GU10 100-240VAC	148.65	160.70
W217620G0	RAY SUSP ON TRACK 1-PHASE 3.0 PAR16 G	max. 12W GU10 100-240VAC	158.30	171.10
W217620M0	RAY SUSP ON TRACK 1-PHASE 3.0 PAR16 M	max. 12W GU10 100-240VAC	158.30	171.10
W217620P0	RAY SUSP ON TRACK 1-PHASE 3.0 PAR16 P	max. 12W GU10 100-240VAC	158.30	171.10
W217620W0	RAY SUSP ON TRACK 1-PHASE 3.0 PAR16 W	max. 12W GU10 100-240VAC	148.50	160.55
W2184E0D0	BISHOP CEILING SUSP 4.0 E27 D	max. 25W A60/G95 220-240VAC	515.30	557.05
W2184E0K0	BISHOP CEILING SUSP 4.0 E27 K	max. 25W A60/G95 220-240VAC	631.35	682.50
W2184E0R0	BISHOP CEILING SUSP 4.0 E27 W with red power cable	max. 25W A60/G95 220-240VAC	515.30	557.05
W2184E0V0	BISHOP CEILING SUSP 4.0 E27 V	max. 25W A60/G95 220-240VAC	515.30	557.05
W2186E0D0	BISHOP CEILING SUSP 6.0 E27 D	max. 25W A60/G95 220-240VAC	681.75	736.95
W2186E0K0	BISHOP CEILING SUSP 6.0 E27 K	max. 25W A60/G95 220-240VAC	858.25	927.75
W2186E0R0	BISHOP CEILING SUSP 6.0 E27 W with red power cable	max. 25W A60/G95 220-240VAC	681.75	736.95
W2186E0V0	BISHOP CEILING SUSP 6.0 E27 V	max. 25W A60/G95 220-240VAC	681.75	736.95
W2188E0D0	BISHOP CEILING SUSP 8.0 E27 D	max. 25W A60/G95 220-240VAC	1000.40	1081.45
W2188E0K0	BISHOP CEILING SUSP 8.0 E27 K	max. 25W A60/G95 220-240VAC	1277.35	1380.80
W2188E0R0	BISHOP CEILING SUSP 8.0 E27 W with red power cable	max. 25W A60/G95 220-240VAC	1000.40	1081.45
W2188E0V0	BISHOP CEILING SUSP 8.0 E27 V	max. 25W A60/G95 220-240VAC	1000.40	1081.45
W226364B3	HEXO CEILING SUSP 2.0 LED 2700K B	6W 220-240VAC DIM CRI90	259.35	280.35
W226364B5	HEXO CEILING SUSP 2.0 LED 3000K B	6W 220-240VAC DIM CRI90	259.35	280.35
W226364B9	HEXO CEILING SUSP 2.0 LED 2000-3000K B	9W 220-240VAC DIM CRI90	259.35	280.35
W226364G3	HEXO CEILING SUSP 2.0 LED 2700K G	6W 220-240VAC DIM CRI90	263.45	284.80
W226364G5	HEXO CEILING SUSP 2.0 LED 3000K G	6W 220-240VAC DIM CRI90	263.45	284.80
W226364G9	HEXO CEILING SUSP 2.0 LED 2000-3000K G	9W 220-240VAC DIM CRI90	263.45	284.80
W226364P3	HEXO CEILING SUSP 2.0 LED 2700K P	6W 220-240VAC DIM CRI90	263.45	284.80
W226364P5	HEXO CEILING SUSP 2.0 LED 3000K P	6W 220-240VAC DIM CRI90	263.45	284.80
W226364P9	HEXO CEILING SUSP 2.0 LED 2000-3000K P	9W 220-240VAC DIM CRI90	263.45	284.80
W226364Q3	HEXO CEILING SUSP 2.0 LED 2700K Q	6W 220-240VAC DIM CRI90	263.45	284.80
W226364Q5	HEXO CEILING SUSP 2.0 LED 3000K Q	6W 220-240VAC DIM CRI90	263.45	284.80
W226364Q9	HEXO CEILING SUSP 2.0 LED 2000-3000K Q	9W 220-240VAC DIM CRI90	263.45	284.80
W226464B3	HEXO CEILING SUSP 3.0 LED 2700K B	6W 220-240VAC DIM CRI90	269.40	291.20
W226464B5	HEXO CEILING SUSP 3.0 LED 3000K B	6W 220-240VAC DIM CRI90	269.40	291.20
W226464B9	HEXO CEILING SUSP 3.0 LED 2000-3000K B	9W 220-240VAC DIM CRI90	269.40	291.20
W226464G3	HEXO CEILING SUSP 3.0 LED 2700K G	6W 220-240VAC DIM CRI90	272.55	294.65
W226464G5	HEXO CEILING SUSP 3.0 LED 3000K G	6W 220-240VAC DIM CRI90	272.55	294.65
W226464G9	HEXO CEILING SUSP 3.0 LED 2000-3000K G	9W 220-240VAC DIM CRI90	272.55	294.65
W226464P3	HEXO CEILING SUSP 3.0 LED 2700K P	6W 220-240VAC DIM CRI90	272.55	294.65
W226464P5	HEXO CEILING SUSP 3.0 LED 3000K P	6W 220-240VAC DIM CRI90	272.55	294.65
W226464P9	HEXO CEILING SUSP 3.0 LED 2000-3000K P	9W 220-240VAC DIM CRI90	272.55	294.65
W226464Q3	HEXO CEILING SUSP 3.0 LED 2700K Q	6W 220-240VAC DIM CRI90	272.55	294.65
W226464Q5	HEXO CEILING SUSP 3.0 LED 3000K Q	6W 220-240VAC DIM CRI90	272.55	294.65
W226464Q9	HEXO CEILING SUSP 3.0 LED 2000-3000K Q	9W 220-240VAC DIM CRI90	272.55	294.65
W226764B3	RAY CEILING SUSP 2.0 LED 2700K B	6W 220-240VAC DIM CRI90	245.10	264.95
W226764B5	RAY CEILING SUSP 2.0 LED 3000K B	6W 220-240VAC DIM CRI90	245.10	264.95
W226764B9	RAY CEILING SUSP 2.0 LED 2000-3000K B	9W 220-240VAC DIM CRI90	245.10	264.95
W226764G3	RAY CEILING SUSP 2.0 LED 2700K G	6W 220-240VAC DIM CRI90	255.20	275.85
W226764G5	RAY CEILING SUSP 2.0 LED 3000K G	6W 220-240VAC DIM CRI90	255.20	275.85
W226764G9	RAY CEILING SUSP 2.0 LED 2000-3000K G	9W 220-240VAC DIM CRI90	255.20	275.85
W226764L3	RAY CEILING SUSP 2.0 LED 2700K L	6W 220-240VAC DIM CRI90	255.20	275.85
W226764L5	RAY CEILING SUSP 2.0 LED 3000K L	6W 220-240VAC DIM CRI90	255.20	275.85
W226764L9	RAY CEILING SUSP 2.0 LED 2000-3000K L	9W 220-240VAC DIM CRI90	255.20	275.85
W226764M3	RAY CEILING SUSP 2.0 LED 2700K M	6W 220-240VAC DIM CRI90	255.20	275.85

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W226764M5	RAY CEILING SUSP 2.0 LED 3000K M	6W 220-240VAC DIM CRI90	255.20	275.85
W226764M9	RAY CEILING SUSP 2.0 LED 2000-3000K M	9W 220-240VAC DIM CRI90	255.20	275.85
W226764P3	RAY CEILING SUSP 2.0 LED 2700K P	6W 220-240VAC DIM CRI90	255.20	275.85
W226764P5	RAY CEILING SUSP 2.0 LED 3000K P	6W 220-240VAC DIM CRI90	255.20	275.85
W226764P9	RAY CEILING SUSP 2.0 LED 2000-3000K P	9W 220-240VAC DIM CRI90	255.20	275.85
W226764W3	RAY CEILING SUSP 2.0 LED 2700K W	6W 220-240VAC DIM CRI90	245.10	264.95
W226764W5	RAY CEILING SUSP 2.0 LED 3000K W	6W 220-240VAC DIM CRI90	245.10	264.95
W226764W9	RAY CEILING SUSP 2.0 LED 2000-3000K W	9W 220-240VAC DIM CRI90	245.10	264.95
W226864B3	RAY CEILING SUSP 3.0 LED 2700K B	6W 220-240VAC DIM CRI90	253.80	274.35
W226864B5	RAY CEILING SUSP 3.0 LED 3000K B	6W 220-240VAC DIM CRI90	253.80	274.35
W226864B9	RAY CEILING SUSP 3.0 LED 2000-3000K B	9W 220-240VAC DIM CRI90	253.80	274.35
W226864G3	RAY CEILING SUSP 3.0 LED 2700K G	6W 220-240VAC DIM CRI90	263.45	284.80
W226864G5	RAY CEILING SUSP 3.0 LED 3000K G	6W 220-240VAC DIM CRI90	263.45	284.80
W226864G9	RAY CEILING SUSP 3.0 LED 2000-3000K G	9W 220-240VAC DIM CRI90	263.45	284.80
W226864L3	RAY CEILING SUSP 3.0 LED 2700K L	6W 220-240VAC DIM CRI90	263.45	284.80
W226864L5	RAY CEILING SUSP 3.0 LED 3000K L	6W 220-240VAC DIM CRI90	263.45	284.80
W226864L9	RAY CEILING SUSP 3.0 LED 2000-3000K L	9W 220-240VAC DIM CRI90	263.45	284.80
W226864M3	RAY CEILING SUSP 3.0 LED 2700K M	6W 220-240VAC DIM CRI90	263.45	284.80
W226864M5	RAY CEILING SUSP 3.0 LED 3000K M	6W 220-240VAC DIM CRI90	263.45	284.80
W226864M9	RAY CEILING SUSP 3.0 LED 2000-3000K M	9W 220-240VAC DIM CRI90	263.45	284.80
W226864P3	RAY CEILING SUSP 3.0 LED 2700K P	6W 220-240VAC DIM CRI90	263.45	284.80
W226864P5	RAY CEILING SUSP 3.0 LED 3000K P	6W 220-240VAC DIM CRI90	263.45	284.80
W226864P9	RAY CEILING SUSP 3.0 LED 2000-3000K P	9W 220-240VAC DIM CRI90	263.45	284.80
W226864W3	RAY CEILING SUSP 3.0 LED 2700K W	6W 220-240VAC DIM CRI90	253.80	274.35
W226864W5	RAY CEILING SUSP 3.0 LED 3000K W	6W 220-240VAC DIM CRI90	253.80	274.35
W226864W9	RAY CEILING SUSP 3.0 LED 2000-3000K W	9W 220-240VAC DIM CRI90	253.80	274.35
W227320B0	HEXO CEILING SUSP 2.0 PAR16 B	max. 12W GU10 100-240VAC	139.15	150.40
W227320G0	HEXO CEILING SUSP 2.0 PAR16 G	max. 12W GU10 100-240VAC	143.25	154.85
W227320P0	HEXO CEILING SUSP 2.0 PAR16 P	max. 12W GU10 100-240VAC	143.25	154.85
W227320Q0	HEXO CEILING SUSP 2.0 PAR16 Q	max. 12W GU10 100-240VAC	143.25	154.85
W227420B0	HEXO CEILING SUSP 3.0 PAR16 B	max. 12W GU10 100-240VAC	149.20	161.30
W227420G0	HEXO CEILING SUSP 3.0 PAR16 G	max. 12W GU10 100-240VAC	152.40	164.75
W227420P0	HEXO CEILING SUSP 3.0 PAR16 P	max. 12W GU10 100-240VAC	152.40	164.75
W227420Q0	HEXO CEILING SUSP 3.0 PAR16 Q	max. 12W GU10 100-240VAC	152.40	164.75
W227720B0	RAY CEILING SUSP 2.0 PAR16 B	max. 12W GU10 100-240VAC	124.90	135.00
W227720G0	RAY CEILING SUSP 2.0 PAR16 G	max. 12W GU10 100-240VAC	135.00	145.95
W227720L0	RAY CEILING SUSP 2.0 PAR16 L	max. 12W GU10 100-240VAC	135.00	145.95
W227720M0	RAY CEILING SUSP 2.0 PAR16 M	max. 12W GU10 100-240VAC	135.00	145.95
W227720P0	RAY CEILING SUSP 2.0 PAR16 P	max. 12W GU10 100-240VAC	135.00	145.95
W227720W0	RAY CEILING SUSP 2.0 PAR16 W	max. 12W GU10 100-240VAC	124.90	135.00
W227820B0	RAY CEILING SUSP 3.0 PAR16 B	max. 12W GU10 100-240VAC	133.60	144.40
W227820G0	RAY CEILING SUSP 3.0 PAR16 G	max. 12W GU10 100-240VAC	143.25	154.85
W227820L0	RAY CEILING SUSP 3.0 PAR16 L	max. 12W GU10 100-240VAC	143.25	154.85
W227820M0	RAY CEILING SUSP 3.0 PAR16 M	max. 12W GU10 100-240VAC	143.25	154.85
W227820P0	RAY CEILING SUSP 3.0 PAR16 P	max. 12W GU10 100-240VAC	143.25	154.85
W227820W0	RAY CEILING SUSP 3.0 PAR16 W	max. 12W GU10 100-240VAC	133.60	144.40
W2281E0B0	WIRO 1.0 GLOBE CEILING SUSP E27 B 2.6m cable	max. 60W A60/T30-300 220-240VAC	749.25	809.95
W2282E0B0	WIRO 2.0 GLOBE CEILING SUSP E27 B 2.6m cable	max. 60W A60/T30-300 220-240VAC	654.40	707.40
W2284E0B0	WIRO 1.0 GLOBE CEILING SUSP E27 B 6.0m cable	max. 60W A60/T30-300 220-240VAC	798.10	862.75
W2285E0B0	WIRO 2.0 GLOBE CEILING SUSP E27 B 6.0m cable	max. 60W A60/T30-300 220-240VAC	703.25	760.20
W2291E0B0	WIRO 1.0 DIAMOND CEILING SUSP E27 B 2.6m cable	max. 60W T30-300 220-240VAC	553.95	598.80
W2291E0P0	WIRO 1.0 DIAMOND CEILING SUSP E27 P 2.6m cable	max. 60W T30-300 220-240VAC	553.95	598.80
W2292E0B0	WIRO 2.0 DIAMOND CEILING SUSP E27 B 2.6m cable	max. 60W T30-300 220-240VAC	901.30	974.30
W2292E0P0	WIRO 2.0 DIAMOND CEILING SUSP E27 P 2.6m cable	max. 60W T30-300 220-240VAC	901.30	974.30
W2293E0B0	WIRO 3.0 DIAMOND CEILING SUSP E27 B 2.6m cable	max. 60W T30-300 220-240VAC	1288.80	1393.20
W2293E0P0	WIRO 3.0 DIAMOND CEILING SUSP E27 P 2.6m cable	max. 60W T30-300 220-240VAC	1288.80	1393.20
W2296E0B0	WIRO 1.0 DIAMOND CEILING SUSP E27 B 6.0m cable	max. 60W T30-300 220-240VAC	602.80	651.65
W2296E0P0	WIRO 1.0 DIAMOND CEILING SUSP E27 P 6.0m cable	max. 60W T30-300 220-240VAC	602.80	651.65
W2297E0B0	WIRO 2.0 DIAMOND CEILING SUSP E27 B 6.0m cable	max. 60W T30-300 220-240VAC	950.15	1027.10
W2297E0P0	WIRO 2.0 DIAMOND CEILING SUSP E27 P 6.0m cable	max. 60W T30-300 220-240VAC	950.15	1027.10
W2298E0B0	WIRO 3.0 DIAMOND CEILING SUSP E27 B 6.0m cable	max. 60W T30-300 220-240VAC	1337.65	1446.00
W2298E0P0	WIRO 3.0 DIAMOND CEILING SUSP E27 P 6.0m cable	max. 60W T30-300 220-240VAC	1337.65	1446.00
W231264B3	NET CEILING SUSP 2.0 LED 2700K B	14W 220-240VAC DIM CRI90	638.70	690.45
W231264M3	NET CEILING SUSP 2.0 LED 2700K M	14W 220-240VAC DIM CRI90	638.70	690.45
W231264W3	NET CEILING SUSP 2.0 LED 2700K W	14W 220-240VAC DIM CRI90	638.70	690.45
W231464B3	NET CEILING SUSP 4.0 LED 2700K B	28W 220-240VAC DIM CRI90	1255.80	1357.50
W231464M3	NET CEILING SUSP 4.0 LED 2700K M	28W 220-240VAC DIM CRI90	1255.80	1357.50
W231464W3	NET CEILING SUSP 4.0 LED 2700K W	28W 220-240VAC DIM CRI90	1255.80	1357.50
W2343E0J0	SHIEK CEILING SUSP 3.0 E27 J	max. 20W A60 100-240VAC	244.00	263.75
W2343E0K0	SHIEK CEILING SUSP 3.0 E27 K	max. 20W A60 100-240VAC	244.00	263.75
W2343E0P0	SHIEK CEILING SUSP 3.0 E27 P	max. 20W A60 100-240VAC	244.00	263.75
W2343E0W0	SHIEK CEILING SUSP 3.0 E27 W	max. 20W A60 100-240VAC	239.75	259.15
W2343E0Z0	SHIEK CEILING SUSP 3.0 E27 Z	max. 20W A60 100-240VAC	244.00	263.75
W2344E0J0	SHIEK CEILING SUSP 4.0 E27 J	max. 20W A60 100-240VAC	242.65	262.30
W2344E0K0	SHIEK CEILING SUSP 4.0 E27 K	max. 20W A60 100-240VAC	242.65	262.30
W2344E0P0	SHIEK CEILING SUSP 4.0 E27 P	max. 20W A60 100-240VAC	242.65	262.30
W2344E0W0	SHIEK CEILING SUSP 4.0 E27 W	max. 20W A60 100-240VAC	236.85	256.05
W2344E0Z0	SHIEK CEILING SUSP 4.0 E27 Z	max. 20W A60 100-240VAC	242.65	262.30
W236188B9	WETRO CEILING SUSP 1.0 LED 1800-2850K B	12W 220-240VAC DIM CRI90	413.35	446.85
W236188DW9	WETRO CEILING SUSP 1.0 LED 1800-2850K DW	12W 220-240VAC DIM CRI90	467.85	505.75
W236188P9	WETRO CEILING SUSP 1.0 LED 1800-2850K P	12W 220-240VAC DIM CRI90	413.35	446.85
W236188TD9	WETRO CEILING SUSP 1.0 LED 1800-2850K TD	12W 220-240VAC DIM CRI90	467.85	505.75
W236188TS9	WETRO CEILING SUSP 1.0 LED 1800-2850K TS	12W 220-240VAC DIM CRI90	467.85	505.75
W236188TW9	WETRO CEILING SUSP 1.0 LED 1800-2850K TW	12W 220-240VAC DIM CRI90	467.85	505.75
W236288B9	WETRO CEILING SUSP 2.0 LED 1800-2850K B	12W 220-240VAC DIM CRI90	465.10	502.75
W236288DW9	WETRO CEILING SUSP 2.0 LED 1800-2850K DW	12W 220-240VAC DIM CRI90	572.70	619.10
W236288P9	WETRO CEILING SUSP 2.0 LED 1800-2850K P	12W 220-240VAC DIM CRI90	465.10	502.75
W236288TD9	WETRO CEILING SUSP 2.0 LED 1800-2850K TD	12W 220-240VAC DIM CRI90	572.70	619.10
W236288TS9	WETRO CEILING SUSP 2.0 LED 1800-2850K TS	12W 220-240VAC DIM CRI90	572.70	619.10
W236288TW9	WETRO CEILING SUSP 2.0 LED 1800-2850K TW	12W 220-240VAC DIM CRI90	572.70	619.10
W236388B9	WETRO CEILING SUSP 3.0 LED 1800-2850K B	12W 220-240VAC DIM CRI90	539.60	583.30
W236388DW9	WETRO CEILING SUSP 3.0 LED 1800-2850K DW	12W 220-240VAC DIM CRI90	655.95	709.10
W236388P9	WETRO CEILING SUSP 3.0 LED 1800-2850K P	12W 220-240VAC DIM CRI90	539.60	583.30
W236388TD9	WETRO CEILING SUSP 3.0 LED 1800-2850K TD	12W 220-240VAC DIM CRI90	655.95	709.10

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W236388TS9	WETRO CEILING SUSP 3.0 LED 1800-2850K TS	12W 220-240VAC DIM CRI90	655.95	709.10
W236388TW9	WETRO CEILING SUSP 3.0 LED 1800-2850K TW	12W 220-240VAC DIM CRI90	655.95	709.10
W237188J9	SHIEK CEILING SUSP 1.0 LED 1800-2850K J	12W 220-240VAC DIM CRI90	298.50	322.70
W237188K9	SHIEK CEILING SUSP 1.0 LED 1800-2850K K	12W 220-240VAC DIM CRI90	298.50	322.70
W237188P9	SHIEK CEILING SUSP 1.0 LED 1800-2850K P	12W 220-240VAC DIM CRI90	298.50	322.70
W237188W9	SHIEK CEILING SUSP 1.0 LED 1800-2850K W	12W 220-240VAC DIM CRI90	295.60	319.55
W237188Z9	SHIEK CEILING SUSP 1.0 LED 1800-2850K Z	12W 220-240VAC DIM CRI90	298.50	322.70
W237288J9	SHIEK CEILING SUSP 2.0 LED 1800-2850K J	12W 220-240VAC DIM CRI90	340.90	368.50
W237288K9	SHIEK CEILING SUSP 2.0 LED 1800-2850K K	12W 220-240VAC DIM CRI90	340.90	368.50
W237288P9	SHIEK CEILING SUSP 2.0 LED 1800-2850K P	12W 220-240VAC DIM CRI90	340.90	368.50
W237288W9	SHIEK CEILING SUSP 2.0 LED 1800-2850K W	12W 220-240VAC DIM CRI90	336.60	363.85
W237288Z9	SHIEK CEILING SUSP 2.0 LED 1800-2850K Z	12W 220-240VAC DIM CRI90	340.90	368.50
W237388J9	SHIEK CEILING SUSP 3.0 LED 1800-2850K J	12W 220-240VAC DIM CRI90	361.70	391.00
W237388K9	SHIEK CEILING SUSP 3.0 LED 1800-2850K K	12W 220-240VAC DIM CRI90	361.70	391.00
W237388P9	SHIEK CEILING SUSP 3.0 LED 1800-2850K P	12W 220-240VAC DIM CRI90	361.70	391.00
W237388W9	SHIEK CEILING SUSP 3.0 LED 1800-2850K W	12W 220-240VAC DIM CRI90	357.45	386.40
W237388Z9	SHIEK CEILING SUSP 3.0 LED 1800-2850K Z	12W 220-240VAC DIM CRI90	361.70	391.00
W237488J9	SHIEK CEILING SUSP 4.0 LED 1800-2850K J	12W 220-240VAC DIM CRI90	360.35	389.55
W237488K9	SHIEK CEILING SUSP 4.0 LED 1800-2850K K	12W 220-240VAC DIM CRI90	360.35	389.55
W237488P9	SHIEK CEILING SUSP 4.0 LED 1800-2850K P	12W 220-240VAC DIM CRI90	360.35	389.55
W237488W9	SHIEK CEILING SUSP 4.0 LED 1800-2850K W	12W 220-240VAC DIM CRI90	354.55	383.25
W237488Z9	SHIEK CEILING SUSP 4.0 LED 1800-2850K Z	12W 220-240VAC DIM CRI90	360.35	389.55
W238185FD3	SOLLI ON STREX 1.0 LED 2700K FD	6W 48V DALI-2 CRI90 cable 0.95 - 1.20m	535.35	578.70
W238185FD5	SOLLI ON STREX 1.0 LED 3000K FD	6W 48V DALI-2 CRI90 cable 0.95 - 1.20m	535.35	578.70
W238185TD3	SOLLI ON STREX 1.0 LED 2700K TD	6W 48V DALI-2 CRI90 cable 0.95 - 1.20m	535.35	578.70
W238185TD5	SOLLI ON STREX 1.0 LED 3000K TD	6W 48V DALI-2 CRI90 cable 0.95 - 1.20m	535.35	578.70
W238185WB3	SOLLI ON STREX 1.0 LED 2700K WB	6W 48V DALI-2 CRI90 cable 0.95 - 1.20m	485.10	524.40
W238185WB5	SOLLI ON STREX 1.0 LED 3000K WB	6W 48V DALI-2 CRI90 cable 0.95 - 1.20m	485.10	524.40
W238284FD3	SOLLI CEILING SUSP 1.0 LED 2700K FD	9W 220-240VAC DIM CRI90	406.15	439.05
W238284FD5	SOLLI CEILING SUSP 1.0 LED 3000K FD	9W 220-240VAC DIM CRI90	406.15	439.05
W238284TD3	SOLLI CEILING SUSP 1.0 LED 2700K TD	9W 220-240VAC DIM CRI90	406.15	439.05
W238284TD5	SOLLI CEILING SUSP 1.0 LED 3000K TD	9W 220-240VAC DIM CRI90	406.15	439.05
W238284WB3	SOLLI CEILING SUSP 1.0 LED 2700K WB	9W 220-240VAC DIM CRI90	355.95	384.80
W238284WB5	SOLLI CEILING SUSP 1.0 LED 3000K WB	9W 220-240VAC DIM CRI90	355.95	384.80
W238384LF3	SOLLI COCOON CEILING SUSP 1.0 LED 2700K LF	9W 220-240VAC DIM CRI90	529.65	572.55
W238384LF5	SOLLI COCOON CEILING SUSP 1.0 LED 3000K LF	9W 220-240VAC DIM CRI90	529.65	572.55
W238384MF3	SOLLI COCOON CEILING SUSP 1.0 LED 2700K MF	9W 220-240VAC DIM CRI90	529.65	572.55
W238384MF5	SOLLI COCOON CEILING SUSP 1.0 LED 3000K MF	9W 220-240VAC DIM CRI90	529.65	572.55
W238384OF3	SOLLI COCOON CEILING SUSP 1.0 LED 2700K OF	9W 220-240VAC DIM CRI90	529.65	572.55
W238384OF5	SOLLI COCOON CEILING SUSP 1.0 LED 3000K OF	9W 220-240VAC DIM CRI90	529.65	572.55
W238484LF3	SOLLI COCOON CEILING SUSP 2.0 LED 2700K LF	9W 220-240VAC DIM CRI90	538.20	581.80
W238484LF5	SOLLI COCOON CEILING SUSP 2.0 LED 3000K LF	9W 220-240VAC DIM CRI90	538.20	581.80
W238484MF3	SOLLI COCOON CEILING SUSP 2.0 LED 2700K MF	9W 220-240VAC DIM CRI90	538.20	581.80
W238484MF5	SOLLI COCOON CEILING SUSP 2.0 LED 3000K MF	9W 220-240VAC DIM CRI90	538.20	581.80
W238484OF3	SOLLI COCOON CEILING SUSP 2.0 LED 2700K OF	9W 220-240VAC DIM CRI90	538.20	581.80
W238484OF5	SOLLI COCOON CEILING SUSP 2.0 LED 3000K OF	9W 220-240VAC DIM CRI90	538.20	581.80
W238500LF0	SOLLI COCOON CEILING SUSP 3.0 LF		279.90	302.55
W238500MF0	SOLLI COCOON CEILING SUSP 3.0 MF		279.90	302.55
W238500OF0	SOLLI COCOON CEILING SUSP 3.0 OF		279.90	302.55
W243100B0	WIRO SHADE 4.0 GLOBE B		300.05	324.35
W2431E0B0	WIRO 4.0 GLOBE CEILING SUSP E27 B 2.6m cable	max. 60W T30-225 220-240VAC	447.85	484.15
W2432E0B0	WIRO 5.0 GLOBE CEILING SUSP E27 B 2.6m cable	max. 60W T30-300 220-240VAC	555.45	600.45
W2434E0B0	WIRO 4.0 GLOBE CEILING SUSP E27 B 6.0m cable	max. 60W T30-225 220-240VAC	496.70	536.95
W2435E0B0	WIRO 5.0 GLOBE CEILING SUSP E27 B 6.0m cable	max. 60W T30-300 220-240VAC	604.35	653.30
W244100B0	WIRO SHADE 1.1 DIAMOND B		282.80	305.70
W244100P0	WIRO SHADE 1.1 DIAMOND P		282.80	305.70
W2441E0B0	WIRO 1.1 DIAMOND CEILING SUSP E27 B 2.6m cable	max. 60W T30-300 220-240VAC	430.60	465.50
W2441E0P0	WIRO 1.1 DIAMOND CEILING SUSP E27 P 2.6m cable	max. 60W T30-300 220-240VAC	430.60	465.50
W2442E0B0	WIRO 1.1 DIAMOND CEILING SUSP E27 B 6.0m cable	max. 60W T30-300 220-240VAC	479.45	518.30
W2442E0P0	WIRO 1.1 DIAMOND CEILING SUSP E27 P 6.0m cable	max. 60W T30-300 220-240VAC	479.45	518.30
W245100B0	WIRO SHADE 1.0 CONE B		277.00	299.45
W245100V0	WIRO SHADE 1.0 CONE V		277.00	299.45
W2451E0B0	WIRO 1.0 CONE CEILING SUSP E27 B 2.6m cable	max. 60W T30-225 220-240VAC	413.35	446.85
W2451E0V0	WIRO 1.0 CONE CEILING SUSP E27 V 2.6m cable	max. 60W T30-225 220-240VAC	413.35	446.85
W2452E0B0	WIRO 1.0 CONE CEILING SUSP E27 B 6.0m cable	max. 60W T30-225 220-240VAC	455.00	491.85
W2452E0V0	WIRO 1.0 CONE CEILING SUSP E27 V 6.0m cable	max. 60W T30-225 220-240VAC	455.00	491.85
W248120BB1	ROOMOR CABLE SUSP 1.1 PAR16 B-B 2.5m cable	max. 15W GU10 100-240VAC	285.70	308.85
W248120BB2	ROOMOR CABLE SUSP 1.2 PAR16 B-B 2.5m cable	max. 15W GU10 100-240VAC	343.10	370.90
W248120BB3	ROOMOR CABLE SUSP 1.3 PAR16 B-B 2.5m cable	max. 15W GU10 100-240VAC	456.40	493.35
W248120BB4	ROOMOR CABLE SUSP 1.4 PAR16 B-B 2.5m cable	max. 15W GU10 100-240VAC	528.15	570.95
W248120BF2	ROOMOR CABLE SUSP 1.2 PAR16 B-F 2.5m cable	max. 15W GU10 100-240VAC	380.35	411.15
W248120BF3	ROOMOR CABLE SUSP 1.3 PAR16 B-F 2.5m cable	max. 15W GU10 100-240VAC	489.35	529.00
W248120BK1	ROOMOR CABLE SUSP 1.1 PAR16 B-K 2.5m cable	max. 15W GU10 100-240VAC	294.25	318.10
W248120BK2	ROOMOR CABLE SUSP 1.2 PAR16 B-K 2.5m cable	max. 15W GU10 100-240VAC	354.55	383.25
W248120BK3	ROOMOR CABLE SUSP 1.3 PAR16 B-K 2.5m cable	max. 15W GU10 100-240VAC	473.65	512.00
W248120BK4	ROOMOR CABLE SUSP 1.4 PAR16 B-K 2.5m cable	max. 15W GU10 100-240VAC	544.00	588.05
W248120GG1	ROOMOR CABLE SUSP 1.1 PAR16 G-G 2.5m cable	max. 15W GU10 100-240VAC	294.25	318.10
W2481E0BB1	ROOMOR CABLE SUSP 1.1 E27 B-B 2.5m cable	max. 15W A60 220-240VAC	285.70	308.85
W2481E0BB2	ROOMOR CABLE SUSP 1.2 E27 B-B 2.5m cable	max. 15W A60 220-240VAC	343.10	370.90
W2481E0BB3	ROOMOR CABLE SUSP 1.3 E27 B-B 2.5m cable	max. 15W A60 220-240VAC	456.40	493.35
W2481E0BB4	ROOMOR CABLE SUSP 1.4 E27 B-B 2.5m cable	max. 15W A60 220-240VAC	528.15	570.95
W2481E0BF2	ROOMOR CABLE SUSP 1.2 E27 B-F 2.5m cable	max. 15W A60 220-240VAC	380.35	411.15
W2481E0BF3	ROOMOR CABLE SUSP 1.3 E27 B-F 2.5m cable	max. 15W A60 220-240VAC	489.35	529.00
W2481E0BK1	ROOMOR CABLE SUSP 1.1 E27 B-K 2.5m cable	max. 15W A60 220-240VAC	294.25	318.10
W2481E0BK2	ROOMOR CABLE SUSP 1.2 E27 B-K 2.5m cable	max. 15W A60 220-240VAC	354.55	383.25
W2481E0BK3	ROOMOR CABLE SUSP 1.3 E27 B-K 2.5m cable	max. 15W A60 220-240VAC	473.65	512.00
W2481E0BK4	ROOMOR CABLE SUSP 1.4 E27 B-K 2.5m cable	max. 15W A60 220-240VAC	544.00	588.05
W2481E0GG1	ROOMOR CABLE SUSP 1.1 E27 G-G 2.5m cable	max. 15W A60 220-240VAC	294.25	318.10
W248220BB1	ROOMOR CABLE SUSP 1.1 PAR16 B-B 6.0m cable	max. 15W GU10 100-240VAC	334.55	361.65
W248220BB2	ROOMOR CABLE SUSP 1.2 PAR16 B-B 6.0m cable	max. 15W GU10 100-240VAC	391.95	423.70
W248220BB3	ROOMOR CABLE SUSP 1.3 PAR16 B-B 6.0m cable	max. 15W GU10 100-240VAC	505.25	546.20
W248220BB4	ROOMOR CABLE SUSP 1.4 PAR16 B-B 6.0m cable	max. 15W GU10 100-240VAC	577.00	623.75
W248220BF2	ROOMOR CABLE SUSP 1.2 PAR16 B-F 6.0m cable	max. 15W GU10 100-240VAC	429.20	463.95
W248220BF3	ROOMOR CABLE SUSP 1.3 PAR16 B-F 6.0m cable	max. 15W GU10 100-240VAC	538.20	581.80

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W248220BK1	ROOMOR CABLE SUSP 1.1 PAR16 B-K 6.0m cable	max. 15W GU10 100-240VAC	343.10	370.90
W248220BK2	ROOMOR CABLE SUSP 1.2 PAR16 B-K 6.0m cable	max. 15W GU10 100-240VAC	403.40	436.10
W248220BK3	ROOMOR CABLE SUSP 1.3 PAR16 B-K 6.0m cable	max. 15W GU10 100-240VAC	522.50	564.80
W248220BK4	ROOMOR CABLE SUSP 1.4 PAR16 B-K 6.0m cable	max. 15W GU10 100-240VAC	592.85	640.85
W248220GG1	ROOMOR CABLE SUSP 1.1 PAR16 G-G 6.0m cable	max. 15W GU10 100-240VAC	343.10	370.90
W2482E0BB1	ROOMOR CABLE SUSP 1.1 E27 B-B 6.0m cable	max. 15W A60 220-240VAC	334.55	361.65
W2482E0BB2	ROOMOR CABLE SUSP 1.2 E27 B-B 6.0m cable	max. 15W A60 220-240VAC	391.95	423.70
W2482E0BB3	ROOMOR CABLE SUSP 1.3 E27 B-B 6.0m cable	max. 15W A60 220-240VAC	505.25	546.20
W2482E0BB4	ROOMOR CABLE SUSP 1.4 E27 B-B 6.0m cable	max. 15W A60 220-240VAC	577.00	623.75
W2482E0BF2	ROOMOR CABLE SUSP 1.2 E27 B-F 6.0m cable	max. 15W A60 220-240VAC	429.20	463.95
W2482E0BF3	ROOMOR CABLE SUSP 1.3 E27 B-F 6.0m cable	max. 15W A60 220-240VAC	538.20	581.80
W2482E0BK1	ROOMOR CABLE SUSP 1.1 E27 B-K 6.0m cable	max. 15W A60 220-240VAC	343.10	370.90
W2482E0BK2	ROOMOR CABLE SUSP 1.2 E27 B-K 6.0m cable	max. 15W A60 220-240VAC	403.40	436.10
W2482E0BK3	ROOMOR CABLE SUSP 1.3 E27 B-K 6.0m cable	max. 15W A60 220-240VAC	522.50	564.80
W2482E0BK4	ROOMOR CABLE SUSP 1.4 E27 B-K 6.0m cable	max. 15W A60 220-240VAC	592.85	640.85
W2482E0GG1	ROOMOR CABLE SUSP 1.1 E27 G-G 6.0m cable	max. 15W A60 220-240VAC	343.10	370.90
W2521G0WB0	DRO CEILING SUSP 1.0 QT14 B-W	max. 5W G9 220-240VAC	268.45	290.20
W2522C0WB0	DRO CEILING SUSP 2.0 E14 B-W	max. 6W C35 220-240VAC	382.55	413.55
W2523E0WB0	DRO CEILING SUSP 3.0 E27 B-W	max. 12W A60 220-240VAC	517.40	559.30
W2524E0WB0	DRO CEILING SUSP 4.0 E27 B-W	max. 12W A65 220-240VAC	762.05	823.80
W253164B3	TRACE CEILING SUSP 1.1 LED 2700K B	8W 220-240VAC DIM CRI90	268.45	290.20
W253164B5	TRACE CEILING SUSP 1.1 LED 3000K B	8W 220-240VAC DIM CRI90	268.45	290.20
W253164BL3	TRACE CEILING SUSP 1.1 LED 2700K BL	8W 220-240VAC DIM CRI90	271.35	293.35
W253164BL5	TRACE CEILING SUSP 1.1 LED 3000K BL	8W 220-240VAC DIM CRI90	271.35	293.35
W253164CH3	TRACE CEILING SUSP 1.1 LED 2700K CH	8W 220-240VAC DIM CRI90	271.35	293.35
W253164CH5	TRACE CEILING SUSP 1.1 LED 3000K CH	8W 220-240VAC DIM CRI90	271.35	293.35
W253164W3	TRACE CEILING SUSP 1.1 LED 2700K W	8W 220-240VAC DIM CRI90	268.45	290.20
W253164W5	TRACE CEILING SUSP 1.1 LED 3000K W	8W 220-240VAC DIM CRI90	268.45	290.20
W253264B3	TRACE CEILING SUSP 1.2 LED 2700K B	8W 220-240VAC DIM CRI90	282.80	305.70
W253264B5	TRACE CEILING SUSP 1.2 LED 3000K B	8W 220-240VAC DIM CRI90	282.80	305.70
W253264BL3	TRACE CEILING SUSP 1.2 LED 2700K BL	8W 220-240VAC DIM CRI90	285.70	308.85
W253264BL5	TRACE CEILING SUSP 1.2 LED 3000K BL	8W 220-240VAC DIM CRI90	285.70	308.85
W253264CH3	TRACE CEILING SUSP 1.2 LED 2700K CH	8W 220-240VAC DIM CRI90	285.70	308.85
W253264CH5	TRACE CEILING SUSP 1.2 LED 3000K CH	8W 220-240VAC DIM CRI90	285.70	308.85
W253264W3	TRACE CEILING SUSP 1.2 LED 2700K W	8W 220-240VAC DIM CRI90	282.80	305.70
W253264W5	TRACE CEILING SUSP 1.2 LED 3000K W	8W 220-240VAC DIM CRI90	282.80	305.70
W2533E0B0	TRACE CEILING SUSP 2.0 E27 B	max. 12W G95 220-240VAC	196.65	212.60
W2533E0BL0	TRACE CEILING SUSP 2.0 E27 BL	max. 12W G95 220-240VAC	199.55	215.70
W2533E0CH0	TRACE CEILING SUSP 2.0 E27 CH	max. 12W G95 220-240VAC	199.55	215.70
W2533E0W0	TRACE CEILING SUSP 2.0 E27 W	max. 12W G95 220-240VAC	196.65	212.60
W253474B3	TRACE CEILING SUSP 2.0 LED 2700K B	8W 220-240VAC DIM CRI90	357.45	386.40
W253474B5	TRACE CEILING SUSP 2.0 LED 3000K B	8W 220-240VAC DIM CRI90	357.45	386.40
W253474BL3	TRACE CEILING SUSP 2.0 LED 2700K BL	8W 220-240VAC DIM CRI90	360.20	389.40
W253474BL5	TRACE CEILING SUSP 2.0 LED 3000K BL	8W 220-240VAC DIM CRI90	360.20	389.40
W253474CH3	TRACE CEILING SUSP 2.0 LED 2700K CH	8W 220-240VAC DIM CRI90	360.20	389.40
W253474CH5	TRACE CEILING SUSP 2.0 LED 3000K CH	8W 220-240VAC DIM CRI90	360.20	389.40
W253474W3	TRACE CEILING SUSP 2.0 LED 2700K W	8W 220-240VAC DIM CRI90	357.45	386.40
W253474W5	TRACE CEILING SUSP 2.0 LED 3000K W	8W 220-240VAC DIM CRI90	357.45	386.40
W253564B3	TRACE CHANDELIER CEILING SUSP 1.0 LED 2700K B	11W 220-240VAC DIM CRI90	681.75	736.95
W253564B5	TRACE CHANDELIER CEILING SUSP 1.0 LED 3000K B	11W 220-240VAC DIM CRI90	681.75	736.95
W253564CH3	TRACE CHANDELIER CEILING SUSP 1.0 LED 2700K CH	11W 220-240VAC DIM CRI90	681.75	736.95
W253564CH5	TRACE CHANDELIER CEILING SUSP 1.0 LED 3000K CH	11W 220-240VAC DIM CRI90	681.75	736.95
W253664B3	TRACE CHANDELIER CEILING SUSP 2.0 LED 2700K B	15W 220-240VAC DIM CRI90	911.40	985.20
W253664B5	TRACE CHANDELIER CEILING SUSP 2.0 LED 3000K B	15W 220-240VAC DIM CRI90	911.40	985.20
W253664CH3	TRACE CHANDELIER CEILING SUSP 2.0 LED 2700K CH	15W 220-240VAC DIM CRI90	911.40	985.20
W253664CH5	TRACE CHANDELIER CEILING SUSP 2.0 LED 3000K CH	15W 220-240VAC DIM CRI90	911.40	985.20
W253764B3	TRACE CHANDELIER CEILING SUSP 3.0 LED 2700K B	15W 220-240VAC DIM CRI90	1083.60	1171.35
W253764B5	TRACE CHANDELIER CEILING SUSP 3.0 LED 3000K B	15W 220-240VAC DIM CRI90	1083.60	1171.35
W253764CH3	TRACE CHANDELIER CEILING SUSP 3.0 LED 2700K CH	15W 220-240VAC DIM CRI90	1083.60	1171.35
W253764CH5	TRACE CHANDELIER CEILING SUSP 3.0 LED 3000K CH	15W 220-240VAC DIM CRI90	1083.60	1171.35
W2543M4B3	FIL CEILING SUSP 1.0 LED 2700K B	22W 220-240VAC DIM CRI90	599.90	648.50
W2543M4B5	FIL CEILING SUSP 1.0 LED 3000K B	22W 220-240VAC DIM CRI90	599.90	648.50
W2544M4B3	FIL CEILING SUSP 2.0 LED 2700K B	27W 220-240VAC DIM CRI90	657.30	710.55
W2544M4B5	FIL CEILING SUSP 2.0 LED 3000K B	27W 220-240VAC DIM CRI90	657.30	710.55
W254584B3	FIL SPIN CEILING / WALL SURF 1.0 LED 2700K B	23W 220-240VAC DIM CRI90	610.00	659.40
W255188BB9	DINOR CEILING SUSP 1.0 LED 1800-2850K B-B	12W 220-240VAC DIM CRI90	506.60	547.65
W255188BG9	DINOR CEILING SUSP 1.0 LED 1800-2850K B-G	12W 220-240VAC DIM CRI90	528.15	570.95
W255188GW9	DINOR CEILING SUSP 1.0 LED 1800-2850K G-W	12W 220-240VAC DIM CRI90	528.15	570.95
W255288BB9	DINOR CEILING SUSP 2.0 LED 1800-2850K B-B	12W 220-240VAC DIM CRI90	584.20	631.50
W255288BG9	DINOR CEILING SUSP 2.0 LED 1800-2850K B-G	12W 220-240VAC DIM CRI90	624.35	674.90
W255288GW9	DINOR CEILING SUSP 2.0 LED 1800-2850K G-W	12W 220-240VAC DIM CRI90	624.35	674.90
W255388BB9	DINOR CEILING SUSP 3.0 LED 1800-2850K B-B	12W 220-240VAC DIM CRI90	667.40	721.45
W255388BG9	DINOR CEILING SUSP 3.0 LED 1800-2850K B-G	12W 220-240VAC DIM CRI90	711.85	769.50
W255388GW9	DINOR CEILING SUSP 3.0 LED 1800-2850K G-W	12W 220-240VAC DIM CRI90	711.85	769.50
W2561T7B4	DARF CEILING SUSP 1.1 LED TUBE 3000K B	22W 220-240VAC NON DIM CRI80	347.35	375.50
W2561T7B6	DARF CEILING SUSP 1.1 LED TUBE 4000K B	22W 220-240VAC NON DIM CRI80	347.35	375.50
W2561T8B3	DARF CEILING SUSP 1.2 LED TUBE 2700K B	24W 220-240VAC DIM CRI90	429.05	463.80
W2561T8B5	DARF CEILING SUSP 1.2 LED TUBE 3000K B	24W 220-240VAC DIM CRI90	429.05	463.80
W2563T7B4	DARF WALL SURF 1.1 LED TUBE 3000K B	22W 220-240VAC NON DIM CRI80	370.30	400.30
W2563T7B6	DARF WALL SURF 1.1 LED TUBE 4000K B	22W 220-240VAC NON DIM CRI80	370.30	400.30
W2563T8B3	DARF WALL SURF 1.2 LED TUBE 2700K B	24W 220-240VAC DIM CRI90	452.10	488.70
W2563T8B5	DARF WALL SURF 1.2 LED TUBE 3000K B	24W 220-240VAC DIM CRI90	452.10	488.70
W258120B0	BOX MINI CEILING SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	78.95	85.35
W258120G0	BOX MINI CEILING SURF 1.0 PAR16 G	max. 12W GU10 100-240VAC	80.35	86.85
W258120M0	BOX MINI CEILING SURF 1.0 PAR16 M	max. 12W GU10 100-240VAC	80.35	86.85
W258120Q0	BOX MINI CEILING SURF 1.0 PAR16 Q	max. 12W GU10 100-240VAC	80.35	86.85
W258120W0	BOX MINI CEILING SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC	78.95	85.35
W258154BB3	BOX MINI CEILING SURF 1.0 LED 2700K B-B	8W 220-240VAC DIM CRI90	136.35	147.40
W258154BB5	BOX MINI CEILING SURF 1.0 LED 3000K B-B	8W 220-240VAC DIM CRI90	136.35	147.40
W258154BM3	BOX MINI CEILING SURF 1.0 LED 2700K B-M	8W 220-240VAC DIM CRI90	136.35	147.40
W258154BM5	BOX MINI CEILING SURF 1.0 LED 3000K B-M	8W 220-240VAC DIM CRI90	136.35	147.40
W258154BQ3	BOX MINI CEILING SURF 1.0 LED 2700K B-Q	8W 220-240VAC DIM CRI90	136.35	147.40
W258154BQ5	BOX MINI CEILING SURF 1.0 LED 3000K B-Q	8W 220-240VAC DIM CRI90	136.35	147.40
W258154MB3	BOX MINI CEILING SURF 1.0 LED 2700K M-B	8W 220-240VAC DIM CRI90	137.75	148.90

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W258465WJ5	HEXO ON STREX 1.0 LED 3000K W-J	7W 48V DALI-2 CRI90	334.80	361.90
W258465WK3	HEXO ON STREX 1.0 LED 2700K W-K	7W 48V DALI-2 CRI90	334.80	361.90
W258465WK5	HEXO ON STREX 1.0 LED 3000K W-K	7W 48V DALI-2 CRI90	334.80	361.90
W258465WQ3	HEXO ON STREX 1.0 LED 2700K W-Q	7W 48V DALI-2 CRI90	334.80	361.90
W258465WQ5	HEXO ON STREX 1.0 LED 3000K W-Q	7W 48V DALI-2 CRI90	334.80	361.90
W258465WW3	HEXO ON STREX 1.0 LED 2700K W-W	7W 48V DALI-2 CRI90	334.80	361.90
W258465WW5	HEXO ON STREX 1.0 LED 3000K W-W	7W 48V DALI-2 CRI90	334.80	361.90
W270184B3	FINLIN CEILING SUSP 1.0 LED 2700K B 2.5m cable	5W 220-240VAC DIM CRI90	343.10	370.90
W270184B5	FINLIN CEILING SUSP 1.0 LED 3000K B 2.5m cable	5W 220-240VAC DIM CRI90	343.10	370.90
W270184CH3	FINLIN CEILING SUSP 1.0 LED 2700K CH 2.5m cable	5W 220-240VAC DIM CRI90	343.10	370.90
W270184CH5	FINLIN CEILING SUSP 1.0 LED 3000K CH 2.5m cable	5W 220-240VAC DIM CRI90	343.10	370.90
W270284B3	FINLIN CEILING SUSP 2.0 LED 2700K B 2.5m cable	8W 220-240VAC DIM CRI90	355.95	384.80
W270284B5	FINLIN CEILING SUSP 2.0 LED 3000K B 2.5m cable	8W 220-240VAC DIM CRI90	355.95	384.80
W270284CH3	FINLIN CEILING SUSP 2.0 LED 2700K CH 2.5m cable	8W 220-240VAC DIM CRI90	355.95	384.80
W270284CH5	FINLIN CEILING SUSP 2.0 LED 3000K CH 2.5m cable	8W 220-240VAC DIM CRI90	355.95	384.80
W270384B3	FINLIN CEILING SUSP 3.0 LED 2700K B 2.5m cable	9W 220-240VAC DIM CRI90	409.05	442.20
W270384B5	FINLIN CEILING SUSP 3.0 LED 3000K B 2.5m cable	9W 220-240VAC DIM CRI90	409.05	442.20
W270384CH3	FINLIN CEILING SUSP 3.0 LED 2700K CH 2.5m cable	9W 220-240VAC DIM CRI90	409.05	442.20
W270384CH5	FINLIN CEILING SUSP 3.0 LED 3000K CH 2.5m cable	9W 220-240VAC DIM CRI90	409.05	442.20
W270484B5	FINLIN CEILING SUSP 1.0 LED 3000K B 10m cable	5W 220-240VAC DIM CRI90	386.15	417.45
W270584B5	FINLIN CEILING SUSP 2.0 LED 3000K B 10m cable	8W 220-240VAC DIM CRI90	399.00	431.30
W270684B5	FINLIN CEILING SUSP 3.0 LED 3000K B 10m cable	19W 220-240VAC DIM CRI90	452.10	488.70
W271182B3	KUJO CEILING SUSPENDED 1.0 LED 2700K B	11W 220-240VAC DIM CRI90	416.25	449.95
W271182M3	KUJO CEILING SUSPENDED 1.0 LED 2700K M	11W 220-240VAC DIM CRI90	416.25	449.95
W271182Q3	KUJO CEILING SUSPENDED 1.0 LED 2700K Q	11W 220-240VAC DIM CRI90	416.25	449.95
W271182W3	KUJO CEILING SUSPENDED 1.0 LED 2700K W	11W 220-240VAC DIM CRI90	416.25	449.95
W271282B3	KUJO CEILING SUSPENDED 2.0 LED 2700K B	15W 220-240VAC DIM CRI90	509.50	550.75
W271282M3	KUJO CEILING SUSPENDED 2.0 LED 2700K M	15W 220-240VAC DIM CRI90	509.50	550.75
W271282Q3	KUJO CEILING SUSPENDED 2.0 LED 2700K Q	15W 220-240VAC DIM CRI90	509.50	550.75
W271282W3	KUJO CEILING SUSPENDED 2.0 LED 2700K W	15W 220-240VAC DIM CRI90	509.50	550.75
W271382B3	KUJO CEILING SUSPENDED 3.0 LED 2700K B	20W 220-240VAC DIM CRI90	631.50	682.65
W271382M3	KUJO CEILING SUSPENDED 3.0 LED 2700K M	20W 220-240VAC DIM CRI90	631.50	682.65
W271382Q3	KUJO CEILING SUSPENDED 3.0 LED 2700K Q	20W 220-240VAC DIM CRI90	631.50	682.65
W271382W3	KUJO CEILING SUSPENDED 3.0 LED 2700K W	20W 220-240VAC DIM CRI90	631.50	682.65
W271482B3	KUJO CEILING SUSPENDED 2.1 LED 2700K B	26W 220-240VAC DIM CRI90	897.00	969.65
W271482M3	KUJO CEILING SUSPENDED 2.1 LED 2700K M	26W 220-240VAC DIM CRI90	897.00	969.65
W271482Q3	KUJO CEILING SUSPENDED 2.1 LED 2700K Q	26W 220-240VAC DIM CRI90	897.00	969.65
W271482W3	KUJO CEILING SUSPENDED 2.1 LED 2700K W	26W 220-240VAC DIM CRI90	897.00	969.65
W271582B3	KUJO CEILING SUSPENDED 3.1 LED 2700K B	31W 220-240VAC DIM CRI90	1019.00	1101.55
W271582M3	KUJO CEILING SUSPENDED 3.1 LED 2700K M	31W 220-240VAC DIM CRI90	1019.00	1101.55
W271582Q3	KUJO CEILING SUSPENDED 3.1 LED 2700K Q	31W 220-240VAC DIM CRI90	1019.00	1101.55
W271582W3	KUJO CEILING SUSPENDED 3.1 LED 2700K W	31W 220-240VAC DIM CRI90	1019.00	1101.55
W271682B3	KUJO CEILING SUSPENDED 3.2 LED 2700K B	35W 220-240VAC DIM CRI90	1119.50	1210.20
W271682M3	KUJO CEILING SUSPENDED 3.2 LED 2700K M	35W 220-240VAC DIM CRI90	1119.50	1210.20
W271682Q3	KUJO CEILING SUSPENDED 3.2 LED 2700K Q	35W 220-240VAC DIM CRI90	1119.50	1210.20
W271682W3	KUJO CEILING SUSPENDED 3.2 LED 2700K W	35W 220-240VAC DIM CRI90	1119.50	1210.20
W271782B3	KUJO CEILING SUSPENDED 3.2.1 LED 2700K B	46W 220-240VAC DIM CRI90	1517.05	1639.95
W271782M3	KUJO CEILING SUSPENDED 3.2.1 LED 2700K M	46W 220-240VAC DIM CRI90	1517.05	1639.95
W271782Q3	KUJO CEILING SUSPENDED 3.2.1 LED 2700K Q	46W 220-240VAC DIM CRI90	1517.05	1639.95
W271782W3	KUJO CEILING SUSPENDED 3.2.1 LED 2700K W	46W 220-240VAC DIM CRI90	1517.05	1639.95
W272184B3	FINELLE CEILING SUSPENDED 1.0 LED 2700K B	11W 220-240VAC DIM CRI90	681.75	736.95
W272184M3	FINELLE CEILING SUSPENDED 1.0 LED 2700K M	11W 220-240VAC DIM CRI90	681.75	736.95
W279264B3	MATCH CEILING SUSP 3.0 LED 2700K B	9W 220-240VAC DIM CRI90	248.30	268.40
W279264B5	MATCH CEILING SUSP 3.0 LED 3000K B	9W 220-240VAC DIM CRI90	248.30	268.40
W279264L3	MATCH CEILING SUSP 3.0 LED 2700K L	9W 220-240VAC DIM CRI90	257.00	277.80
W279264L5	MATCH CEILING SUSP 3.0 LED 3000K L	9W 220-240VAC DIM CRI90	257.00	277.80
W279264M3	MATCH CEILING SUSP 3.0 LED 2700K M	9W 220-240VAC DIM CRI90	252.55	273.00
W279264M5	MATCH CEILING SUSP 3.0 LED 3000K M	9W 220-240VAC DIM CRI90	252.55	273.00
W279264W3	MATCH CEILING SUSP 3.0 LED 2700K W	9W 220-240VAC DIM CRI90	248.30	268.40
W279264W5	MATCH CEILING SUSP 3.0 LED 3000K W	9W 220-240VAC DIM CRI90	248.30	268.40
W279364B3	MATCH CEILING SUSP 5.0 LED 2700K B	9W 220-240VAC DIM CRI90	265.55	287.05
W279364B5	MATCH CEILING SUSP 5.0 LED 3000K B	9W 220-240VAC DIM CRI90	265.55	287.05
W279364L3	MATCH CEILING SUSP 5.0 LED 2700K L	9W 220-240VAC DIM CRI90	278.50	301.05
W279364L5	MATCH CEILING SUSP 5.0 LED 3000K L	9W 220-240VAC DIM CRI90	278.50	301.05
W279364M3	MATCH CEILING SUSP 5.0 LED 2700K M	9W 220-240VAC DIM CRI90	271.35	293.35
W279364M5	MATCH CEILING SUSP 5.0 LED 3000K M	9W 220-240VAC DIM CRI90	271.35	293.35
W279364W3	MATCH CEILING SUSP 5.0 LED 2700K W	9W 220-240VAC DIM CRI90	265.55	287.05
W279364W5	MATCH CEILING SUSP 5.0 LED 3000K W	9W 220-240VAC DIM CRI90	265.55	287.05
W281784FJ3	CLEA CEILING SUSP 1.0 LED 2700K FJ	15W 220-240VAC DIM CRI90	409.05	442.20
W281784FJ5	CLEA CEILING SUSP 1.0 LED 3000K FJ	15W 220-240VAC DIM CRI90	409.05	442.20
W281784SG3	CLEA CEILING SUSP 1.0 LED 2700K SG	15W 220-240VAC DIM CRI90	409.05	442.20
W281784SG5	CLEA CEILING SUSP 1.0 LED 3000K SG	15W 220-240VAC DIM CRI90	409.05	442.20
W281784W3	CLEA CEILING SUSP 1.0 LED 2700K W	15W 220-240VAC DIM CRI90	378.95	409.65
W281784W5	CLEA CEILING SUSP 1.0 LED 3000K W	15W 220-240VAC DIM CRI90	378.95	409.65
W281884FJ3	CLEA CEILING SUSP 2.0 LED 2700K FJ	15W 220-240VAC DIM CRI90	615.80	665.70
W281884FJ5	CLEA CEILING SUSP 2.0 LED 3000K FJ	15W 220-240VAC DIM CRI90	615.80	665.70
W281884SG3	CLEA CEILING SUSP 2.0 LED 2700K SG	15W 220-240VAC DIM CRI90	615.80	665.70
W281884SG5	CLEA CEILING SUSP 2.0 LED 3000K SG	15W 220-240VAC DIM CRI90	615.80	665.70
W281884W3	CLEA CEILING SUSP 2.0 LED 2700K W	15W 220-240VAC DIM CRI90	572.70	619.10
W281884W5	CLEA CEILING SUSP 2.0 LED 3000K W	15W 220-240VAC DIM CRI90	572.70	619.10
W281984FJ3	CLEA CEILING SUSP 3.0 LED 2700K FJ	15W 220-240VAC DIM CRI90	785.10	848.70
W281984FJ5	CLEA CEILING SUSP 3.0 LED 3000K FJ	15W 220-240VAC DIM CRI90	785.10	848.70
W281984SG3	CLEA CEILING SUSP 3.0 LED 2700K SG	15W 220-240VAC DIM CRI90	785.10	848.70
W281984SG5	CLEA CEILING SUSP 3.0 LED 3000K SG	15W 220-240VAC DIM CRI90	785.10	848.70
W281984W3	CLEA CEILING SUSP 3.0 LED 2700K W	15W 220-240VAC DIM CRI90	737.75	797.50
W281984W5	CLEA CEILING SUSP 3.0 LED 3000K W	15W 220-240VAC DIM CRI90	737.75	797.50
W287120BB0	ODREY CEILING SUSP 1.1 PAR16 B-B	max. 12W GU10 100-240VAC	232.55	251.40
W287120BG0	ODREY CEILING SUSP 1.1 PAR16 B-G	max. 12W GU10 100-240VAC	232.55	251.40
W287120GB0	ODREY CEILING SUSP 1.1 PAR16 G-B	max. 12W GU10 100-240VAC	232.55	251.40
W287120GG0	ODREY CEILING SUSP 1.1 PAR16 G-G	max. 12W GU10 100-240VAC	232.55	251.40
W287120WG0	ODREY CEILING SUSP 1.1 PAR16 W-G	max. 12W GU10 100-240VAC	232.55	251.40
W287120WW0	ODREY CEILING SUSP 1.1 PAR16 W-W	max. 12W GU10 100-240VAC	232.55	251.40
W287220BB0	ODREY CEILING SUSP 1.2 PAR16 B-B	max. 12W GU10 100-240VAC	321.55	347.60
W287220BG0	ODREY CEILING SUSP 1.2 PAR16 B-G	max. 12W GU10 100-240VAC	321.55	347.60

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W287220GB0	ODREY CEILING SUSP 1.2 PAR16 G-B	max. 12W GU10 100-240VAC	321.55	347.60
W287220GG0	ODREY CEILING SUSP 1.2 PAR16 G-G	max. 12W GU10 100-240VAC	321.55	347.60
W287220WG0	ODREY CEILING SUSP 1.2 PAR16 W-G	max. 12W GU10 100-240VAC	321.55	347.60
W287220WW0	ODREY CEILING SUSP 1.2 PAR16 W-W	max. 12W GU10 100-240VAC	321.55	347.60
W287320BB0	ODREY CEILING SUSP 1.3 PAR16 B-B	max. 12W GU10 100-240VAC	228.95	247.50
W287320BG0	ODREY CEILING SUSP 1.3 PAR16 B-G	max. 12W GU10 100-240VAC	228.95	247.50
W287320GB0	ODREY CEILING SUSP 1.3 PAR16 G-B	max. 12W GU10 100-240VAC	228.95	247.50
W287320GG0	ODREY CEILING SUSP 1.3 PAR16 G-G	max. 12W GU10 100-240VAC	228.95	247.50
W287320WG0	ODREY CEILING SUSP 1.3 PAR16 W-G	max. 12W GU10 100-240VAC	228.95	247.50
W287320WW0	ODREY CEILING SUSP 1.3 PAR16 W-W	max. 12W GU10 100-240VAC	228.95	247.50
W287420BB0	ODREY CEILING SUSP 1.4 PAR16 B-B	max. 12W GU10 100-240VAC	244.00	263.75
W287420BG0	ODREY CEILING SUSP 1.4 PAR16 B-G	max. 12W GU10 100-240VAC	244.00	263.75
W287420GB0	ODREY CEILING SUSP 1.4 PAR16 G-B	max. 12W GU10 100-240VAC	244.00	263.75
W287420GG0	ODREY CEILING SUSP 1.4 PAR16 G-G	max. 12W GU10 100-240VAC	244.00	263.75
W287420WG0	ODREY CEILING SUSP 1.4 PAR16 W-G	max. 12W GU10 100-240VAC	244.00	263.75
W287420WW0	ODREY CEILING SUSP 1.4 PAR16 W-W	max. 12W GU10 100-240VAC	244.00	263.75
W287520BB0	ODREY CEILING SUSP 1.5 PAR16 B-B	max. 12W GU10 100-240VAC	262.65	283.90
W287520BG0	ODREY CEILING SUSP 1.5 PAR16 B-G	max. 12W GU10 100-240VAC	262.65	283.90
W287520GB0	ODREY CEILING SUSP 1.5 PAR16 G-B	max. 12W GU10 100-240VAC	262.65	283.90
W287520GG0	ODREY CEILING SUSP 1.5 PAR16 G-G	max. 12W GU10 100-240VAC	262.65	283.90
W287520WG0	ODREY CEILING SUSP 1.5 PAR16 W-G	max. 12W GU10 100-240VAC	262.65	283.90
W287520WW0	ODREY CEILING SUSP 1.5 PAR16 W-W	max. 12W GU10 100-240VAC	262.65	283.90
W287620BB0	ODREY CEILING SUSP 1.6 PAR16 B-B	max. 12W GU10 100-240VAC	245.55	265.45
W287620BG0	ODREY CEILING SUSP 1.6 PAR16 B-G	max. 12W GU10 100-240VAC	245.55	265.45
W287620GB0	ODREY CEILING SUSP 1.6 PAR16 G-B	max. 12W GU10 100-240VAC	245.55	265.45
W287620GG0	ODREY CEILING SUSP 1.6 PAR16 G-G	max. 12W GU10 100-240VAC	245.55	265.45
W287620WG0	ODREY CEILING SUSP 1.6 PAR16 W-G	max. 12W GU10 100-240VAC	245.55	265.45
W287620WW0	ODREY CEILING SUSP 1.6 PAR16 W-W	max. 12W GU10 100-240VAC	245.55	265.45
W287720BB0	ODREY CEILING SUSP 1.7 PAR16 B-B	max. 12W GU10 100-240VAC	246.90	266.90
W287720BG0	ODREY CEILING SUSP 1.7 PAR16 B-G	max. 12W GU10 100-240VAC	246.90	266.90
W287720GB0	ODREY CEILING SUSP 1.7 PAR16 G-B	max. 12W GU10 100-240VAC	246.90	266.90
W287720GG0	ODREY CEILING SUSP 1.7 PAR16 G-G	max. 12W GU10 100-240VAC	246.90	266.90
W287720WG0	ODREY CEILING SUSP 1.7 PAR16 W-G	max. 12W GU10 100-240VAC	246.90	266.90
W287720WW0	ODREY CEILING SUSP 1.7 PAR16 W-W	max. 12W GU10 100-240VAC	246.90	266.90
W287820BB0	ODREY CEILING SUSP 1.8 PAR16 B-B	max. 12W GU10 100-240VAC	321.45	347.50
W287820BG0	ODREY CEILING SUSP 1.8 PAR16 B-G	max. 12W GU10 100-240VAC	321.45	347.50
W287820GB0	ODREY CEILING SUSP 1.8 PAR16 G-B	max. 12W GU10 100-240VAC	321.45	347.50
W287820GG0	ODREY CEILING SUSP 1.8 PAR16 G-G	max. 12W GU10 100-240VAC	321.45	347.50
W287820WG0	ODREY CEILING SUSP 1.8 PAR16 W-G	max. 12W GU10 100-240VAC	321.45	347.50
W287820WW0	ODREY CEILING SUSP 1.8 PAR16 W-W	max. 12W GU10 100-240VAC	321.45	347.50
W300120B0	BOX MINI WALL SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	91.95	99.40
W300120G0	BOX MINI WALL SURF 1.0 PAR16 G	max. 12W GU10 100-240VAC	93.30	100.85
W300120L0	BOX MINI WALL SURF 1.0 PAR16 L	max. 12W GU10 100-240VAC	93.30	100.85
W300120M0	BOX MINI WALL SURF 1.0 PAR16 M	max. 12W GU10 100-240VAC	93.30	100.85
W300120P0	BOX MINI WALL SURF 1.0 PAR16 P	max. 12W GU10 100-240VAC	93.30	100.85
W300120W0	BOX MINI WALL SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC	91.95	99.40
W300220B0	RAY MINI WALL SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	91.95	99.40
W300220G0	RAY MINI WALL SURF 1.0 PAR16 G	max. 12W GU10 100-240VAC	93.30	100.85
W300220L0	RAY MINI WALL SURF 1.0 PAR16 L	max. 12W GU10 100-240VAC	93.30	100.85
W300220M0	RAY MINI WALL SURF 1.0 PAR16 M	max. 12W GU10 100-240VAC	93.30	100.85
W300220P0	RAY MINI WALL SURF 1.0 PAR16 P	max. 12W GU10 100-240VAC	93.30	100.85
W300220W0	RAY MINI WALL SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC	91.95	99.40
W300320B0	DOCUS MINI WALL SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	91.95	99.40
W300320G0	DOCUS MINI WALL SURF 1.0 PAR16 G	max. 12W GU10 100-240VAC	93.30	100.85
W300320L0	DOCUS MINI WALL SURF 1.0 PAR16 L	max. 12W GU10 100-240VAC	93.30	100.85
W300320P0	DOCUS MINI WALL SURF 1.0 PAR16 P	max. 12W GU10 100-240VAC	93.30	100.85
W300320W0	DOCUS MINI WALL SURF 1.0 PAR16 W	max. 12W GU10 100-240VAC	91.95	99.40
W300420B0	HEXO MINI WALL SURF 1.0 PAR16 B	max. 12W GU10 100-240VAC	91.95	99.40
W300420G0	HEXO MINI WALL SURF 1.0 PAR16 G	max. 12W GU10 100-240VAC	93.30	100.85
W300420P0	HEXO MINI WALL SURF 1.0 PAR16 P	max. 12W GU10 100-240VAC	93.30	100.85
W300420Q0	HEXO MINI WALL SURF 1.0 PAR16 Q	max. 12W GU10 100-240VAC	93.30	100.85
W301120B0	BOX MINI WALL SURF 2.0 PAR16 B	max. 2x12W GU10 100-240VAC	124.20	134.25
W301120G0	BOX MINI WALL SURF 2.0 PAR16 G	max. 2x12W GU10 100-240VAC	126.30	136.55
W301120L0	BOX MINI WALL SURF 2.0 PAR16 L	max. 2x12W GU10 100-240VAC	126.30	136.55
W301120M0	BOX MINI WALL SURF 2.0 PAR16 M	max. 2x12W GU10 100-240VAC	126.30	136.55
W301120P0	BOX MINI WALL SURF 2.0 PAR16 P	max. 2x12W GU10 100-240VAC	126.30	136.55
W301120W0	BOX MINI WALL SURF 2.0 PAR16 W	max. 2x12W GU10 100-240VAC	124.20	134.25
W301220B0	RAY MINI WALL SURF 2.0 PAR16 B	max. 2x12W GU10 100-240VAC	124.20	134.25
W301220G0	RAY MINI WALL SURF 2.0 PAR16 G	max. 2x12W GU10 100-240VAC	126.30	136.55
W301220L0	RAY MINI WALL SURF 2.0 PAR16 L	max. 2x12W GU10 100-240VAC	126.30	136.55
W301220M0	RAY MINI WALL SURF 2.0 PAR16 M	max. 2x12W GU10 100-240VAC	126.30	136.55
W301220P0	RAY MINI WALL SURF 2.0 PAR16 P	max. 2x12W GU10 100-240VAC	126.30	136.55
W301220W0	RAY MINI WALL SURF 2.0 PAR16 W	max. 2x12W GU10 100-240VAC	124.20	134.25
W301320B0	DOCUS MINI WALL SURF 2.0 PAR16 B	max. 2x12W GU10 100-240VAC	124.20	134.25
W301320G0	DOCUS MINI WALL SURF 2.0 PAR16 G	max. 2x12W GU10 100-240VAC	126.30	136.55
W301320L0	DOCUS MINI WALL SURF 2.0 PAR16 L	max. 2x12W GU10 100-240VAC	126.30	136.55
W301320P0	DOCUS MINI WALL SURF 2.0 PAR16 P	max. 2x12W GU10 100-240VAC	126.30	136.55
W301320W0	DOCUS MINI WALL SURF 2.0 PAR16 W	max. 2x12W GU10 100-240VAC	124.20	134.25
W301420B0	HEXO MINI WALL SURF 2.0 PAR16 B	max. 2x12W GU10 100-240VAC	124.20	134.25
W301420G0	HEXO MINI WALL SURF 2.0 PAR16 G	max. 2x12W GU10 100-240VAC	126.30	136.55
W301420P0	HEXO MINI WALL SURF 2.0 PAR16 P	max. 2x12W GU10 100-240VAC	126.30	136.55
W301420Q0	HEXO MINI WALL SURF 2.0 PAR16 Q	max. 2x12W GU10 100-240VAC	126.30	136.55
W3054A1B4	STRIPE WALL REC 0.4 LED 3000K B	1/2W 350/700mA 3V CRI80	75.35	81.45
W3054A1G4	STRIPE WALL REC 0.4 LED 3000K G	1/2W 350/700mA 3V CRI80	76.75	82.95
W3054A1L4	STRIPE WALL REC 0.4 LED 3000K L	1/2W 350/700mA 3V CRI80	76.75	82.95
W3054A1W4	STRIPE WALL REC 0.4 LED 3000K W	1/2W 350/700mA 3V CRI80	75.35	81.45
W3055A1B4	STRIPE WALL REC 0.7 LED 3000K B	1/2W 350/700mA 3V CRI80	78.95	85.35
W3055A1G4	STRIPE WALL REC 0.7 LED 3000K G	1/2W 350/700mA 3V CRI80	80.35	86.85
W3055A1L4	STRIPE WALL REC 0.7 LED 3000K L	1/2W 350/700mA 3V CRI80	80.35	86.85
W3055A1W4	STRIPE WALL REC 0.7 LED 3000K W	1/2W 350/700mA 3V CRI80	78.95	85.35
W3056A1B4	STRIPE WALL REC 2.2 LED 3000K B	1/2W 350/700mA 3V CRI80	120.65	130.40
W3056A1G4	STRIPE WALL REC 2.2 LED 3000K G	1/2W 350/700mA 3V CRI80	122.70	132.65
W3056A1L4	STRIPE WALL REC 2.2 LED 3000K L	1/2W 350/700mA 3V CRI80	122.70	132.65
W3056A1W4	STRIPE WALL REC 2.2 LED 3000K W	1/2W 350/700mA 3V CRI80	120.65	130.40

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W306868B3	TRAIN WALL SURF 1.0 LED 2700K B	6W 220-240VAC DIM CRI90	219.60	237.40
W306868G3	TRAIN WALL SURF 1.0 LED 2700K G	6W 220-240VAC DIM CRI90	226.75	245.10
W306868L5	TRAIN WALL SURF 1.0 LED 3000K L	6W 220-240VAC DIM CRI90	226.75	245.10
W306868W3	TRAIN WALL SURF 1.0 LED 2700K W	6W 220-240VAC DIM CRI90	219.60	237.40
W306868W5	TRAIN WALL SURF 1.0 LED 3000K W	6W 220-240VAC DIM CRI90	219.60	237.40
W306968B3	TRAIN WALL SURF 2.0 LED 2700K B	9W 220-240VAC DIM CRI90	278.50	301.05
W306968G3	TRAIN WALL SURF 2.0 LED 2700K G	9W 220-240VAC DIM CRI90	284.15	307.15
W306968L5	TRAIN WALL SURF 2.0 LED 3000K L	9W 220-240VAC DIM CRI90	284.15	307.15
W306968W3	TRAIN WALL SURF 2.0 LED 2700K W	9W 220-240VAC DIM CRI90	278.50	301.05
W306968W5	TRAIN WALL SURF 2.0 LED 3000K W	9W 220-240VAC DIM CRI90	278.50	301.05
W309274B5	BENTO WALL SURF 1.3 LED 3000K B	8W 220-240VAC DIM CRI90	298.50	322.70
W309274W5	BENTO WALL SURF 1.3 LED 3000K W	8W 220-240VAC DIM CRI90	298.50	322.70
W309374B5	BENTO WALL SURF 3.6 LED 3000K B	8W 220-240VAC DIM CRI90	427.70	462.35
W309374W5	BENTO WALL SURF 3.6 LED 3000K W	8W 220-240VAC DIM CRI90	427.70	462.35
W311174B5	LEENS WALL SURF 1.0 LED 3000K B	8W 220-240VAC DIM CRI90	357.45	386.40
W311174L5	LEENS WALL SURF 1.0 LED 3000K L	8W 220-240VAC DIM CRI90	381.75	412.65
W311174W5	LEENS WALL SURF 1.0 LED 3000K W	8W 220-240VAC DIM CRI90	357.45	386.40
W311274B5	LEENS WALL SURF 2.0 LED 3000K B	8W 220-240VAC DIM CRI90	427.70	462.35
W311274L5	LEENS WALL SURF 2.0 LED 3000K L	8W 220-240VAC DIM CRI90	452.10	488.70
W311274W5	LEENS WALL SURF 2.0 LED 3000K W	8W 220-240VAC DIM CRI90	427.70	462.35
W313574B3	CENTRAL WALL SURF 1.0 LED 2700K B	8W 220-240VAC DIM CRI90	269.80	291.65
W313574B5	CENTRAL WALL SURF 1.0 LED 3000K B	8W 220-240VAC DIM CRI90	269.80	291.65
W313574G3	CENTRAL WALL SURF 1.0 LED 2700K G	8W 220-240VAC DIM CRI90	275.60	297.90
W313574G5	CENTRAL WALL SURF 1.0 LED 3000K G	8W 220-240VAC DIM CRI90	275.60	297.90
W313574L3	CENTRAL WALL SURF 1.0 LED 2700K L	8W 220-240VAC DIM CRI90	275.60	297.90
W313574L5	CENTRAL WALL SURF 1.0 LED 3000K L	8W 220-240VAC DIM CRI90	275.60	297.90
W313574W3	CENTRAL WALL SURF 1.0 LED 2700K W	8W 220-240VAC DIM CRI90	269.80	291.65
W313574W5	CENTRAL WALL SURF 1.0 LED 3000K W	8W 220-240VAC DIM CRI90	269.80	291.65
W313674B3	CENTRAL WALL SURF 2.0 LED 2700K B	8W 220-240VAC DIM CRI90	327.20	353.70
W313674B5	CENTRAL WALL SURF 2.0 LED 3000K B	8W 220-240VAC DIM CRI90	327.20	353.70
W313674G3	CENTRAL WALL SURF 2.0 LED 2700K G	8W 220-240VAC DIM CRI90	333.00	359.95
W313674G5	CENTRAL WALL SURF 2.0 LED 3000K G	8W 220-240VAC DIM CRI90	333.00	359.95
W313674L3	CENTRAL WALL SURF 2.0 LED 2700K L	8W 220-240VAC DIM CRI90	333.00	359.95
W313674L5	CENTRAL WALL SURF 2.0 LED 3000K L	8W 220-240VAC DIM CRI90	333.00	359.95
W313674W3	CENTRAL WALL SURF 2.0 LED 2700K W	8W 220-240VAC DIM CRI90	327.20	353.70
W313674W5	CENTRAL WALL SURF 2.0 LED 3000K W	8W 220-240VAC DIM CRI90	327.20	353.70
W313774A5	CENTRAL OUTDOOR WALL SURF 1.0 LED 3000K A	8W 220-240VAC DIM CRI90	298.50	322.70
W313774B5	CENTRAL OUTDOOR WALL SURF 1.0 LED 3000K B	8W 220-240VAC DIM CRI90	298.50	322.70
W313774Q5	CENTRAL OUTDOOR WALL SURF 1.0 LED 3000K Q	8W 220-240VAC DIM CRI90	298.50	322.70
W313774W5	CENTRAL OUTDOOR WALL SURF 1.0 LED 3000K W	8W 220-240VAC DIM CRI90	298.50	322.70
W313874A5	CENTRAL OUTDOOR WALL SURF 2.0 LED 3000K A	2x4W 220-240VAC DIM CRI90	350.25	378.60
W313874B5	CENTRAL OUTDOOR WALL SURF 2.0 LED 3000K B	2x4W 220-240VAC DIM CRI90	350.25	378.60
W313874Q5	CENTRAL OUTDOOR WALL SURF 2.0 LED 3000K Q	2x4W 220-240VAC DIM CRI90	350.25	378.60
W313874W5	CENTRAL OUTDOOR WALL SURF 2.0 LED 3000K W	2x4W 220-240VAC DIM CRI90	350.25	378.60
W317478B3	MILES WALL SURF 2.0 CARRÉ LED 2700K B	8W 220-240VAC DIM CRI90	371.80	401.90
W317478B5	MILES WALL SURF 2.0 CARRÉ LED 3000K B	8W 220-240VAC DIM CRI90	371.80	401.90
W317478G3	MILES WALL SURF 2.0 CARRÉ LED 2700K G	8W 220-240VAC DIM CRI90	374.55	404.90
W317478G5	MILES WALL SURF 2.0 CARRÉ LED 3000K G	8W 220-240VAC DIM CRI90	374.55	404.90
W317478M3	MILES WALL SURF 2.0 CARRÉ LED 2700K M	8W 220-240VAC DIM CRI90	374.55	404.90
W317478M5	MILES WALL SURF 2.0 CARRÉ LED 3000K M	8W 220-240VAC DIM CRI90	374.55	404.90
W317478MB3	MILES WALL SURF 2.0 CARRÉ LED 2700K MB	8W 220-240VAC DIM CRI90	463.55	501.10
W317478MB5	MILES WALL SURF 2.0 CARRÉ LED 3000K MB	8W 220-240VAC DIM CRI90	463.55	501.10
W317478MW3	MILES WALL SURF 2.0 CARRÉ LED 2700K MW	8W 220-240VAC DIM CRI90	463.55	501.10
W317478MW5	MILES WALL SURF 2.0 CARRÉ LED 3000K MW	8W 220-240VAC DIM CRI90	463.55	501.10
W317478P3	MILES WALL SURF 2.0 CARRÉ LED 2700K P	8W 220-240VAC DIM CRI90	374.55	404.90
W317478P5	MILES WALL SURF 2.0 CARRÉ LED 3000K P	8W 220-240VAC DIM CRI90	374.55	404.90
W317478Q3	MILES WALL SURF 2.0 CARRÉ LED 2700K Q	8W 220-240VAC DIM CRI90	374.55	404.90
W317478Q5	MILES WALL SURF 2.0 CARRÉ LED 3000K Q	8W 220-240VAC DIM CRI90	374.55	404.90
W317478W3	MILES WALL SURF 2.0 CARRÉ LED 2700K W	8W 220-240VAC DIM CRI90	371.80	401.90
W317478W5	MILES WALL SURF 2.0 CARRÉ LED 3000K W	8W 220-240VAC DIM CRI90	371.80	401.90
W317578B3	MILES WALL SURF 2.0 ROUND LED 2700K B	8W 220-240VAC DIM CRI90	357.45	386.40
W317578B5	MILES WALL SURF 2.0 ROUND LED 3000K B	8W 220-240VAC DIM CRI90	357.45	386.40
W317578CC3	MILES WALL SURF 2.0 ROUND LED 2700K CC	8W 220-240VAC DIM CRI90	371.80	401.90
W317578CC5	MILES WALL SURF 2.0 ROUND LED 3000K CC	8W 220-240VAC DIM CRI90	371.80	401.90
W317578G3	MILES WALL SURF 2.0 ROUND LED 2700K G	8W 220-240VAC DIM CRI90	360.20	389.40
W317578G5	MILES WALL SURF 2.0 ROUND LED 3000K G	8W 220-240VAC DIM CRI90	360.20	389.40
W317578M3	MILES WALL SURF 2.0 ROUND LED 2700K M	8W 220-240VAC DIM CRI90	360.20	389.40
W317578M5	MILES WALL SURF 2.0 ROUND LED 3000K M	8W 220-240VAC DIM CRI90	360.20	389.40
W317578MB3	MILES WALL SURF 2.0 ROUND LED 2700K MB	8W 220-240VAC DIM CRI90	447.85	484.15
W317578MB5	MILES WALL SURF 2.0 ROUND LED 3000K MB	8W 220-240VAC DIM CRI90	447.85	484.15
W317578MW3	MILES WALL SURF 2.0 ROUND LED 2700K MW	8W 220-240VAC DIM CRI90	447.85	484.15
W317578MW5	MILES WALL SURF 2.0 ROUND LED 3000K MW	8W 220-240VAC DIM CRI90	447.85	484.15
W317578P3	MILES WALL SURF 2.0 ROUND LED 2700K P	8W 220-240VAC DIM CRI90	360.20	389.40
W317578P5	MILES WALL SURF 2.0 ROUND LED 3000K P	8W 220-240VAC DIM CRI90	360.20	389.40
W317578Q3	MILES WALL SURF 2.0 ROUND LED 2700K Q	8W 220-240VAC DIM CRI90	360.20	389.40
W317578Q5	MILES WALL SURF 2.0 ROUND LED 3000K Q	8W 220-240VAC DIM CRI90	360.20	389.40
W317578W3	MILES WALL SURF 2.0 ROUND LED 2700K W	8W 220-240VAC DIM CRI90	357.45	386.40
W317578W5	MILES WALL SURF 2.0 ROUND LED 3000K W	8W 220-240VAC DIM CRI90	357.45	386.40
W317678B3	MILES WALL SURF 3.0 CARRÉ LED 2700K B	8W 220-240VAC DIM CRI90	422.05	456.25
W317678B5	MILES WALL SURF 3.0 CARRÉ LED 3000K B	8W 220-240VAC DIM CRI90	422.05	456.25
W317678G3	MILES WALL SURF 3.0 CARRÉ LED 2700K G	8W 220-240VAC DIM CRI90	427.70	462.35
W317678G5	MILES WALL SURF 3.0 CARRÉ LED 3000K G	8W 220-240VAC DIM CRI90	427.70	462.35
W317678M3	MILES WALL SURF 3.0 CARRÉ LED 2700K M	8W 220-240VAC DIM CRI90	427.70	462.35
W317678M5	MILES WALL SURF 3.0 CARRÉ LED 3000K M	8W 220-240VAC DIM CRI90	427.70	462.35
W317678MB3	MILES WALL SURF 3.0 CARRÉ LED 2700K MB	8W 220-240VAC DIM CRI90	498.05	538.40
W317678MB5	MILES WALL SURF 3.0 CARRÉ LED 3000K MB	8W 220-240VAC DIM CRI90	498.05	538.40
W317678MW3	MILES WALL SURF 3.0 CARRÉ LED 2700K MW	8W 220-240VAC DIM CRI90	498.05	538.40
W317678MW5	MILES WALL SURF 3.0 CARRÉ LED 3000K MW	8W 220-240VAC DIM CRI90	498.05	538.40
W317678P3	MILES WALL SURF 3.0 CARRÉ LED 2700K P	8W 220-240VAC DIM CRI90	427.70	462.35
W317678P5	MILES WALL SURF 3.0 CARRÉ LED 3000K P	8W 220-240VAC DIM CRI90	427.70	462.35
W317678Q3	MILES WALL SURF 3.0 CARRÉ LED 2700K Q	8W 220-240VAC DIM CRI90	427.70	462.35
W317678Q5	MILES WALL SURF 3.0 CARRÉ LED 3000K Q	8W 220-240VAC DIM CRI90	427.70	462.35
W317678W3	MILES WALL SURF 3.0 CARRÉ LED 2700K W	8W 220-240VAC DIM CRI90	422.05	456.25
W317678W5	MILES WALL SURF 3.0 CARRÉ LED 3000K W	8W 220-240VAC DIM CRI90	422.05	456.25

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W317778B3	MILES WALL SURF 3.0 ROUND LED 2700K B	8W 220-240VAC DIM CRI90	406.15	439.05
W317778B5	MILES WALL SURF 3.0 ROUND LED 3000K B	8W 220-240VAC DIM CRI90	406.15	439.05
W317778CC3	MILES WALL SURF 3.0 ROUND LED 2700K CC	8W 220-240VAC DIM CRI90	422.05	456.25
W317778CC5	MILES WALL SURF 3.0 ROUND LED 3000K CC	8W 220-240VAC DIM CRI90	422.05	456.25
W317778G3	MILES WALL SURF 3.0 ROUND LED 2700K G	8W 220-240VAC DIM CRI90	411.95	445.30
W317778G5	MILES WALL SURF 3.0 ROUND LED 3000K G	8W 220-240VAC DIM CRI90	411.95	445.30
W317778M3	MILES WALL SURF 3.0 ROUND LED 2700K M	8W 220-240VAC DIM CRI90	411.95	445.30
W317778M5	MILES WALL SURF 3.0 ROUND LED 3000K M	8W 220-240VAC DIM CRI90	411.95	445.30
W317778MB3	MILES WALL SURF 3.0 ROUND LED 2700K MB	8W 220-240VAC DIM CRI90	480.80	519.75
W317778MB5	MILES WALL SURF 3.0 ROUND LED 3000K MB	8W 220-240VAC DIM CRI90	480.80	519.75
W317778MW3	MILES WALL SURF 3.0 ROUND LED 2700K MW	8W 220-240VAC DIM CRI90	480.80	519.75
W317778MW5	MILES WALL SURF 3.0 ROUND LED 3000K MW	8W 220-240VAC DIM CRI90	480.80	519.75
W317778P3	MILES WALL SURF 3.0 ROUND LED 2700K P	8W 220-240VAC DIM CRI90	411.95	445.30
W317778P5	MILES WALL SURF 3.0 ROUND LED 3000K P	8W 220-240VAC DIM CRI90	411.95	445.30
W317778Q3	MILES WALL SURF 3.0 ROUND LED 2700K Q	8W 220-240VAC DIM CRI90	411.95	445.30
W317778Q5	MILES WALL SURF 3.0 ROUND LED 3000K Q	8W 220-240VAC DIM CRI90	411.95	445.30
W317778W3	MILES WALL SURF 3.0 ROUND LED 2700K W	8W 220-240VAC DIM CRI90	406.15	439.05
W317778W5	MILES WALL SURF 3.0 ROUND LED 3000K W	8W 220-240VAC DIM CRI90	406.15	439.05
W317878B3	MILES WALL SURF 9.0 LED 2700K B	31W 220-240VAC DIM CRI90	492.25	532.10
W317878B5	MILES WALL SURF 9.0 LED 3000K B	31W 220-240VAC DIM CRI90	492.25	532.10
W317878G3	MILES WALL SURF 9.0 LED 2700K G	31W 220-240VAC DIM CRI90	499.45	539.90
W317878G5	MILES WALL SURF 9.0 LED 3000K G	31W 220-240VAC DIM CRI90	499.45	539.90
W317878W3	MILES WALL SURF 9.0 LED 2700K W	31W 220-240VAC DIM CRI90	492.25	532.10
W317878W5	MILES WALL SURF 9.0 LED 3000K W	31W 220-240VAC DIM CRI90	492.25	532.10
W317978B3	MILES WALL SURF 12.0 LED 2700K B	38W 220-240VAC DIM CRI90	589.85	637.65
W317978B5	MILES WALL SURF 12.0 LED 3000K B	38W 220-240VAC DIM CRI90	589.85	637.65
W317978G3	MILES WALL SURF 12.0 LED 2700K G	38W 220-240VAC DIM CRI90	601.45	650.15
W317978G5	MILES WALL SURF 12.0 LED 3000K G	38W 220-240VAC DIM CRI90	601.45	650.15
W317978W3	MILES WALL SURF 12.0 LED 2700K W	38W 220-240VAC DIM CRI90	589.85	637.65
W317978W5	MILES WALL SURF 12.0 LED 3000K W	38W 220-240VAC DIM CRI90	589.85	637.65
W3207A1W2	STRANGE WALL REC 1.7 LED 2700K W	3/5W 500/700mA 6V CRI80	180.80	195.45
W3207A1W4	STRANGE WALL REC 1.7 LED 3000K W	3/5W 500/700mA 6V CRI80	180.80	195.45
W3208A1W2	STRANGE WALL REC 2.7 LED 2700K W	3/5W 500/700mA 6V CRI80	213.90	231.25
W3208A1W4	STRANGE WALL REC 2.7 LED 3000K W	3/5W 500/700mA 6V CRI80	213.90	231.25
W3211G0B0	BOX WALL SURF 1.0 QT14 B	max. 75W G9 220-240VAC	150.05	162.20
W3211G0G0	BOX WALL SURF 1.0 QT14 G	max. 75W G9 220-240VAC	153.60	166.05
W3211G0L0	BOX WALL SURF 1.0 QT14 L	max. 75W G9 220-240VAC	153.60	166.05
W3211G0M0	BOX WALL SURF 1.0 QT14 M	max. 75W G9 220-240VAC	153.60	166.05
W3211G0P0	BOX WALL SURF 1.0 QT14 P	max. 75W G9 220-240VAC	153.60	166.05
W3211G0Q0	BOX WALL SURF 1.0 QT14 Q	max. 75W G9 220-240VAC	153.60	166.05
W3211G0W0	BOX WALL SURF 1.0 QT14 W	max. 75W G9 220-240VAC	150.05	162.20
W3221G0B0	RAY WALL SURF 1.0 QT14 B	max. 75W G9 220-240VAC	150.05	162.20
W3221G0G0	RAY WALL SURF 1.0 QT14 G	max. 75W G9 220-240VAC	153.60	166.05
W3221G0L0	RAY WALL SURF 1.0 QT14 L	max. 75W G9 220-240VAC	153.60	166.05
W3221G0M0	RAY WALL SURF 1.0 QT14 M	max. 75W G9 220-240VAC	153.60	166.05
W3221G0P0	RAY WALL SURF 1.0 QT14 P	max. 75W G9 220-240VAC	153.60	166.05
W3221G0Q0	RAY WALL SURF 1.0 QT14 Q	max. 75W G9 220-240VAC	153.60	166.05
W3221G0W0	RAY WALL SURF 1.0 QT14 W	max. 75W G9 220-240VAC	150.05	162.20
W3237A1K2	THEMIS WALL REC 1.7 LED 2700K K	3/5W 500/700mA 6V CRI80	107.65	116.35
W3237A1K4	THEMIS WALL REC 1.7 LED 3000K K	3/5W 500/700mA 6V CRI80	107.65	116.35
W3237A1W2	THEMIS WALL REC 1.7 LED 2700K W	3/5W 500/700mA 6V CRI80	103.40	111.80
W3237A1W4	THEMIS WALL REC 1.7 LED 3000K W	3/5W 500/700mA 6V CRI80	103.40	111.80
W3238A1K2	THEMIS WALL REC 2.7 LED 2700K K	3/5W 500/700mA 6V CRI80	123.40	133.40
W3238A1K4	THEMIS WALL REC 2.7 LED 3000K K	3/5W 500/700mA 6V CRI80	123.40	133.40
W3238A1W2	THEMIS WALL REC 2.7 LED 2700K W	3/5W 500/700mA 6V CRI80	120.65	130.40
W3238A1W4	THEMIS WALL REC 2.7 LED 3000K W	3/5W 500/700mA 6V CRI80	120.65	130.40
W3271A1B5	ORIS WALL REC 0.7 LED 3000K B	2/5W 350/700mA 6V CRI90	104.75	113.25
W3271A1W5	ORIS WALL REC 0.7 LED 3000K W	2/5W 350/700mA 6V CRI90	104.75	113.25
W3274A1B5	ORIS WALL REC 0.8 LED 3000K B	2/5W 350/700mA 6V CRI90	93.30	100.85
W3274A1W5	ORIS WALL REC 0.8 LED 3000K W	2/5W 350/700mA 6V CRI90	93.30	100.85
W3276A1B5	ORIS WALL REC 1.3 LED 3000K B	3/7W 350/700mA 9V CRI90	122.00	131.90
W3276A1W5	ORIS WALL REC 1.3 LED 3000K W	3/7W 350/700mA 9V CRI90	122.00	131.90
W328188BW3	MIRBA IP44 WALL SURF 1.0 LED 2700K BW	4/6W 220-240VAC DIM CRI90	278.50	301.05
W328188BW5	MIRBA IP44 WALL SURF 1.0 LED 3000K BW	4/6W 220-240VAC DIM CRI90	278.50	301.05
W328188W3	MIRBA IP44 WALL SURF 1.0 LED 2700K W	4/6W 220-240VAC DIM CRI90	278.50	301.05
W328188W5	MIRBA IP44 WALL SURF 1.0 LED 3000K W	4/6W 220-240VAC DIM CRI90	278.50	301.05
W328288BW3	MIRBA IP44 WALL SURF 2.0 LED 2700K BW	6/9W 220-240VAC DIM CRI90	334.40	361.50
W328288BW5	MIRBA IP44 WALL SURF 2.0 LED 3000K BW	6/9W 220-240VAC DIM CRI90	334.40	361.50
W328288W3	MIRBA IP44 WALL SURF 2.0 LED 2700K W	6/9W 220-240VAC DIM CRI90	334.40	361.50
W328288W5	MIRBA IP44 WALL SURF 2.0 LED 3000K W	6/9W 220-240VAC DIM CRI90	334.40	361.50
W328388BW3	MIRBA IP44 WALL SURF 3.0 LED 2700K BW	8/12W 220-240VAC DIM CRI90	380.35	411.15
W328388BW5	MIRBA IP44 WALL SURF 3.0 LED 3000K BW	8/12W 220-240VAC DIM CRI90	380.35	411.15
W328388W3	MIRBA IP44 WALL SURF 3.0 LED 2700K W	8/12W 220-240VAC DIM CRI90	380.35	411.15
W328388W5	MIRBA IP44 WALL SURF 3.0 LED 3000K W	8/12W 220-240VAC DIM CRI90	380.35	411.15
W329188W3	MIRBI LONG IP44 WALL SURF 1.0 LED 2700K W	5/7W 220-240VAC DIM CRI90	312.85	338.20
W329188W5	MIRBI LONG IP44 WALL SURF 1.0 LED 3000K W	5/7W 220-240VAC DIM CRI90	312.85	338.20
W329288W3	MIRBI LONG IP44 WALL SURF 2.0 LED 2700K W	7/12W 220-240VAC DIM CRI90	499.45	539.90
W329288W5	MIRBI LONG IP44 WALL SURF 2.0 LED 3000K W	7/12W 220-240VAC DIM CRI90	499.45	539.90
W329388W3	MIRBI LONG IP44 WALL SURF 3.0 LED 2700K W	12/18W 220-240VAC DIM CRI90	954.45	1031.75
W329388W5	MIRBI LONG IP44 WALL SURF 3.0 LED 3000K W	12/18W 220-240VAC DIM CRI90	954.45	1031.75
W330164B3	DOT WALL SURF 2.0 LED 2700K B	8W 220-240VAC DIM CRI90	213.90	231.25
W330164B5	DOT WALL SURF 2.0 LED 3000K B	8W 220-240VAC DIM CRI90	213.90	231.25
W330164M3	DOT WALL SURF 2.0 LED 2700K M	8W 220-240VAC DIM CRI90	213.90	231.25
W330164M5	DOT WALL SURF 2.0 LED 3000K M	8W 220-240VAC DIM CRI90	213.90	231.25
W330164Q3	DOT WALL SURF 2.0 LED 2700K Q	8W 220-240VAC DIM CRI90	213.90	231.25
W330164Q5	DOT WALL SURF 2.0 LED 3000K Q	8W 220-240VAC DIM CRI90	213.90	231.25
W330164W3	DOT WALL SURF 2.0 LED 2700K W	8W 220-240VAC DIM CRI90	213.90	231.25
W330164W5	DOT WALL SURF 2.0 LED 3000K W	8W 220-240VAC DIM CRI90	213.90	231.25
W330264B3	DOT WALL SURF 3.0 LED 2700K B	16W 220-240VAC DIM CRI90	298.50	322.70
W330264B5	DOT WALL SURF 3.0 LED 3000K B	16W 220-240VAC DIM CRI90	298.50	322.70
W330264M3	DOT WALL SURF 3.0 LED 2700K M	16W 220-240VAC DIM CRI90	298.50	322.70
W330264M5	DOT WALL SURF 3.0 LED 3000K M	16W 220-240VAC DIM CRI90	298.50	322.70
W330264Q3	DOT WALL SURF 3.0 LED 2700K Q	16W 220-240VAC DIM CRI90	298.50	322.70
W330264Q5	DOT WALL SURF 3.0 LED 3000K Q	16W 220-240VAC DIM CRI90	298.50	322.70

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W330264W3	DOT WALL SURF 3.0 LED 2700K W	16W 220-240VAC DIM CRI90	298.50	322.70
W330264W5	DOT WALL SURF 3.0 LED 3000K W	16W 220-240VAC DIM CRI90	298.50	322.70
W330464B3	DOT WALL SURF 4.0 LED 2700K B	21W 220-240VAC DIM CRI90	393.30	425.15
W330464B5	DOT WALL SURF 4.0 LED 3000K B	21W 220-240VAC DIM CRI90	393.30	425.15
W330464M3	DOT WALL SURF 4.0 LED 2700K M	21W 220-240VAC DIM CRI90	393.30	425.15
W330464M5	DOT WALL SURF 4.0 LED 3000K M	21W 220-240VAC DIM CRI90	393.30	425.15
W330464Q3	DOT WALL SURF 4.0 LED 2700K Q	21W 220-240VAC DIM CRI90	393.30	425.15
W330464Q5	DOT WALL SURF 4.0 LED 3000K Q	21W 220-240VAC DIM CRI90	393.30	425.15
W330464W3	DOT WALL SURF 4.0 LED 2700K W	21W 220-240VAC DIM CRI90	393.30	425.15
W330464W5	DOT WALL SURF 4.0 LED 3000K W	21W 220-240VAC DIM CRI90	393.30	425.15
W333164B3	TRACE WALL SURF 1.0 LED 2700K B	8W 220-240VAC DIM CRI90	254.10	274.70
W333164B5	TRACE WALL SURF 1.0 LED 3000K B	8W 220-240VAC DIM CRI90	254.10	274.70
W333164CH3	TRACE WALL SURF 1.0 LED 2700K CH	8W 220-240VAC DIM CRI90	257.00	277.80
W333164CH5	TRACE WALL SURF 1.0 LED 3000K CH	8W 220-240VAC DIM CRI90	257.00	277.80
W333164H3	TRACE WALL SURF 1.0 LED 2700K H	8W 220-240VAC DIM CRI90	257.00	277.80
W333164H5	TRACE WALL SURF 1.0 LED 3000K H	8W 220-240VAC DIM CRI90	257.00	277.80
W333164W3	TRACE WALL SURF 1.0 LED 2700K W	8W 220-240VAC DIM CRI90	254.10	274.70
W333164W5	TRACE WALL SURF 1.0 LED 3000K W	8W 220-240VAC DIM CRI90	254.10	274.70
W333264B3	TRACE WALL SURF 2.0 LED 2700K B	15W 220-240VAC DIM CRI90	347.35	375.50
W333264B5	TRACE WALL SURF 2.0 LED 3000K B	15W 220-240VAC DIM CRI90	347.35	375.50
W333264CH3	TRACE WALL SURF 2.0 LED 2700K CH	15W 220-240VAC DIM CRI90	350.25	378.60
W333264CH5	TRACE WALL SURF 2.0 LED 3000K CH	15W 220-240VAC DIM CRI90	350.25	378.60
W333264H3	TRACE WALL SURF 2.0 LED 2700K H	15W 220-240VAC DIM CRI90	350.25	378.60
W333264H5	TRACE WALL SURF 2.0 LED 3000K H	15W 220-240VAC DIM CRI90	350.25	378.60
W333264W3	TRACE WALL SURF 2.0 LED 2700K W	15W 220-240VAC DIM CRI90	347.35	375.50
W333264W5	TRACE WALL SURF 2.0 LED 3000K W	15W 220-240VAC DIM CRI90	347.35	375.50
W333364B3	TRACE SLIM WALL SURF 1.0 LED 2700K B	12W 220-240VAC DIM CRI90	294.25	318.10
W333364B5	TRACE SLIM WALL SURF 1.0 LED 3000K B	12W 220-240VAC DIM CRI90	294.25	318.10
W333364CH3	TRACE SLIM WALL SURF 1.0 LED 2700K CH	12W 220-240VAC DIM CRI90	302.80	327.35
W333364CH5	TRACE SLIM WALL SURF 1.0 LED 3000K CH	12W 220-240VAC DIM CRI90	302.80	327.35
W333464B3	TRACE SLIM WALL SURF 2.0 LED 2700K B	23W 220-240VAC DIM CRI90	456.40	493.35
W333464B5	TRACE SLIM WALL SURF 2.0 LED 3000K B	23W 220-240VAC DIM CRI90	456.40	493.35
W333464CH3	TRACE SLIM WALL SURF 2.0 LED 2700K CH	23W 220-240VAC DIM CRI90	467.85	505.75
W333464CH5	TRACE SLIM WALL SURF 2.0 LED 3000K CH	23W 220-240VAC DIM CRI90	467.85	505.75
W3341E0B0	WIRO 1.0 CONE WALL SURF E27 B	max. 25W T30-225 220-240VAC	456.40	493.35
W3341E0V0	WIRO 1.0 CONE WALL SURF E27 V	max. 25W T30-225 220-240VAC	456.40	493.35
W3343E0B0	WIRO 1.0 CONE WALL SURF E27 B with plug	max. 25W T30-225 220-240VAC	498.05	538.40
W3343E0V0	WIRO 1.0 CONE WALL SURF E27 V with plug	max. 25W T30-225 220-240VAC	498.05	538.40
W3345E0B0	WIRO 1.8 WIRO WALL SURF E27 B	max. 25W T30-225 220-240VAC	472.25	510.50
W3345E0V0	WIRO 1.8 WIRO WALL SURF E27 V	max. 25W T30-225 220-240VAC	472.25	510.50
W3346E0B0	WIRO 1.8 WIRO WALL SURF E27 B with plug	max. 25W T30-225 220-240VAC	513.95	555.60
W3346E0V0	WIRO 1.8 WIRO WALL SURF E27 V with plug	max. 25W T30-225 220-240VAC	513.95	555.60
W336174FJ3	TAPIS WALL SURF 1.0 LED 2700K FJ	9W 220-240VAC DIM CRI90	351.65	380.15
W336174FJ5	TAPIS WALL SURF 1.0 LED 3000K FJ	9W 220-240VAC DIM CRI90	351.65	380.15
W336174GW3	TAPIS WALL SURF 1.0 LED 2700K GW	9W 220-240VAC DIM CRI90	351.65	380.15
W336174GW5	TAPIS WALL SURF 1.0 LED 3000K GW	9W 220-240VAC DIM CRI90	351.65	380.15
W336174LF3	TAPIS SOFT WALL SURF 1.0 LED 2700K LF	9W 220-240VAC DIM CRI90	552.60	597.35
W336174LF5	TAPIS SOFT WALL SURF 1.0 LED 3000K LF	9W 220-240VAC DIM CRI90	552.60	597.35
W336174MF3	TAPIS SOFT WALL SURF 1.0 LED 2700K MF	9W 220-240VAC DIM CRI90	552.60	597.35
W336174MF5	TAPIS SOFT WALL SURF 1.0 LED 3000K MF	9W 220-240VAC DIM CRI90	552.60	597.35
W336174OF3	TAPIS SOFT WALL SURF 1.0 LED 2700K OF	9W 220-240VAC DIM CRI90	552.60	597.35
W336174OF5	TAPIS SOFT WALL SURF 1.0 LED 3000K OF	9W 220-240VAC DIM CRI90	552.60	597.35
W336174RA3	TAPIS WALL SURF 1.0 LED 2700K RA	9W 220-240VAC DIM CRI90	322.95	349.10
W336174RA5	TAPIS WALL SURF 1.0 LED 3000K RA	9W 220-240VAC DIM CRI90	322.95	349.10
W336174ST3	TAPIS WALL SURF 1.0 LED 2700K ST	9W 220-240VAC DIM CRI90	351.65	380.15
W336174ST5	TAPIS WALL SURF 1.0 LED 3000K ST	9W 220-240VAC DIM CRI90	351.65	380.15
W336174WF3	TAPIS SOFT WALL SURF 1.0 LED 2700K WF	9W 220-240VAC DIM CRI90	552.60	597.35
W336174WF5	TAPIS SOFT WALL SURF 1.0 LED 3000K WF	9W 220-240VAC DIM CRI90	552.60	597.35
W336200FJ0	TAPIS WALL SURF 2.1 FJ		324.45	350.75
W336200GW0	TAPIS WALL SURF 2.1 GW		324.45	350.75
W336200LF0	TAPIS SOFT WALL SURF 2.1 LF		350.25	378.60
W336200MF0	TAPIS SOFT WALL SURF 2.1 MF		350.25	378.60
W336200OF0	TAPIS SOFT WALL SURF 2.1 OF		350.25	378.60
W336200RA0	TAPIS WALL SURF 2.1 RA		305.70	330.45
W336200ST0	TAPIS WALL SURF 2.1 ST		324.45	350.75
W336200WF0	TAPIS SOFT WALL SURF 2.1 WF		350.25	378.60
W336274FJ3	TAPIS WALL SURF 2.0 LED 2700K FJ	9W 220-240VAC DIM CRI90	364.60	394.15
W336274FJ5	TAPIS WALL SURF 2.0 LED 3000K FJ	9W 220-240VAC DIM CRI90	364.60	394.15
W336274GW3	TAPIS WALL SURF 2.0 LED 2700K GW	9W 220-240VAC DIM CRI90	364.60	394.15
W336274GW5	TAPIS WALL SURF 2.0 LED 3000K GW	9W 220-240VAC DIM CRI90	364.60	394.15
W336274LF3	TAPIS SOFT WALL SURF 2.0 LED 2700K LF	9W 220-240VAC DIM CRI90	390.45	422.10
W336274LF5	TAPIS SOFT WALL SURF 2.0 LED 3000K LF	9W 220-240VAC DIM CRI90	390.45	422.10
W336274MF3	TAPIS SOFT WALL SURF 2.0 LED 2700K MF	9W 220-240VAC DIM CRI90	390.45	422.10
W336274MF5	TAPIS SOFT WALL SURF 2.0 LED 3000K MF	9W 220-240VAC DIM CRI90	390.45	422.10
W336274OF3	TAPIS SOFT WALL SURF 2.0 LED 2700K OF	9W 220-240VAC DIM CRI90	390.45	422.10
W336274OF5	TAPIS SOFT WALL SURF 2.0 LED 3000K OF	9W 220-240VAC DIM CRI90	390.45	422.10
W336274RA3	TAPIS WALL SURF 2.0 LED 2700K RA	9W 220-240VAC DIM CRI90	345.85	373.85
W336274RA5	TAPIS WALL SURF 2.0 LED 3000K RA	9W 220-240VAC DIM CRI90	345.85	373.85
W336274ST3	TAPIS WALL SURF 2.0 LED 2700K ST	9W 220-240VAC DIM CRI90	364.60	394.15
W336274ST5	TAPIS WALL SURF 2.0 LED 3000K ST	9W 220-240VAC DIM CRI90	364.60	394.15
W336274WF3	TAPIS SOFT WALL SURF 2.0 LED 2700K WF	9W 220-240VAC DIM CRI90	390.45	422.10
W336274WF5	TAPIS SOFT WALL SURF 2.0 LED 3000K WF	9W 220-240VAC DIM CRI90	390.45	422.10
W336300FJ0	TAPIS WALL SURF 3.1 FJ		338.80	366.25
W336300GW0	TAPIS WALL SURF 3.1 GW		338.80	366.25
W336300LF0	TAPIS SOFT WALL SURF 3.1 LF		370.30	400.30
W336300MF0	TAPIS SOFT WALL SURF 3.1 MF		370.30	400.30
W336300OF0	TAPIS SOFT WALL SURF 3.1 OF		370.30	400.30
W336300RA0	TAPIS WALL SURF 3.1 RA		317.30	343.00
W336300ST0	TAPIS WALL SURF 3.1 ST		338.80	366.25
W336300WF0	TAPIS SOFT WALL SURF 3.1 WF		370.30	400.30
W336374FJ3	TAPIS WALL SURF 3.0 LED 2700K FJ	9W 220-240VAC DIM CRI90	378.95	409.65
W336374FJ5	TAPIS WALL SURF 3.0 LED 3000K FJ	9W 220-240VAC DIM CRI90	378.95	409.65
W336374GW3	TAPIS WALL SURF 3.0 LED 2700K GW	9W 220-240VAC DIM CRI90	378.95	409.65
W336374GW5	TAPIS WALL SURF 3.0 LED 3000K GW	9W 220-240VAC DIM CRI90	378.95	409.65

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W336374LF3	TAPIS SOFT WALL SURF 3.0 LED 2700K LF	9W 220-240VAC DIM CRI90	410.45	443.70
W336374LF5	TAPIS SOFT WALL SURF 3.0 LED 3000K LF	9W 220-240VAC DIM CRI90	410.45	443.70
W336374MF3	TAPIS SOFT WALL SURF 3.0 LED 2700K MF	9W 220-240VAC DIM CRI90	410.45	443.70
W336374MF5	TAPIS SOFT WALL SURF 3.0 LED 3000K MF	9W 220-240VAC DIM CRI90	410.45	443.70
W336374OF3	TAPIS SOFT WALL SURF 3.0 LED 2700K OF	9W 220-240VAC DIM CRI90	410.45	443.70
W336374OF5	TAPIS SOFT WALL SURF 3.0 LED 3000K OF	9W 220-240VAC DIM CRI90	410.45	443.70
W336374RA3	TAPIS WALL SURF 3.0 LED 2700K RA	9W 220-240VAC DIM CRI90	357.45	386.40
W336374RA5	TAPIS WALL SURF 3.0 LED 3000K RA	9W 220-240VAC DIM CRI90	357.45	386.40
W336374ST3	TAPIS WALL SURF 3.0 LED 2700K ST	9W 220-240VAC DIM CRI90	378.95	409.65
W336374ST5	TAPIS WALL SURF 3.0 LED 3000K ST	9W 220-240VAC DIM CRI90	378.95	409.65
W336374WF3	TAPIS SOFT WALL SURF 3.0 LED 2700K WF	9W 220-240VAC DIM CRI90	410.45	443.70
W336374WF5	TAPIS SOFT WALL SURF 3.0 LED 3000K WF	9W 220-240VAC DIM CRI90	410.45	443.70
W336400LF0	TAPIS SOFT WALL SURF 4.1 LF		370.30	400.30
W336400MF0	TAPIS SOFT WALL SURF 4.1 MF		370.30	400.30
W336400OF0	TAPIS SOFT WALL SURF 4.1 OF		370.30	400.30
W336400WF0	TAPIS SOFT WALL SURF 4.1 WF		370.30	400.30
W336474LF3	TAPIS SOFT WALL SURF 3.0 LED 2700K LF	9W 220-240VAC DIM CRI90	410.45	443.70
W336474LF5	TAPIS SOFT WALL SURF 4.0 LED 3000K LF	9W 220-240VAC DIM CRI90	410.45	443.70
W336474MF3	TAPIS SOFT WALL SURF 4.0 LED 2700K MF	9W 220-240VAC DIM CRI90	410.45	443.70
W336474MF5	TAPIS SOFT WALL SURF 4.0 LED 3000K MF	9W 220-240VAC DIM CRI90	410.45	443.70
W336474OF3	TAPIS SOFT WALL SURF 4.0 LED 2700K OF	9W 220-240VAC DIM CRI90	410.45	443.70
W336474OF5	TAPIS SOFT WALL SURF 4.0 LED 3000K OF	9W 220-240VAC DIM CRI90	410.45	443.70
W336474WF3	TAPIS SOFT WALL SURF 4.0 LED 2700K WF	9W 220-240VAC DIM CRI90	410.45	443.70
W336474WF5	TAPIS SOFT WALL SURF 4.0 LED 3000K WF	9W 220-240VAC DIM CRI90	410.45	443.70
W3371A4B2	DOMINO WALL SURF 1.0 LED 2700K B	14W 220-240VAC DIM CRI80	370.30	400.30
W3371A4B4	DOMINO WALL SURF 1.0 LED 3000K B	14W 220-240VAC DIM CRI80	370.30	400.30
W3371A4W2	DOMINO WALL SURF 1.0 LED 2700K W	14W 220-240VAC DIM CRI80	370.30	400.30
W3371A4W4	DOMINO WALL SURF 1.0 LED 3000K W	14W 220-240VAC DIM CRI80	370.30	400.30
W338120BB1	ROOMOR WALL SURF 1.1 PAR16 B-B	max. 15W GU10 100-240VAC	325.85	352.25
W338120BK1	ROOMOR WALL SURF 1.1 PAR16 B-K	max. 15W GU10 100-240VAC	334.40	361.50
W339120BB1	ROOMOR WALL SURF 3.1 PAR16 B-B cable plug	max. 15W GU10 100-240VAC	479.55	518.40
W339120BK1	ROOMOR WALL SURF 3.1 PAR16 B-K cable plug	max. 15W GU10 100-240VAC	488.15	527.70
W339220BB1	ROOMOR WALL SURF 3.1 PAR16 B-B wall base	max. 15W GU10 100-240VAC	471.00	509.15
W339220BK1	ROOMOR WALL SURF 3.1 PAR16 B-K wall base	max. 15W GU10 100-240VAC	479.55	518.40
W339620BB2	ROOMOR WALL SURF 4.2 PAR16 B-B	max. 15W GU10 100-240VAC	790.90	854.95
W339620BB3	ROOMOR WALL SURF 4.3 PAR16 B-B	max. 15W GU10 100-240VAC	904.20	977.45
W339620BB4	ROOMOR WALL SURF 4.4 PAR16 B-B	max. 15W GU10 100-240VAC	975.95	1055.00
W339620BF2	ROOMOR WALL SURF 4.2 PAR16 B-F	max. 15W GU10 100-240VAC	828.15	895.25
W339620BF3	ROOMOR WALL SURF 4.3 PAR16 B-F	max. 15W GU10 100-240VAC	937.20	1013.10
W339620BK2	ROOMOR WALL SURF 4.2 PAR16 B-K	max. 15W GU10 100-240VAC	802.35	867.35
W339620BK3	ROOMOR WALL SURF 4.3 PAR16 B-K	max. 15W GU10 100-240VAC	921.45	996.10
W339620BK4	ROOMOR WALL SURF 4.4 PAR16 B-K	max. 15W GU10 100-240VAC	991.85	1072.20
W341148B3	BOX WALL SURF 2.0 LED 2700K B	11W 220-240VAC DIM CRI90	298.50	322.70
W341148B5	BOX WALL SURF 2.0 LED 3000K B	11W 220-240VAC DIM CRI90	298.50	322.70
W341148B9	BOX WALL SURF 2.0 LED 1800-2850K B	11W 220-240VAC DIM CRI90	298.50	322.70
W341148G3	BOX WALL SURF 2.0 LED 2700K G	11W 220-240VAC DIM CRI90	302.10	326.55
W341148G5	BOX WALL SURF 2.0 LED 3000K G	11W 220-240VAC DIM CRI90	302.10	326.55
W341148G9	BOX WALL SURF 2.0 LED 1800-2850K G	11W 220-240VAC DIM CRI90	302.10	326.55
W341148L3	BOX WALL SURF 2.0 LED 2700K L	11W 220-240VAC DIM CRI90	302.10	326.55
W341148L5	BOX WALL SURF 2.0 LED 3000K L	11W 220-240VAC DIM CRI90	302.10	326.55
W341148L9	BOX WALL SURF 2.0 LED 1800-2850K L	11W 220-240VAC DIM CRI90	302.10	326.55
W341148M3	BOX WALL SURF 2.0 LED 2700K M	11W 220-240VAC DIM CRI90	302.10	326.55
W341148M5	BOX WALL SURF 2.0 LED 3000K M	11W 220-240VAC DIM CRI90	302.10	326.55
W341148M9	BOX WALL SURF 2.0 LED 1800-2850K M	11W 220-240VAC DIM CRI90	302.10	326.55
W341148P3	BOX WALL SURF 2.0 LED 2700K P	11W 220-240VAC DIM CRI90	302.10	326.55
W341148P5	BOX WALL SURF 2.0 LED 3000K P	11W 220-240VAC DIM CRI90	302.10	326.55
W341148P9	BOX WALL SURF 2.0 LED 1800-2850K P	11W 220-240VAC DIM CRI90	302.10	326.55
W341148Q3	BOX WALL SURF 2.0 LED 2700K Q	11W 220-240VAC DIM CRI90	302.10	326.55
W341148Q5	BOX WALL SURF 2.0 LED 3000K Q	11W 220-240VAC DIM CRI90	302.10	326.55
W341148Q9	BOX WALL SURF 2.0 LED 1800-2850K Q	11W 220-240VAC DIM CRI90	302.10	326.55
W341148W3	BOX WALL SURF 2.0 LED 2700K W	11W 220-240VAC DIM CRI90	298.50	322.70
W341148W5	BOX WALL SURF 2.0 LED 3000K W	11W 220-240VAC DIM CRI90	298.50	322.70
W341148W9	BOX WALL SURF 2.0 LED 1800-2850K W	11W 220-240VAC DIM CRI90	298.50	322.70
W341168B3	BOX WALL SURF 1.0 LED 2700K B	6W 220-240VAC DIM CRI90	265.55	287.05
W341168B5	BOX WALL SURF 1.0 LED 3000K B	6W 220-240VAC DIM CRI90	265.55	287.05
W341168B9	BOX WALL SURF 1.0 LED 1800-2850K B	6W 220-240VAC DIM CRI90	265.55	287.05
W341168G3	BOX WALL SURF 1.0 LED 2700K G	6W 220-240VAC DIM CRI90	269.10	290.90
W341168G5	BOX WALL SURF 1.0 LED 3000K G	6W 220-240VAC DIM CRI90	269.10	290.90
W341168G9	BOX WALL SURF 1.0 LED 1800-2850K G	6W 220-240VAC DIM CRI90	269.10	290.90
W341168L3	BOX WALL SURF 1.0 LED 2700K L	6W 220-240VAC DIM CRI90	269.10	290.90
W341168L5	BOX WALL SURF 1.0 LED 3000K L	6W 220-240VAC DIM CRI90	269.10	290.90
W341168L9	BOX WALL SURF 1.0 LED 1800-2850K L	6W 220-240VAC DIM CRI90	269.10	290.90
W341168M3	BOX WALL SURF 1.0 LED 2700K M	6W 220-240VAC DIM CRI90	269.10	290.90
W341168M5	BOX WALL SURF 1.0 LED 3000K M	6W 220-240VAC DIM CRI90	269.10	290.90
W341168M9	BOX WALL SURF 1.0 LED 1800-2850K M	6W 220-240VAC DIM CRI90	269.10	290.90
W341168P3	BOX WALL SURF 1.0 LED 2700K P	6W 220-240VAC DIM CRI90	269.10	290.90
W341168P5	BOX WALL SURF 1.0 LED 3000K P	6W 220-240VAC DIM CRI90	269.10	290.90
W341168P9	BOX WALL SURF 1.0 LED 1800-2850K P	6W 220-240VAC DIM CRI90	269.10	290.90
W341168Q3	BOX WALL SURF 1.0 LED 2700K Q	6W 220-240VAC DIM CRI90	269.10	290.90
W341168Q5	BOX WALL SURF 1.0 LED 3000K Q	6W 220-240VAC DIM CRI90	269.10	290.90
W341168Q9	BOX WALL SURF 1.0 LED 1800-2850K Q	6W 220-240VAC DIM CRI90	269.10	290.90
W341168W3	BOX WALL SURF 1.0 LED 2700K W	6W 220-240VAC DIM CRI90	265.55	287.05
W341168W5	BOX WALL SURF 1.0 LED 3000K W	6W 220-240VAC DIM CRI90	265.55	287.05
W341168W9	BOX WALL SURF 1.0 LED 1800-2850K W	6W 220-240VAC DIM CRI90	265.55	287.05
W341248B3	BOX WALL SURF 4.0 LED 2700K B	11W 220-240VAC DIM CRI90	318.55	344.35
W341248B5	BOX WALL SURF 4.0 LED 3000K B	11W 220-240VAC DIM CRI90	318.55	344.35
W341248B9	BOX WALL SURF 4.0 LED 1800-2850K B	11W 220-240VAC DIM CRI90	318.55	344.35
W341248G3	BOX WALL SURF 4.0 LED 2700K G	11W 220-240VAC DIM CRI90	322.95	349.10
W341248G5	BOX WALL SURF 4.0 LED 3000K G	11W 220-240VAC DIM CRI90	322.95	349.10
W341248G9	BOX WALL SURF 4.0 LED 1800-2850K G	11W 220-240VAC DIM CRI90	322.95	349.10
W341248L3	BOX WALL SURF 4.0 LED 2700K L	11W 220-240VAC DIM CRI90	322.95	349.10
W341248L5	BOX WALL SURF 4.0 LED 3000K L	11W 220-240VAC DIM CRI90	322.95	349.10
W341248L9	BOX WALL SURF 4.0 LED 1800-2850K L	11W 220-240VAC DIM CRI90	322.95	349.10
W341248M3	BOX WALL SURF 4.0 LED 2700K M	11W 220-240VAC DIM CRI90	322.95	349.10

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W341248M5	BOX WALL SURF 4.0 LED 3000K M	11W 220-240VAC DIM CRI90	322.95	349.10
W341248M9	BOX WALL SURF 4.0 LED 1800-2850K M	11W 220-240VAC DIM CRI90	322.95	349.10
W341248P3	BOX WALL SURF 4.0 LED 2700K P	11W 220-240VAC DIM CRI90	322.95	349.10
W341248P5	BOX WALL SURF 4.0 LED 3000K P	11W 220-240VAC DIM CRI90	322.95	349.10
W341248P9	BOX WALL SURF 4.0 LED 1800-2850K P	11W 220-240VAC DIM CRI90	322.95	349.10
W341248Q3	BOX WALL SURF 4.0 LED 2700K Q	11W 220-240VAC DIM CRI90	322.95	349.10
W341248Q5	BOX WALL SURF 4.0 LED 3000K Q	11W 220-240VAC DIM CRI90	322.95	349.10
W341248Q9	BOX WALL SURF 4.0 LED 1800-2850K Q	11W 220-240VAC DIM CRI90	322.95	349.10
W341248W3	BOX WALL SURF 4.0 LED 2700K W	11W 220-240VAC DIM CRI90	318.55	344.35
W341248W5	BOX WALL SURF 4.0 LED 3000K W	11W 220-240VAC DIM CRI90	318.55	344.35
W341248W9	BOX WALL SURF 4.0 LED 1800-2850K W	11W 220-240VAC DIM CRI90	318.55	344.35
W342148B3	RAY WALL SURF 2.0 LED 2700K B	11W 220-240VAC DIM CRI90	298.50	322.70
W342148B5	RAY WALL SURF 2.0 LED 3000K B	11W 220-240VAC DIM CRI90	298.50	322.70
W342148B9	RAY WALL SURF 2.0 LED 1800-2850K B	11W 220-240VAC DIM CRI90	298.50	322.70
W342148G3	RAY WALL SURF 2.0 LED 2700K G	11W 220-240VAC DIM CRI90	302.10	326.55
W342148G5	RAY WALL SURF 2.0 LED 3000K G	11W 220-240VAC DIM CRI90	302.10	326.55
W342148G9	RAY WALL SURF 2.0 LED 1800-2850K G	11W 220-240VAC DIM CRI90	302.10	326.55
W342148L3	RAY WALL SURF 2.0 LED 2700K L	11W 220-240VAC DIM CRI90	302.10	326.55
W342148L5	RAY WALL SURF 2.0 LED 3000K L	11W 220-240VAC DIM CRI90	302.10	326.55
W342148L9	RAY WALL SURF 2.0 LED 1800-2850K L	11W 220-240VAC DIM CRI90	302.10	326.55
W342148M3	RAY WALL SURF 2.0 LED 2700K M	11W 220-240VAC DIM CRI90	302.10	326.55
W342148M5	RAY WALL SURF 2.0 LED 3000K M	11W 220-240VAC DIM CRI90	302.10	326.55
W342148M9	RAY WALL SURF 2.0 LED 1800-2850K M	11W 220-240VAC DIM CRI90	302.10	326.55
W342148P3	RAY WALL SURF 2.0 LED 2700K P	11W 220-240VAC DIM CRI90	302.10	326.55
W342148P5	RAY WALL SURF 2.0 LED 3000K P	11W 220-240VAC DIM CRI90	302.10	326.55
W342148P9	RAY WALL SURF 2.0 LED 1800-2850K P	11W 220-240VAC DIM CRI90	302.10	326.55
W342148Q3	RAY WALL SURF 2.0 LED 2700K Q	11W 220-240VAC DIM CRI90	302.10	326.55
W342148Q5	RAY WALL SURF 2.0 LED 3000K Q	11W 220-240VAC DIM CRI90	302.10	326.55
W342148Q9	RAY WALL SURF 2.0 LED 1800-2850K Q	11W 220-240VAC DIM CRI90	302.10	326.55
W342148W3	RAY WALL SURF 2.0 LED 2700K W	11W 220-240VAC DIM CRI90	298.50	322.70
W342148W5	RAY WALL SURF 2.0 LED 3000K W	11W 220-240VAC DIM CRI90	298.50	322.70
W342148W9	RAY WALL SURF 2.0 LED 1800-2850K W	11W 220-240VAC DIM CRI90	298.50	322.70
W342168B3	RAY WALL SURF 1.0 LED 2700K B	6W 220-240VAC DIM CRI90	265.55	287.05
W342168B5	RAY WALL SURF 1.0 LED 3000K B	6W 220-240VAC DIM CRI90	265.55	287.05
W342168B9	RAY WALL SURF 1.0 LED 1800-2850K B	6W 220-240VAC DIM CRI90	265.55	287.05
W342168G3	RAY WALL SURF 1.0 LED 2700K G	6W 220-240VAC DIM CRI90	269.10	290.90
W342168G5	RAY WALL SURF 1.0 LED 3000K G	6W 220-240VAC DIM CRI90	269.10	290.90
W342168G9	RAY WALL SURF 1.0 LED 1800-2850K G	6W 220-240VAC DIM CRI90	269.10	290.90
W342168L3	RAY WALL SURF 1.0 LED 2700K L	6W 220-240VAC DIM CRI90	269.10	290.90
W342168L5	RAY WALL SURF 1.0 LED 3000K L	6W 220-240VAC DIM CRI90	269.10	290.90
W342168L9	RAY WALL SURF 1.0 LED 1800-2850K L	6W 220-240VAC DIM CRI90	269.10	290.90
W342168M3	RAY WALL SURF 1.0 LED 2700K M	6W 220-240VAC DIM CRI90	269.10	290.90
W342168M5	RAY WALL SURF 1.0 LED 3000K M	6W 220-240VAC DIM CRI90	269.10	290.90
W342168M9	RAY WALL SURF 1.0 LED 1800-2850K M	6W 220-240VAC DIM CRI90	269.10	290.90
W342168P3	RAY WALL SURF 1.0 LED 2700K P	6W 220-240VAC DIM CRI90	269.10	290.90
W342168P5	RAY WALL SURF 1.0 LED 3000K P	6W 220-240VAC DIM CRI90	269.10	290.90
W342168P9	RAY WALL SURF 1.0 LED 1800-2850K P	6W 220-240VAC DIM CRI90	269.10	290.90
W342168Q3	RAY WALL SURF 1.0 LED 2700K Q	6W 220-240VAC DIM CRI90	269.10	290.90
W342168Q5	RAY WALL SURF 1.0 LED 3000K Q	6W 220-240VAC DIM CRI90	269.10	290.90
W342168Q9	RAY WALL SURF 1.0 LED 1800-2850K Q	6W 220-240VAC DIM CRI90	269.10	290.90
W342168W3	RAY WALL SURF 1.0 LED 2700K W	6W 220-240VAC DIM CRI90	265.55	287.05
W342168W5	RAY WALL SURF 1.0 LED 3000K W	6W 220-240VAC DIM CRI90	265.55	287.05
W342168W9	RAY WALL SURF 1.0 LED 1800-2850K W	6W 220-240VAC DIM CRI90	265.55	287.05
W342248B3	RAY WALL SURF 4.0 LED 2700K B	11W 220-240VAC DIM CRI90	318.55	344.35
W342248B5	RAY WALL SURF 4.0 LED 3000K B	11W 220-240VAC DIM CRI90	318.55	344.35
W342248B9	RAY WALL SURF 4.0 LED 1800-2850K B	11W 220-240VAC DIM CRI90	318.55	344.35
W342248G3	RAY WALL SURF 4.0 LED 2700K G	11W 220-240VAC DIM CRI90	322.95	349.10
W342248G5	RAY WALL SURF 4.0 LED 3000K G	11W 220-240VAC DIM CRI90	322.95	349.10
W342248G9	RAY WALL SURF 4.0 LED 1800-2850K G	11W 220-240VAC DIM CRI90	322.95	349.10
W342248L3	RAY WALL SURF 4.0 LED 2700K L	11W 220-240VAC DIM CRI90	322.95	349.10
W342248L5	RAY WALL SURF 4.0 LED 3000K L	11W 220-240VAC DIM CRI90	322.95	349.10
W342248L9	RAY WALL SURF 4.0 LED 1800-2850K L	11W 220-240VAC DIM CRI90	322.95	349.10
W342248M3	RAY WALL SURF 4.0 LED 2700K M	11W 220-240VAC DIM CRI90	322.95	349.10
W342248M5	RAY WALL SURF 4.0 LED 3000K M	11W 220-240VAC DIM CRI90	322.95	349.10
W342248M9	RAY WALL SURF 4.0 LED 1800-2850K M	11W 220-240VAC DIM CRI90	322.95	349.10
W342248P3	RAY WALL SURF 4.0 LED 2700K P	11W 220-240VAC DIM CRI90	322.95	349.10
W342248P5	RAY WALL SURF 4.0 LED 3000K P	11W 220-240VAC DIM CRI90	322.95	349.10
W342248P9	RAY WALL SURF 4.0 LED 1800-2850K P	11W 220-240VAC DIM CRI90	322.95	349.10
W342248Q3	RAY WALL SURF 4.0 LED 2700K Q	11W 220-240VAC DIM CRI90	322.95	349.10
W342248Q5	RAY WALL SURF 4.0 LED 3000K Q	11W 220-240VAC DIM CRI90	322.95	349.10
W342248Q9	RAY WALL SURF 4.0 LED 1800-2850K Q	11W 220-240VAC DIM CRI90	322.95	349.10
W342248W3	RAY WALL SURF 4.0 LED 2700K W	11W 220-240VAC DIM CRI90	318.55	344.35
W342248W5	RAY WALL SURF 4.0 LED 3000K W	11W 220-240VAC DIM CRI90	318.55	344.35
W342248W9	RAY WALL SURF 4.0 LED 1800-2850K W	11W 220-240VAC DIM CRI90	318.55	344.35
W3431G0W0	DRO WALL SURF 1.0 QT14 W	max. 5W G9 220-240VAC	208.15	225.00
W3432C0W0	DRO WALL SURF 2.0 E14 W	max. 6W C35 220-240VAC	316.45	342.10
W3451A1B5	RETO WALL REC 0.8 LED 3000K B	3W 350mA 9V CRI90	113.45	122.65
W3451A1L5	RETO WALL REC 0.8 LED 3000K L	3W 350mA 9V CRI90	136.35	147.40
W3451A1M5	RETO WALL REC 0.8 LED 3000K M	3W 350mA 9V CRI90	136.35	147.40
W3451A1Q5	RETO WALL REC 0.8 LED 3000K Q	3W 350mA 9V CRI90	136.35	147.40
W3451A1W5	RETO WALL REC 0.8 LED 3000K W	3W 350mA 9V CRI90	113.45	122.65
W3452A1B5	RETO WALL REC 2.0 LED 3000K B	6W 350mA 18V CRI90	166.45	179.95
W3452A1W5	RETO WALL REC 2.0 LED 3000K W	6W 350mA 18V CRI90	166.45	179.95
W350188B3	SCAVA WALL SURF 1.0 LED 2700K B	25W 220-240VAC DIM CRI90	314.40	339.85
W350188B5	SCAVA WALL SURF 1.0 LED 3000K B	25W 220-240VAC DIM CRI90	314.40	339.85
W350188GB3	SCAVA WALL SURF 1.0 LED 2700K GB	25W 220-240VAC DIM CRI90	320.05	345.95
W350188GB5	SCAVA WALL SURF 1.0 LED 3000K GB	25W 220-240VAC DIM CRI90	320.05	345.95
W350188W3	SCAVA WALL SURF 1.0 LED 2700K W	25W 220-240VAC DIM CRI90	314.40	339.85
W350188W5	SCAVA WALL SURF 1.0 LED 3000K W	25W 220-240VAC DIM CRI90	314.40	339.85
W3673E0LB0	RUVI IP44 WALL SURF 3.0 E27 LB	max. 3x12W G95 220-240VAC	357.45	386.40
W370584B3	FINLIN WALL SURF 1.0 LED 2700K B	6W 220-240VAC DIM CRI90	321.55	347.60
W370584B5	FINLIN WALL SURF 1.0 LED 3000K B	6W 220-240VAC DIM CRI90	321.55	347.60
W370584CH3	FINLIN WALL SURF 1.0 LED 2700K CH	6W 220-240VAC DIM CRI90	321.55	347.60
W370584CH5	FINLIN WALL SURF 1.0 LED 3000K CH	6W 220-240VAC DIM CRI90	321.55	347.60

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W370584K3	FINLIN WALL SURF 1.0 LED 2700K K	6W 220-240VAC DIM CRI90	321.55	347.60
W370584K5	FINLIN WALL SURF 1.0 LED 3000K K	6W 220-240VAC DIM CRI90	321.55	347.60
W370684B3	FINLIN WALL SURF 2.0 LED 2700K B	10W 220-240VAC DIM CRI90	413.35	446.85
W370684B5	FINLIN WALL SURF 2.0 LED 3000K B	10W 220-240VAC DIM CRI90	413.35	446.85
W370684CH3	FINLIN WALL SURF 2.0 LED 2700K CH	10W 220-240VAC DIM CRI90	413.35	446.85
W370684CH5	FINLIN WALL SURF 2.0 LED 3000K CH	10W 220-240VAC DIM CRI90	413.35	446.85
W370684K3	FINLIN WALL SURF 2.0 LED 2700K K	10W 220-240VAC DIM CRI90	413.35	446.85
W370684K5	FINLIN WALL SURF 2.0 LED 3000K K	10W 220-240VAC DIM CRI90	413.35	446.85
W370784B3	FINLIN WALL SURF 3.0 LED 2700K B	10W 220-240VAC DIM CRI90	413.35	446.85
W370784B5	FINLIN WALL SURF 3.0 LED 3000K B	10W 220-240VAC DIM CRI90	413.35	446.85
W370784CH3	FINLIN WALL SURF 3.0 LED 2700K CH	10W 220-240VAC DIM CRI90	413.35	446.85
W370784CH5	FINLIN WALL SURF 3.0 LED 3000K CH	10W 220-240VAC DIM CRI90	413.35	446.85
W370884B3	FINLIN WALL SURF 4.0 LED 2700K B	10W 220-240VAC DIM CRI90	452.10	488.70
W370884B5	FINLIN WALL SURF 4.0 LED 3000K B	10W 220-240VAC DIM CRI90	452.10	488.70
W370884CH3	FINLIN WALL SURF 4.0 LED 2700K CH	10W 220-240VAC DIM CRI90	452.10	488.70
W370884CH5	FINLIN WALL SURF 4.0 LED 3000K CH	10W 220-240VAC DIM CRI90	452.10	488.70
W371184B3	FINLIN ROUND WALL SURF 1.0 LED 2700K B	13W 220-240VAC DIM CRI90	457.90	495.00
W371184B5	FINLIN ROUND WALL SURF 1.0 LED 3000K B	13W 220-240VAC DIM CRI90	457.90	495.00
W371184CH3	FINLIN ROUND WALL SURF 1.0 LED 2700K CH	13W 220-240VAC DIM CRI90	457.90	495.00
W371184CH5	FINLIN ROUND WALL SURF 1.0 LED 3000K CH	13W 220-240VAC DIM CRI90	457.90	495.00
W376264B3	CENO WALL SURF 2.0 LED 2700K B	8W 220-240VAC DIM CRI90	252.55	273.00
W376264B5	CENO WALL SURF 2.0 LED 3000K B	8W 220-240VAC DIM CRI90	252.55	273.00
W376264CH3	CENO WALL SURF 2.0 LED 2700K CH	8W 220-240VAC DIM CRI90	252.55	273.00
W376264CH5	CENO WALL SURF 2.0 LED 3000K CH	8W 220-240VAC DIM CRI90	252.55	273.00
W376264Q3	CENO WALL SURF 2.0 LED 2700K Q	8W 220-240VAC DIM CRI90	252.55	273.00
W376264Q5	CENO WALL SURF 2.0 LED 3000K Q	8W 220-240VAC DIM CRI90	252.55	273.00
W376264W3	CENO WALL SURF 2.0 LED 2700K W	8W 220-240VAC DIM CRI90	252.55	273.00
W376264W5	CENO WALL SURF 2.0 LED 3000K W	8W 220-240VAC DIM CRI90	252.55	273.00
W377264B3	MATCH WALL SURF 2.0 LED 2700K B	12W 220-240VAC DIM CRI90	261.25	282.40
W377264B5	MATCH WALL SURF 2.0 LED 3000K B	12W 220-240VAC DIM CRI90	261.25	282.40
W377264BL3	MATCH WALL SURF 2.0 LED 2700K BL	12W 220-240VAC DIM CRI90	269.80	291.65
W377264BL5	MATCH WALL SURF 2.0 LED 3000K BL	12W 220-240VAC DIM CRI90	269.80	291.65
W377264W3	MATCH WALL SURF 2.0 LED 2700K W	12W 220-240VAC DIM CRI90	261.25	282.40
W377264W5	MATCH WALL SURF 2.0 LED 3000K W	12W 220-240VAC DIM CRI90	261.25	282.40
W377464B3	MATCH WALL SURF 4.0 LED 2700K B	23W 220-240VAC DIM CRI90	396.10	428.20
W377464B5	MATCH WALL SURF 4.0 LED 3000K B	23W 220-240VAC DIM CRI90	396.10	428.20
W377464W3	MATCH WALL SURF 4.0 LED 2700K W	23W 220-240VAC DIM CRI90	396.10	428.20
W377464W5	MATCH WALL SURF 4.0 LED 3000K W	23W 220-240VAC DIM CRI90	396.10	428.20
W387120BB0	ODREY WALL SURF 1.3 PAR16 B-B	max. 12W GU10 100-240VAC	181.65	196.35
W387120BG0	ODREY WALL SURF 1.3 PAR16 B-G	max. 12W GU10 100-240VAC	181.65	196.35
W387120GB0	ODREY WALL SURF 1.3 PAR16 G-B	max. 12W GU10 100-240VAC	181.65	196.35
W387120GG0	ODREY WALL SURF 1.3 PAR16 G-G	max. 12W GU10 100-240VAC	181.65	196.35
W387120GW0	ODREY WALL SURF 1.3 PAR16 G-W	max. 12W GU10 100-240VAC	181.65	196.35
W387120WW0	ODREY WALL SURF 1.3 PAR16 W-W	max. 12W GU10 100-240VAC	181.65	196.35
W387220BB0	ODREY WALL SURF 1.4 PAR16 B-B	max. 12W GU10 100-240VAC	196.65	212.60
W387220BG0	ODREY WALL SURF 1.4 PAR16 B-G	max. 12W GU10 100-240VAC	196.65	212.60
W387220GB0	ODREY WALL SURF 1.4 PAR16 G-B	max. 12W GU10 100-240VAC	196.65	212.60
W387220GG0	ODREY WALL SURF 1.4 PAR16 G-G	max. 12W GU10 100-240VAC	196.65	212.60
W387220GW0	ODREY WALL SURF 1.4 PAR16 G-W	max. 12W GU10 100-240VAC	196.65	212.60
W387220WW0	ODREY WALL SURF 1.4 PAR16 W-W	max. 12W GU10 100-240VAC	196.65	212.60
W387320BB0	ODREY WALL SURF 1.5 PAR16 B-B	max. 12W GU10 100-240VAC	215.30	232.75
W387320BG0	ODREY WALL SURF 1.5 PAR16 B-G	max. 12W GU10 100-240VAC	215.30	232.75
W387320GB0	ODREY WALL SURF 1.5 PAR16 G-B	max. 12W GU10 100-240VAC	215.30	232.75
W387320GG0	ODREY WALL SURF 1.5 PAR16 G-G	max. 12W GU10 100-240VAC	215.30	232.75
W387320GW0	ODREY WALL SURF 1.5 PAR16 G-W	max. 12W GU10 100-240VAC	215.30	232.75
W387320WW0	ODREY WALL SURF 1.5 PAR16 W-W	max. 12W GU10 100-240VAC	215.30	232.75
W387420BB0	ODREY WALL SURF 2.3 PAR16 B-B	max. 2x12W GU10 100-240VAC	245.40	265.30
W387420BG0	ODREY WALL SURF 2.3 PAR16 B-G	max. 2x12W GU10 100-240VAC	245.40	265.30
W387420GB0	ODREY WALL SURF 2.3 PAR16 G-B	max. 2x12W GU10 100-240VAC	245.40	265.30
W387420GG0	ODREY WALL SURF 2.3 PAR16 G-G	max. 2x12W GU10 100-240VAC	245.40	265.30
W387420GW0	ODREY WALL SURF 2.3 PAR16 G-W	max. 2x12W GU10 100-240VAC	245.40	265.30
W387420WW0	ODREY WALL SURF 2.3 PAR16 W-W	max. 2x12W GU10 100-240VAC	245.40	265.30
W387520BB0	ODREY WALL SURF 2.4 PAR16 B-B	max. 2x12W GU10 100-240VAC	275.45	297.75
W387520BG0	ODREY WALL SURF 2.4 PAR16 B-G	max. 2x12W GU10 100-240VAC	275.45	297.75
W387520GB0	ODREY WALL SURF 2.4 PAR16 G-B	max. 2x12W GU10 100-240VAC	275.45	297.75
W387520GG0	ODREY WALL SURF 2.4 PAR16 G-G	max. 2x12W GU10 100-240VAC	275.45	297.75
W387520GW0	ODREY WALL SURF 2.4 PAR16 G-W	max. 2x12W GU10 100-240VAC	275.45	297.75
W387520WW0	ODREY WALL SURF 2.4 PAR16 W-W	max. 2x12W GU10 100-240VAC	275.45	297.75
W387620BB0	ODREY WALL SURF 2.5 PAR16 B-B	max. 2x12W GU10 100-240VAC	312.75	338.10
W387620BG0	ODREY WALL SURF 2.5 PAR16 B-G	max. 2x12W GU10 100-240VAC	312.75	338.10
W387620GB0	ODREY WALL SURF 2.5 PAR16 G-B	max. 2x12W GU10 100-240VAC	312.75	338.10
W387620GG0	ODREY WALL SURF 2.5 PAR16 G-G	max. 2x12W GU10 100-240VAC	312.75	338.10
W387620GW0	ODREY WALL SURF 2.5 PAR16 G-W	max. 2x12W GU10 100-240VAC	312.75	338.10
W387620WW0	ODREY WALL SURF 2.5 PAR16 W-W	max. 2x12W GU10 100-240VAC	312.75	338.10
W392484W5	PERLEZ CLIP IP44 WALL SURF 1.0 LED 3000K W	8W 220-240VAC DIM CRI95	265.55	287.05
W392484W7	PERLEZ CLIP IP44 WALL SURF 1.0 LED 4000K W	8W 220-240VAC DIM CRI95	265.55	287.05
W392584W5	PERLEZ CLIP IP44 WALL SURF 2.0 LED 3000K W	8W 220-240VAC DIM CRI95	279.90	302.55
W392584W7	PERLEZ CLIP IP44 WALL SURF 2.0 LED 4000K W	8W 220-240VAC DIM CRI95	279.90	302.55
W392684W5	PERLEZ CLIP IP44 WALL SURF 3.0 LED 3000K W	8W 220-240VAC DIM CRI95	301.40	325.80
W392684W7	PERLEZ CLIP IP44 WALL SURF 3.0 LED 4000K W	8W 220-240VAC DIM CRI95	301.40	325.80
W4161A4A2	PALOS OUTDOOR WALL SURF 1.0 LED 2700K A	11W 220-240VAC DIM CRI80	366.00	395.65
W4161A4A4	PALOS OUTDOOR WALL SURF 1.0 LED 3000K A	11W 220-240VAC DIM CRI80	366.00	395.65
W4161A4B2	PALOS OUTDOOR WALL SURF 1.0 LED 2700K B	11W 220-240VAC DIM CRI80	366.00	395.65
W4161A4B4	PALOS OUTDOOR WALL SURF 1.0 LED 3000K B	11W 220-240VAC DIM CRI80	366.00	395.65
W4161A4Q2	PALOS OUTDOOR WALL SURF 1.0 LED 2700K Q	11W 220-240VAC DIM CRI80	366.00	395.65
W4161A4Q4	PALOS OUTDOOR WALL SURF 1.0 LED 3000K Q	11W 220-240VAC DIM CRI80	366.00	395.65
W4162A4A2	PALOS OUTDOOR WALL SURF 2.0 LED 2700K A	21W 220-240VAC DIM CRI80	456.40	493.35
W4162A4A4	PALOS OUTDOOR WALL SURF 2.0 LED 3000K A	21W 220-240VAC DIM CRI80	456.40	493.35
W4162A4B2	PALOS OUTDOOR WALL SURF 2.0 LED 2700K B	21W 220-240VAC DIM CRI80	456.40	493.35
W4162A4B4	PALOS OUTDOOR WALL SURF 2.0 LED 3000K B	21W 220-240VAC DIM CRI80	456.40	493.35
W4162A4Q2	PALOS OUTDOOR WALL SURF 2.0 LED 2700K Q	21W 220-240VAC DIM CRI80	456.40	493.35
W4162A4Q4	PALOS OUTDOOR WALL SURF 2.0 LED 3000K Q	21W 220-240VAC DIM CRI80	456.40	493.35
W4163A4A2	PALOS OUTDOOR WALL SURF 3.0 LED 2700K A	11W 220-240VAC DIM CRI80	308.60	333.60
W4163A4A4	PALOS OUTDOOR WALL SURF 3.0 LED 3000K A	11W 220-240VAC DIM CRI80	308.60	333.60

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W4163A4B2	PALOS OUTDOOR WALL SURF 3.0 LED 2700K B	11W 220-240VAC DIM CRI80	308.60	333.60
W4163A4B4	PALOS OUTDOOR WALL SURF 3.0 LED 3000K B	11W 220-240VAC DIM CRI80	308.60	333.60
W4163A4Q2	PALOS OUTDOOR WALL SURF 3.0 LED 2700K Q	11W 220-240VAC DIM CRI80	308.60	333.60
W4163A4Q4	PALOS OUTDOOR WALL SURF 3.0 LED 3000K Q	11W 220-240VAC DIM CRI80	308.60	333.60
W4164A4A2	PALOS CARRÉ OUTDOOR FLOOR SURF 1.0 LED 2700K A	11W 220-240VAC DIM CRI80	302.80	327.35
W4164A4A4	PALOS CARRÉ OUTDOOR FLOOR SURF 1.0 LED 3000K A	11W 220-240VAC DIM CRI80	302.80	327.35
W4164A4B2	PALOS CARRÉ OUTDOOR FLOOR SURF 1.0 LED 2700K B	11W 220-240VAC DIM CRI80	302.80	327.35
W4164A4B4	PALOS CARRÉ OUTDOOR FLOOR SURF 1.0 LED 3000K B	11W 220-240VAC DIM CRI80	302.80	327.35
W4164A4Q2	PALOS CARRÉ OUTDOOR FLOOR SURF 1.0 LED 2700K Q	11W 220-240VAC DIM CRI80	302.80	327.35
W4164A4Q4	PALOS CARRÉ OUTDOOR FLOOR SURF 1.0 LED 3000K Q	11W 220-240VAC DIM CRI80	302.80	327.35
W4165A4A2	PALOS CARRÉ OUTDOOR FLOOR SURF 2.0 LED 2700K A	21W 220-240VAC DIM CRI80	410.45	443.70
W4165A4A4	PALOS CARRÉ OUTDOOR FLOOR SURF 2.0 LED 3000K A	21W 220-240VAC DIM CRI80	410.45	443.70
W4165A4B2	PALOS CARRÉ OUTDOOR FLOOR SURF 2.0 LED 2700K B	21W 220-240VAC DIM CRI80	410.45	443.70
W4165A4B4	PALOS CARRÉ OUTDOOR FLOOR SURF 2.0 LED 3000K B	21W 220-240VAC DIM CRI80	410.45	443.70
W4165A4Q2	PALOS CARRÉ OUTDOOR FLOOR SURF 2.0 LED 2700K Q	21W 220-240VAC DIM CRI80	410.45	443.70
W4165A4Q4	PALOS CARRÉ OUTDOOR FLOOR SURF 2.0 LED 3000K Q	21W 220-240VAC DIM CRI80	410.45	443.70
W4166A4A2	PALOS ROUND OUTDOOR FLOOR SURF 1.0 LED 2700K A	11W 220-240VAC DIM CRI80	302.80	327.35
W4166A4A4	PALOS ROUND OUTDOOR FLOOR SURF 1.0 LED 3000K A	11W 220-240VAC DIM CRI80	302.80	327.35
W4166A4B2	PALOS ROUND OUTDOOR FLOOR SURF 1.0 LED 2700K B	11W 220-240VAC DIM CRI80	302.80	327.35
W4166A4B4	PALOS ROUND OUTDOOR FLOOR SURF 1.0 LED 3000K B	11W 220-240VAC DIM CRI80	302.80	327.35
W4166A4Q2	PALOS ROUND OUTDOOR FLOOR SURF 1.0 LED 2700K Q	11W 220-240VAC DIM CRI80	302.80	327.35
W4166A4Q4	PALOS ROUND OUTDOOR FLOOR SURF 1.0 LED 3000K Q	11W 220-240VAC DIM CRI80	302.80	327.35
W4167A4A2	PALOS ROUND OUTDOOR FLOOR SURF 2.0 LED 2700K A	21W 220-240VAC DIM CRI80	410.45	443.70
W4167A4A4	PALOS ROUND OUTDOOR FLOOR SURF 2.0 LED 3000K A	21W 220-240VAC DIM CRI80	410.45	443.70
W4167A4B2	PALOS ROUND OUTDOOR FLOOR SURF 2.0 LED 2700K B	21W 220-240VAC DIM CRI80	410.45	443.70
W4167A4B4	PALOS ROUND OUTDOOR FLOOR SURF 2.0 LED 3000K B	21W 220-240VAC DIM CRI80	410.45	443.70
W4167A4Q2	PALOS ROUND OUTDOOR FLOOR SURF 2.0 LED 2700K Q	21W 220-240VAC DIM CRI80	410.45	443.70
W4167A4Q4	PALOS ROUND OUTDOOR FLOOR SURF 2.0 LED 3000K Q	21W 220-240VAC DIM CRI80	410.45	443.70
W470184B3	FINLIN FLOOR SURF 1.0 LED 2700K B	13W 220-240VAC DIM CRI90	396.10	428.20
W470184W3	FINLIN FLOOR SURF 1.0 LED 2700K W	13W 220-240VAC DIM CRI90	396.10	428.20
W477154B3	MATCH FLOOR SURF 1.0 LED 2700K B	18W 220-240VAC DIM CRI90	380.35	411.15
W477154W3	MATCH FLOOR SURF 1.0 LED 2700K W	18W 220-240VAC DIM CRI90	380.35	411.15
W500384B5	ELLO SYSTEM CEILING SURF / SUSP 1.0 LED 3000K B	20W 220-240VAC DIM CRI90	498.05	538.40
W500384W5	ELLO SYSTEM CEILING SURF / SUSP 1.0 LED 3000K W	20W 220-240VAC DIM CRI90	498.05	538.40
W500385B5	ELLO SYSTEM CEILING SURF / SUSP 1.0 LED 3000K B	22W 220-240VAC DALI-2 CRI90	566.95	612.85
W500385W5	ELLO SYSTEM CEILING SURF / SUSP 1.0 LED 3000K W	22W 220-240VAC DALI-2 CRI90	566.95	612.85
W500484B5	ELLO CEILING SUSP 13.0 LED 3000K B	20W 220-240VAC DIM CRI90	653.05	705.95
W500484W5	ELLO CEILING SUSP 13.0 LED 3000K W	20W 220-240VAC DIM CRI90	653.05	705.95
W6301E0GB0	MIRRO TABLE 1.0 E27 GB	max. 15W A60 220-240VAC DIM	406.15	439.05
W6301E0LB0	MIRRO TABLE 1.0 E27 LB	max. 15W A60 220-240VAC DIM	406.15	439.05
W6301E0NB0	MIRRO TABLE 1.0 E27 NB	max. 15W A60 220-240VAC DIM	406.15	439.05
W6311E0GB0	MIRRO FLOOR 2.0 E27 GB	max. 15W G95 220-240VAC DIM	588.45	636.10
W6311E0LB0	MIRRO FLOOR 2.0 E27 LB	max. 15W G95 220-240VAC DIM	588.45	636.10
W6311E0NB0	MIRRO FLOOR 2.0 E27 NB	max. 15W G95 220-240VAC DIM	588.45	636.10
W6312E0GB0	MIRRO FLOOR 3.0 E27 GB	max. 15W G95 220-240VAC DIM	809.55	875.10
W6312E0LB0	MIRRO FLOOR 3.0 E27 LB	max. 15W G95 220-240VAC DIM	809.55	875.10
W6312E0NB0	MIRRO FLOOR 3.0 E27 NB	max. 15W G95 220-240VAC DIM	809.55	875.10
W6321E0GB0	MIRRO CEILING / WALL SURF 1.0 E27 GB	max. 15W A60 220-240VAC	285.70	308.85
W6321E0LB0	MIRRO CEILING / WALL SURF 1.0 E27 LB	max. 15W A60 220-240VAC	285.70	308.85
W6321E0NB0	MIRRO CEILING / WALL SURF 1.0 E27 NB	max. 15W A60 220-240VAC	285.70	308.85
W6322E0AF0	MIRRO SOFT CEILING / WALL SURF 2.0 E27 AF	max. 15W G95 220-240VAC	351.65	380.15
W6322E0GB0	MIRRO CEILING / WALL SURF 2.0 E27 GB	max. 15W G95 220-240VAC	351.65	380.15
W6322E0IF0	MIRRO SOFT CEILING / WALL SURF 2.0 E27 IF	max. 15W G95 220-240VAC	351.65	380.15
W6322E0LB0	MIRRO CEILING / WALL SURF 2.0 E27 LB	max. 15W G95 220-240VAC	351.65	380.15
W6322E0LF0	MIRRO SOFT CEILING / WALL SURF 2.0 E27 LF	max. 15W G95 220-240VAC	351.65	380.15
W6322E0MF0	MIRRO SOFT CEILING / WALL SURF 2.0 E27 MF	max. 15W G95 220-240VAC	351.65	380.15
W6322E0NB0	MIRRO CEILING / WALL SURF 2.0 E27 NB	max. 15W G95 220-240VAC	351.65	380.15
W6323E0AF0	MIRRO SOFT CEILING / WALL SURF 3.0 E27 AF	max. 15W G95 220-240VAC	572.70	619.10
W6323E0GB0	MIRRO CEILING / WALL SURF 3.0 E27 GB	max. 15W G95 220-240VAC	572.70	619.10
W6323E0IF0	MIRRO SOFT CEILING / WALL SURF 3.0 E27 IF	max. 15W G95 220-240VAC	572.70	619.10
W6323E0LB0	MIRRO CEILING / WALL SURF 3.0 E27 LB	max. 15W G95 220-240VAC	572.70	619.10
W6323E0LF0	MIRRO SOFT CEILING / WALL SURF 3.0 E27 LF	max. 15W G95 220-240VAC	572.70	619.10
W6323E0MF0	MIRRO SOFT CEILING / WALL SURF 3.0 E27 MF	max. 15W G95 220-240VAC	572.70	619.10
W6323E0NB0	MIRRO CEILING / WALL SURF 3.0 E27 NB	max. 15W G95 220-240VAC	572.70	619.10
W6341E0GB0	MIRRO CEILING SUSP 1.0 E27 GB 2.5m	max. 15W A60 220-240VAC	337.30	364.60
W6341E0LB0	MIRRO CEILING SUSP 1.0 E27 LB 2.5m	max. 15W A60 220-240VAC	337.30	364.60
W6341E0NB0	MIRRO CEILING SUSP 1.0 E27 NB 2.5m	max. 15W A60 220-240VAC	337.30	364.60
W6342E0AF0	MIRRO SOFT CEILING SUSP 2.0 E27 AF 2.5m	max. 15W G95 220-240VAC	403.25	435.90
W6342E0GB0	MIRRO CEILING SUSP 2.0 E27 GB 2.5m	max. 15W G95 220-240VAC	403.25	435.90
W6342E0IF0	MIRRO SOFT CEILING SUSP 2.0 E27 IF 2.5m	max. 15W G95 220-240VAC	403.25	435.90
W6342E0LB0	MIRRO CEILING SUSP 2.0 E27 LB 2.5m	max. 15W G95 220-240VAC	403.25	435.90
W6342E0LF0	MIRRO SOFT CEILING SUSP 2.0 E27 LF 2.5m	max. 15W G95 220-240VAC	403.25	435.90
W6342E0MF0	MIRRO SOFT CEILING SUSP 2.0 E27 MF 2.5m	max. 15W G95 220-240VAC	403.25	435.90
W6342E0NB0	MIRRO CEILING SUSP 2.0 E27 NB 2.5m	max. 15W G95 220-240VAC	403.25	435.90
W6343E0AF0	MIRRO SOFT CEILING SUSP 3.0 E27 AF 2.5m	max. 15W G95 220-240VAC	624.35	674.90
W6343E0GB0	MIRRO CEILING SUSP 3.0 E27 GB 2.5m	max. 15W G95 220-240VAC	624.35	674.90
W6343E0IF0	MIRRO SOFT CEILING SUSP 3.0 E27 IF 2.5m	max. 15W G95 220-240VAC	624.35	674.90
W6343E0LB0	MIRRO CEILING SUSP 3.0 E27 LB 2.5m	max. 15W G95 220-240VAC	624.35	674.90
W6343E0LF0	MIRRO SOFT CEILING SUSP 3.0 E27 LF 2.5m	max. 15W G95 220-240VAC	624.35	674.90
W6343E0MF0	MIRRO SOFT CEILING SUSP 3.0 E27 MF 2.5m	max. 15W G95 220-240VAC	624.35	674.90
W6343E0NB0	MIRRO CEILING SUSP 3.0 E27 NB 2.5m	max. 15W G95 220-240VAC	624.35	674.90
W6344E0GB0	MIRRO CEILING SUSP 1.0 E27 GB 6.0m	max. 15W A60 220-240VAC	396.20	428.30
W6344E0LB0	MIRRO CEILING SUSP 1.0 E27 LB 6.0m	max. 15W A60 220-240VAC	396.20	428.30
W6344E0NB0	MIRRO CEILING SUSP 1.0 E27 NB 6.0m	max. 15W A60 220-240VAC	396.20	428.30
W6345E0AF0	MIRRO SOFT CEILING SUSP 2.0 E27 AF 6.0m	max. 15W G95 220-240VAC	462.20	499.65
W6345E0GB0	MIRRO CEILING SUSP 2.0 E27 GB 6.0m	max. 15W G95 220-240VAC	462.20	499.65
W6345E0IF0	MIRRO SOFT CEILING SUSP 2.0 E27 IF 6.0m	max. 15W G95 220-240VAC	462.20	499.65
W6345E0LB0	MIRRO CEILING SUSP 2.0 E27 LB 6.0m	max. 15W G95 220-240VAC	462.20	499.65
W6345E0LF0	MIRRO SOFT CEILING SUSP 2.0 E27 LF 6.0m	max. 15W G95 220-240VAC	462.20	499.65
W6345E0MF0	MIRRO SOFT CEILING SUSP 2.0 E27 MF 6.0m	max. 15W G95 220-240VAC	462.20	499.65
W6345E0NB0	MIRRO CEILING SUSP 2.0 E27 NB 6.0m	max. 15W G95 220-240VAC	462.20	499.65
W6346E0AF0	MIRRO SOFT CEILING SUSP 3.0 E27 AF 6.0m	max. 15W G95 220-240VAC	683.25	738.60
W6346E0GB0	MIRRO CEILING SUSP 3.0 E27 GB 6.0m	max. 15W G95 220-240VAC	683.25	738.60
W6346E0IF0	MIRRO SOFT CEILING SUSP 3.0 E27 IF 6.0m	max. 15W G95 220-240VAC	683.25	738.60

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W6346E0LB0	MIRRO CEILING SUSP 3.0 E27 LB 6.0m	max. 15W G95 220-240VAC	683.25	738.60
W6346E0LF0	MIRRO SOFT CEILING SUSP 3.0 E27 LF 6.0m	max. 15W G95 220-240VAC	683.25	738.60
W6346E0MF0	MIRRO SOFT CEILING SUSP 3.0 E27 MF 6.0m	max. 15W G95 220-240VAC	683.25	738.60
W6346E0NB0	MIRRO CEILING SUSP 3.0 E27 NB 6.0m	max. 15W G95 220-240VAC	683.25	738.60
W637120BB1	ROOMOR TABLE 1.1 PAR16 B-B	max. 15W GU10 100-240VAC	353.15	381.75
W637120BK1	ROOMOR TABLE 1.1 PAR16 B-K	max. 15W GU10 100-240VAC	361.70	391.00
W637120GG1	ROOMOR TABLE 1.1 PAR16 G-G	max. 15W GU10 100-240VAC	361.70	391.00
W637120RR1	ROOMOR TABLE 1.1 PAR16 R-R	max. 15W GU10 100-240VAC	361.70	391.00
W638120BB2	ROOMOR FLOOR SURF 1.2 PAR16 B-B	max. 15W GU10 100-240VAC	653.05	705.95
W638120BB3	ROOMOR FLOOR SURF 1.3 PAR16 B-B	max. 15W GU10 100-240VAC	766.35	828.40
W638120BF2	ROOMOR FLOOR SURF 1.2 PAR16 B-F	max. 15W GU10 100-240VAC	690.30	746.20
W638120BF3	ROOMOR FLOOR SURF 1.3 PAR16 B-F	max. 15W GU10 100-240VAC	799.30	864.05
W638120BK2	ROOMOR FLOOR SURF 1.2 PAR16 B-K	max. 15W GU10 100-240VAC	664.50	718.30
W638120BK3	ROOMOR FLOOR SURF 1.3 PAR16 B-K	max. 15W GU10 100-240VAC	783.60	847.05
W6421G0WB0	DRO TABLE / FLOOR SURF 1.0 QT14 B-W	max. 5W G9 220-240VAC	225.40	243.65
W6422C0WB0	DRO TABLE / FLOOR SURF 2.0 E14 B-W	max. 6W C35 220-240VAC DIM	366.00	395.65
W6423E0WB0	DRO TABLE / FLOOR SURF 3.0 E27 B-W	max. 12W A60 220-240VAC DIM	492.25	532.10
W6432C0WB0	DRO TABLE 2.0 E14 B-W	max. 6W C35 220-240VAC DIM	492.25	532.10
W6433E0WB0	DRO TABLE 3.0 E27 B-W	max. 12W A60 220-240VAC DIM	647.25	699.70
W6442E0WB0	DRO FLOOR SURF 3.0 E27 B-W	max. 12W A60 220-240VAC DIM	818.10	884.35
W655186B1	REVER DINING TABLE 1.0 LED 2700K B	1.5W TOUCH DIM CRI80	309.95	335.05
W655186B2	REVER DINING TABLE 1.0 LED 2700K B	1.5W TOUCH DIM CRI80	309.95	335.05
W655186Q1	REVER DINING TABLE 1.0 LED 2200K Q	1.5W TOUCH DIM CRI80	328.75	355.40
W655186Q2	REVER DINING TABLE 1.0 LED 2700K Q	1.5W TOUCH DIM CRI80	328.75	355.40
W655186W2	REVER DINING TABLE 1.0 LED 2700K W	1.5W TOUCH DIM CRI80	309.95	335.05
W700374A4	X-BEAM OUTDOOR WALL SURF / FLOOR PROJ 1.0 LED 3000K A	25W 220-240VAC DIM CRI80	472.25	510.50
W700374B4	X-BEAM OUTDOOR WALL SURF / FLOOR PROJ 1.0 LED 3000K B	25W 220-240VAC DIM CRI80	472.25	510.50
W700374D4	X-BEAM OUTDOOR WALL SURF / FLOOR PROJ 1.0 LED 3000K D	25W 220-240VAC DIM CRI80	472.25	510.50
W700474A4	X-BEAM ROUND OUTDOOR WALL / FLOOR SURF PROJ 1.0 LED 3000K A	25W 220-240VAC DIM CRI80	472.25	510.50
W700474B4	X-BEAM ROUND OUTDOOR WALL / FLOOR SURF PROJ 1.0 LED 3000K B	25W 220-240VAC DIM CRI80	472.25	510.50
W700474Q4	X-BEAM ROUND OUTDOOR WALL / FLOOR SURF PROJ 1.0 LED 3000K Q	25W 220-240VAC DIM CRI80	472.25	510.50
W701188W3	ROB IP44 CEILING SURF 1.6 LED 2700K W	12W 220-240VAC DIM CRI90	236.85	256.05
W701188W5	ROB IP44 CEILING SURF 1.6 LED 3000K W	12W 220-240VAC DIM CRI90	236.85	256.05
W701288W3	ROB IP44 CEILING SURF 2.6 LED 2700K W	18W 220-240VAC DIM CRI90	351.65	380.15
W701288W5	ROB IP44 CEILING SURF 2.6 LED 3000K W	18W 220-240VAC DIM CRI90	351.65	380.15
W701388W3	ROB IP44 CEILING SURF 3.5 LED 2700K W	32W 220-240VAC DIM CRI90	480.80	519.75
W701388W5	ROB IP44 CEILING SURF 3.5 LED 3000K W	32W 220-240VAC DIM CRI90	480.80	519.75
W707174A3	KIOSK OUTDOOR WALL SURF 1.0 LED 2700K A	12W 220-240VAC DIM CRI90	308.60	333.60
W707174A5	KIOSK OUTDOOR WALL SURF 1.0 LED 3000K A	12W 220-240VAC DIM CRI90	308.60	333.60
W707174B3	KIOSK OUTDOOR WALL SURF 1.0 LED 2700K B	12W 220-240VAC DIM CRI90	308.60	333.60
W707174B5	KIOSK OUTDOOR WALL SURF 1.0 LED 3000K B	12W 220-240VAC DIM CRI90	308.60	333.60
W707174Q3	KIOSK OUTDOOR WALL SURF 1.0 LED 2700K Q	12W 220-240VAC DIM CRI90	308.60	333.60
W707174Q5	KIOSK OUTDOOR WALL SURF 1.0 LED 3000K Q	12W 220-240VAC DIM CRI90	308.60	333.60
W707174W3	KIOSK OUTDOOR WALL SURF 1.0 LED 2700K W	12W 220-240VAC DIM CRI90	308.60	333.60
W707174W5	KIOSK OUTDOOR WALL SURF 1.0 LED 3000K W	12W 220-240VAC DIM CRI90	308.60	333.60
W7072A4A5	KIOSK OUTDOOR FLOOR SURF 1.1 LED 3000K A	6W 220-240VAC DIM CRI90	242.65	262.30
W7072A4Q5	KIOSK OUTDOOR FLOOR SURF 1.1 LED 3000K Q	6W 220-240VAC DIM CRI90	242.65	262.30
W7073A4A5	KIOSK OUTDOOR FLOOR SURF 1.2 LED 3000K A	12W 220-240VAC DIM CRI90	271.35	293.35
W7073A4Q5	KIOSK OUTDOOR FLOOR SURF 1.2 LED 3000K Q	12W 220-240VAC DIM CRI90	271.35	293.35
W7074A4A5	KIOSK OUTDOOR FLOOR SURF 1.3 LED 3000K A	18W 220-240VAC DIM CRI90	328.75	355.40
W7074A4Q5	KIOSK OUTDOOR FLOOR SURF 1.3 LED 3000K Q	18W 220-240VAC DIM CRI90	328.75	355.40
W7091A1B5	ORIS OUTDOOR WALL REC 0.7 LED 3000K B	2/5W 350/700mA 6V CRI90	146.45	158.30
W7091A1D5	ORIS OUTDOOR WALL REC 0.7 LED 3000K D	2/5W 350/700mA 6V CRI90	146.45	158.30
W7091A1W5	ORIS OUTDOOR WALL REC 0.7 LED 3000K W	2/5W 350/700mA 6V CRI90	146.45	158.30
W7094A1A5	ORIS OUTDOOR WALL REC 0.8 LED 3000K A	2/5W 350/700mA 6V CRI90	135.00	145.95
W7094A1B5	ORIS OUTDOOR WALL REC 0.8 LED 3000K B	2/5W 350/700mA 6V CRI90	135.00	145.95
W7094A1Q5	ORIS OUTDOOR WALL REC 0.8 LED 3000K Q	2/5W 350/700mA 6V CRI90	135.00	145.95
W7094A1W5	ORIS OUTDOOR WALL REC 0.8 LED 3000K W	2/5W 350/700mA 6V CRI90	135.00	145.95
W7096A1A5	ORIS OUTDOOR WALL REC 1.3 LED 3000K A	3/7W 350/700mA 9V CRI90	165.05	178.40
W7096A1B5	ORIS OUTDOOR WALL REC 1.3 LED 3000K B	3/7W 350/700mA 9V CRI90	165.05	178.40
W7096A1D5	ORIS OUTDOOR WALL REC 1.3 LED 3000K D	3/7W 350/700mA 9V CRI90	165.05	178.40
W7096A1Q5	ORIS OUTDOOR WALL REC 1.3 LED 3000K Q	3/7W 350/700mA 9V CRI90	165.05	178.40
W7096A1W5	ORIS OUTDOOR WALL REC 1.3 LED 3000K W	3/7W 350/700mA 9V CRI90	165.05	178.40
W7097A1B5	ORIS OUTDOOR WALL REC 2.0 LED 3000K B	3/7W 350/700mA 9V CRI90	180.80	195.45
W7097A1D5	ORIS OUTDOOR WALL REC 2.0 LED 3000K D	3/7W 350/700mA 9V CRI90	180.80	195.45
W7097A1W5	ORIS OUTDOOR WALL REC 2.0 LED 3000K W	3/7W 350/700mA 9V CRI90	180.80	195.45
W711120A0	TUBE OUTDOOR WALL SURF 1.0 PAR16 A	max. 5W GU10 100-240VAC	127.80	138.15
W711120B0	TUBE OUTDOOR WALL SURF 1.0 PAR16 B	max. 5W GU10 100-240VAC	127.80	138.15
W711120D0	TUBE OUTDOOR WALL SURF 1.0 PAR16 D	max. 5W GU10 100-240VAC	127.80	138.15
W711120Q0	TUBE OUTDOOR WALL SURF 1.0 PAR16 Q	max. 5W GU10 100-240VAC	127.80	138.15
W711120W0	TUBE OUTDOOR WALL SURF 1.0 PAR16 W	max. 5W GU10 100-240VAC	127.80	138.15
W711220A0	TUBE OUTDOOR WALL SURF 2.0 PAR16 A	max. 2x5W GU10 100-240VAC	176.55	190.85
W711220B0	TUBE OUTDOOR WALL SURF 2.0 PAR16 B	max. 2x5W GU10 100-240VAC	176.55	190.85
W711220D0	TUBE OUTDOOR WALL SURF 2.0 PAR16 D	max. 2x5W GU10 100-240VAC	176.55	190.85
W711220Q0	TUBE OUTDOOR WALL SURF 2.0 PAR16 Q	max. 2x5W GU10 100-240VAC	176.55	190.85
W711220W0	TUBE OUTDOOR WALL SURF 2.0 PAR16 W	max. 2x5W GU10 100-240VAC	176.55	190.85
W711364A5	TUBE OUTDOOR WALL SURF 1.0 LED 3000K A	10W 220-240VAC DIM CRI90	257.00	277.80
W711364B5	TUBE OUTDOOR WALL SURF 1.0 LED 3000K B	10W 220-240VAC DIM CRI90	257.00	277.80
W711364D5	TUBE OUTDOOR WALL SURF 1.0 LED 3000K D	10W 220-240VAC DIM CRI90	257.00	277.80
W711364W5	TUBE OUTDOOR WALL SURF 1.0 LED 3000K W	10W 220-240VAC DIM CRI90	257.00	277.80
W711464A5	TUBE OUTDOOR WALL SURF 2.0 LED 3000K A	20W 220-240VAC DIM CRI90	400.50	432.95
W711464B5	TUBE OUTDOOR WALL SURF 2.0 LED 3000K B	20W 220-240VAC DIM CRI90	400.50	432.95
W711464D5	TUBE OUTDOOR WALL SURF 2.0 LED 3000K D	20W 220-240VAC DIM CRI90	400.50	432.95
W711464W5	TUBE OUTDOOR WALL SURF 2.0 LED 3000K W	20W 220-240VAC DIM CRI90	400.50	432.95
W718143B4	TRAIN OUTDOOR WALL SURF 1.0 NARROW LED 3000K B	6W 220-240VAC DIM CRI80	249.80	270.05
W718668A5	TRAIN OUTDOOR CEILING SURF 1.0 LED 3000K A	6W 220-240VAC DIM CRI90	195.15	210.95
W718668B5	TRAIN OUTDOOR CEILING SURF 1.0 LED 3000K B	6W 220-240VAC DIM CRI90	195.15	210.95
W718668Q5	TRAIN OUTDOOR CEILING SURF 1.0 LED 3000K Q	6W 220-240VAC DIM CRI90	195.15	210.95
W718668W5	TRAIN OUTDOOR CEILING SURF 1.0 LED 3000K W	6W 220-240VAC DIM CRI90	195.15	210.95
W718668A5	TRAIN OUTDOOR WALL SURF 1.0 LED 3000K A	6W 220-240VAC DIM CRI90	236.85	256.05
W718668B5	TRAIN OUTDOOR WALL SURF 1.0 LED 3000K B	6W 220-240VAC DIM CRI90	236.85	256.05
W718668W5	TRAIN OUTDOOR WALL SURF 1.0 LED 3000K W	6W 220-240VAC DIM CRI90	236.85	256.05
W718968A5	TRAIN OUTDOOR WALL SURF 2.0 LED 3000K A	8W 220-240VAC DIM CRI90	298.50	322.70
W718968B5	TRAIN OUTDOOR WALL SURF 2.0 LED 3000K B	8W 220-240VAC DIM CRI90	298.50	322.70

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W718968W5	TRAIN OUTDOOR WALL SURF 2.0 LED 3000K W	8W 220-240VAC DIM CRI90	298.50	322.70
W721161B5	BLINK OUTDOOR FLOOR REC 1.0 LED 3000K B	5W 500mA 9V CRI90	284.15	307.15
W721261B5	BLINK TRIMLESS OUTDOOR FLOOR REC 1.0 LED 3000K B	5W 500mA 9V CRI90	301.40	325.80
W722174A5	TAPE OUTDOOR WALL SURF 1.0 LED 3000K A	8W 220-240VAC DIM CRI90	413.35	446.85
W722174B5	TAPE OUTDOOR WALL SURF 1.0 LED 3000K B	8W 220-240VAC DIM CRI90	413.35	446.85
W722174D5	TAPE OUTDOOR WALL SURF 1.0 LED 3000K D	8W 220-240VAC DIM CRI90	413.35	446.85
W722174W5	TAPE OUTDOOR WALL SURF 1.0 LED 3000K W	8W 220-240VAC DIM CRI90	413.35	446.85
W722274D5	TAPE OUTDOOR FLOOR SURF 4.0 LED 3000K D	8W 220-240VAC DIM CRI90	480.80	519.75
W722374D5	TAPE OUTDOOR FLOOR SURF 6.0 LED 3000K D	8W 220-240VAC DIM CRI90	552.60	597.35
W722474D5	TAPE OUTDOOR FLOOR SURF 8.0 LED 3000K D	8W 220-240VAC DIM CRI90	667.40	721.45
W726378A5	LINUS OUTDOOR FLOOR SURF 3.0 LED 3000K A	7W 220-240VAC DIM CRI90	232.55	251.40
W726378D5	LINUS OUTDOOR FLOOR SURF 3.0 LED 3000K D	7W 220-240VAC DIM CRI90	232.55	251.40
W726378Q5	LINUS OUTDOOR FLOOR SURF 3.0 LED 3000K Q	7W 220-240VAC DIM CRI90	232.55	251.40
W727174A5	STAKE OUTDOOR FLOOR PROJ 1.0 LED 3000K A	8W 220-240VAC DIM CRI90	275.60	297.90
W727174B5	STAKE OUTDOOR FLOOR PROJ 1.0 LED 3000K B	8W 220-240VAC DIM CRI90	275.60	297.90
W727274A5	STAKE FOLD OUTDOOR FLOOR PROJ 1.0 LED 3000K A	8W 220-240VAC DIM CRI90	321.55	347.60
W727274B5	STAKE FOLD OUTDOOR FLOOR PROJ 1.0 LED 3000K B	8W 220-240VAC DIM CRI90	321.55	347.60
W733188A5	INTRA OUTDOOR CEILING REC 1.0 OPAL LED 3000K A	7W 220-240VAC DIM CRI90	185.20	200.20
W733188B5	INTRA OUTDOOR CEILING REC 1.0 OPAL LED 3000K B	7W 220-240VAC DIM CRI90	185.20	200.20
W733188W5	INTRA OUTDOOR CEILING REC 1.0 OPAL LED 3000K W	7W 220-240VAC DIM CRI90	185.20	200.20
W733268A5	INTRA OUTDOOR CEILING REC 2.0 SPOT LED 3000K A	7W 220-240VAC DIM CRI90	185.20	200.20
W733268B5	INTRA OUTDOOR CEILING REC 2.0 SPOT LED 3000K B	7W 220-240VAC DIM CRI90	185.20	200.20
W733268W5	INTRA OUTDOOR CEILING REC 2.0 SPOT LED 3000K W	7W 220-240VAC DIM CRI90	185.20	200.20
W734120A0	TUBE OUTDOOR CEILING SURF 1.0 PAR16 A	max. 5W GU10 100-240VAC	160.80	173.80
W734120B0	TUBE OUTDOOR CEILING SURF 1.0 PAR16 B	max. 5W GU10 100-240VAC	160.80	173.80
W734120D0	TUBE OUTDOOR CEILING SURF 1.0 PAR16 D	max. 5W GU10 100-240VAC	160.80	173.80
W734120Q0	TUBE OUTDOOR CEILING SURF 1.0 PAR16 Q	max. 5W GU10 100-240VAC	160.80	173.80
W734120W0	TUBE OUTDOOR CEILING SURF 1.0 PAR16 W	max. 5W GU10 100-240VAC	160.80	173.80
W734220A0	TUBE CARRÉ OUTDOOR CEILING SURF 1.0 PAR16 A	max. 5W GU10 100-240VAC	213.90	231.25
W734220B0	TUBE CARRÉ OUTDOOR CEILING SURF 1.0 PAR16 B	max. 5W GU10 100-240VAC	213.90	231.25
W734220D0	TUBE CARRÉ OUTDOOR CEILING SURF 1.0 PAR16 D	max. 5W GU10 100-240VAC	213.90	231.25
W734220Q0	TUBE CARRÉ OUTDOOR CEILING SURF 1.0 PAR16 Q	max. 5W GU10 100-240VAC	213.90	231.25
W734220W0	TUBE CARRÉ OUTDOOR CEILING SURF 1.0 PAR16 W	max. 5W GU10 100-240VAC	213.90	231.25
W734364A5	TUBE OUTDOOR CEILING SURF 1.0 LED 3000K A	10W 220-240VAC DIM CRI90	284.85	307.90
W734364B5	TUBE OUTDOOR CEILING SURF 1.0 LED 3000K B	10W 220-240VAC DIM CRI90	284.85	307.90
W734364D5	TUBE OUTDOOR CEILING SURF 1.0 LED 3000K D	10W 220-240VAC DIM CRI90	284.85	307.90
W734364W5	TUBE OUTDOOR CEILING SURF 1.0 LED 3000K W	10W 220-240VAC DIM CRI90	284.85	307.90
W734464A5	TUBE CARRÉ OUTDOOR CEILING SURF 1.0 LED 3000K A	10W 220-240VAC DIM CRI90	314.40	339.85
W734464B5	TUBE CARRÉ OUTDOOR CEILING SURF 1.0 LED 3000K B	10W 220-240VAC DIM CRI90	314.40	339.85
W734464D5	TUBE CARRÉ OUTDOOR CEILING SURF 1.0 LED 3000K D	10W 220-240VAC DIM CRI90	314.40	339.85
W734464W5	TUBE CARRÉ OUTDOOR CEILING SURF 1.0 LED 3000K W	10W 220-240VAC DIM CRI90	314.40	339.85
W735258A3	BOX OUTDOOR CEILING SURF 1.0 LED 2700K A	8W 220-240VAC DIM CRI90	243.30	263.00
W735258A5	BOX OUTDOOR CEILING SURF 1.0 LED 3000K A	8W 220-240VAC DIM CRI90	243.30	263.00
W735258A9	BOX OUTDOOR CEILING SURF 1.0 LED 2000-3000K A	8W 220-240VAC DIM CRI90	243.30	263.00
W735258B3	BOX OUTDOOR CEILING SURF 1.0 LED 2700K B	8W 220-240VAC DIM CRI90	243.30	263.00
W735258B5	BOX OUTDOOR CEILING SURF 1.0 LED 3000K B	8W 220-240VAC DIM CRI90	243.30	263.00
W735258B9	BOX OUTDOOR CEILING SURF 1.0 LED 2000-3000K B	8W 220-240VAC DIM CRI90	243.30	263.00
W735258D3	BOX OUTDOOR CEILING SURF 1.0 LED 2700K D	8W 220-240VAC DIM CRI90	243.30	263.00
W735258D5	BOX OUTDOOR CEILING SURF 1.0 LED 3000K D	8W 220-240VAC DIM CRI90	243.30	263.00
W735258D9	BOX OUTDOOR CEILING SURF 1.0 LED 2000-3000K D	8W 220-240VAC DIM CRI90	243.30	263.00
W735258Q3	BOX OUTDOOR CEILING SURF 1.0 LED 2700K Q	8W 220-240VAC DIM CRI90	243.30	263.00
W735258Q5	BOX OUTDOOR CEILING SURF 1.0 LED 3000K Q	8W 220-240VAC DIM CRI90	243.30	263.00
W735258Q9	BOX OUTDOOR CEILING SURF 1.0 LED 2000-3000K Q	8W 220-240VAC DIM CRI90	243.30	263.00
W735258W3	BOX OUTDOOR CEILING SURF 1.0 LED 2700K W	8W 220-240VAC DIM CRI90	243.30	263.00
W735258W5	BOX OUTDOOR CEILING SURF 1.0 LED 3000K W	8W 220-240VAC DIM CRI90	243.30	263.00
W735258W9	BOX OUTDOOR CEILING SURF 1.0 LED 2000-3000K W	8W 220-240VAC DIM CRI90	243.30	263.00
W735458A3	RAY OUTDOOR CEILING SURF 1.0 LED 2700K A	8W 220-240VAC DIM CRI90	243.30	263.00
W735458A5	RAY OUTDOOR CEILING SURF 1.0 LED 3000K A	8W 220-240VAC DIM CRI90	243.30	263.00
W735458A9	RAY OUTDOOR CEILING SURF 1.0 LED 2000-3000K A	8W 220-240VAC DIM CRI90	243.30	263.00
W735458B3	RAY OUTDOOR CEILING SURF 1.0 LED 2700K B	8W 220-240VAC DIM CRI90	243.30	263.00
W735458B5	RAY OUTDOOR CEILING SURF 1.0 LED 3000K B	8W 220-240VAC DIM CRI90	243.30	263.00
W735458B9	RAY OUTDOOR CEILING SURF 1.0 LED 2000-3000K B	8W 220-240VAC DIM CRI90	243.30	263.00
W735458D3	RAY OUTDOOR CEILING SURF 1.0 LED 2700K D	8W 220-240VAC DIM CRI90	243.30	263.00
W735458D5	RAY OUTDOOR CEILING SURF 1.0 LED 3000K D	8W 220-240VAC DIM CRI90	243.30	263.00
W735458D9	RAY OUTDOOR CEILING SURF 1.0 LED 2000-3000K D	8W 220-240VAC DIM CRI90	243.30	263.00
W735458W3	RAY OUTDOOR CEILING SURF 1.0 LED 2700K W	8W 220-240VAC DIM CRI90	243.30	263.00
W735458W5	RAY OUTDOOR CEILING SURF 1.0 LED 3000K W	8W 220-240VAC DIM CRI90	243.30	263.00
W735458W9	RAY OUTDOOR CEILING SURF 1.0 LED 2000-3000K W	8W 220-240VAC DIM CRI90	243.30	263.00
W736387B5	BLAS OUTDOOR CEILING / WALL SURF 1.0 LED 3000K B	10W 220-240VAC DIM CRI90	312.85	338.20
W736387W5	BLAS OUTDOOR CEILING / WALL SURF 1.0 LED 3000K W	10W 220-240VAC DIM CRI90	312.85	338.20
W736487B5	BLAS OUTDOOR CEILING / WALL SURF 2.0 LED 3000K B	10W 220-240VAC DIM CRI90	333.00	359.95
W736487W5	BLAS OUTDOOR CEILING / WALL SURF 2.0 LED 3000K W	10W 220-240VAC DIM CRI90	333.00	359.95
W737168A5	STIPO OUTDOOR FLOOR PROJ 1.0 LED 3000K A	7W 220-240VAC DIM CRI90	275.60	297.90
W737168Q5	STIPO OUTDOOR FLOOR PROJ 1.0 LED 3000K Q	7W 220-240VAC DIM CRI90	275.60	297.90
W737268A5	STIPO OUTDOOR FLOOR PROJ 2.0 LED 3000K A	7W 220-240VAC DIM CRI90	275.60	297.90
W737268Q5	STIPO OUTDOOR FLOOR PROJ 2.0 LED 3000K Q	7W 220-240VAC DIM CRI90	275.60	297.90
W737368A5	STIPO OUTDOOR FLOOR PROJ 3.0 LED 3000K A	7W 220-240VAC DIM CRI90	275.60	297.90
W737368Q5	STIPO OUTDOOR FLOOR PROJ 3.0 LED 3000K Q	7W 220-240VAC DIM CRI90	275.60	297.90
W737468A5	STIPO OUTDOOR FLOOR PROJ 4.0 LED 3000K A	7W 220-240VAC DIM CRI90	275.60	297.90
W737468Q5	STIPO OUTDOOR FLOOR PROJ 4.0 LED 3000K Q	7W 220-240VAC DIM CRI90	275.60	297.90
W7381A2A3	POLA OUTDOOR FLOOR SURFACE 2.0 LED 2700K A	5W 24V CRI90	274.10	296.30
W7381A2Q3	POLA OUTDOOR FLOOR SURFACE 2.0 LED 2700K Q	5W 24V CRI90	274.10	296.30
W7382A2A3	POLA OUTDOOR FLOOR SURFACE 2.1 LED 2700K A	5W 24V CRI90	268.45	290.20
W7382A2Q3	POLA OUTDOOR FLOOR SURFACE 2.1 LED 2700K Q	5W 24V CRI90	268.45	290.20
W744120A0	TUBE CARRÉ OUTDOOR WALL SURF 1.0 PAR16 A	max. 5W GU10 100-240VAC	185.20	200.20
W744120B0	TUBE CARRÉ OUTDOOR WALL SURF 1.0 PAR16 B	max. 5W GU10 100-240VAC	185.20	200.20
W744120D0	TUBE CARRÉ OUTDOOR WALL SURF 1.0 PAR16 D	max. 5W GU10 100-240VAC	185.20	200.20
W744120Q0	TUBE CARRÉ OUTDOOR WALL SURF 1.0 PAR16 Q	max. 5W GU10 100-240VAC	185.20	200.20
W744120W0	TUBE CARRÉ OUTDOOR WALL SURF 1.0 PAR16 W	max. 5W GU10 100-240VAC	185.20	200.20
W744220A0	TUBE CARRÉ OUTDOOR WALL SURF 2.0 PAR16 A	max. 2x5W GU10 100-240VAC	248.30	268.40
W744220B0	TUBE CARRÉ OUTDOOR WALL SURF 2.0 PAR16 B	max. 2x5W GU10 100-240VAC	248.30	268.40
W744220D0	TUBE CARRÉ OUTDOOR WALL SURF 2.0 PAR16 D	max. 2x5W GU10 100-240VAC	248.30	268.40
W744220Q0	TUBE CARRÉ OUTDOOR WALL SURF 2.0 PAR16 Q	max. 2x5W GU10 100-240VAC	248.30	268.40
W744220W0	TUBE CARRÉ OUTDOOR WALL SURF 2.0 PAR16 W	max. 2x5W GU10 100-240VAC	248.30	268.40

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W744364A5	TUBE CARRÉ OUTDOOR WALL SURF 1.0 LED 3000K A	10W 220-240VAC DIM CRI90	284.15	307.15
W744364B5	TUBE CARRÉ OUTDOOR WALL SURF 1.0 LED 3000K B	10W 220-240VAC DIM CRI90	284.15	307.15
W744364D5	TUBE CARRÉ OUTDOOR WALL SURF 1.0 LED 3000K D	10W 220-240VAC DIM CRI90	284.15	307.15
W744364W5	TUBE CARRÉ OUTDOOR WALL SURF 1.0 LED 3000K W	10W 220-240VAC DIM CRI90	284.15	307.15
W744464A5	TUBE CARRÉ OUTDOOR WALL SURF 2.0 LED 3000K A	20W 220-240VAC DIM CRI90	427.70	462.35
W744464B5	TUBE CARRÉ OUTDOOR WALL SURF 2.0 LED 3000K B	20W 220-240VAC DIM CRI90	427.70	462.35
W744464D5	TUBE CARRÉ OUTDOOR WALL SURF 2.0 LED 3000K D	20W 220-240VAC DIM CRI90	427.70	462.35
W744464W5	TUBE CARRÉ OUTDOOR WALL SURF 2.0 LED 3000K W	20W 220-240VAC DIM CRI90	427.70	462.35
W7451A2A5	RETO OUTDOOR WALL REC 0.8 LED 3000K A	3W 24V CRI90	142.85	154.40
W7451A2B5	RETO OUTDOOR WALL REC 0.8 LED 3000K B	3W 24V CRI90	142.85	154.40
W7451A2Q5	RETO OUTDOOR WALL REC 0.8 LED 3000K Q	3W 24V CRI90	142.85	154.40
W7452A2A5	RETO OUTDOOR WALL REC 1.3 LED 3000K A	5W 24V CRI90	198.05	214.10
W7452A2B5	RETO OUTDOOR WALL REC 1.3 LED 3000K B	5W 24V CRI90	198.05	214.10
W7452A2Q5	RETO OUTDOOR WALL REC 1.3 LED 3000K Q	5W 24V CRI90	198.05	214.10
W7453A2A5	RETO OUTDOOR WALL REC 2.0 LED 3000K A	7W 24V CRI90	241.10	260.65
W7453A2B5	RETO OUTDOOR WALL REC 2.0 LED 3000K B	7W 24V CRI90	241.10	260.65
W7453A2Q5	RETO OUTDOOR WALL REC 2.0 LED 3000K Q	7W 24V CRI90	241.10	260.65
W7455A4A5	RETO OUTDOOR WALL SURF 1.3 LED 3000K A	5W 220-240VAC DIM CRI90	271.35	293.35
W7455A4B5	RETO OUTDOOR WALL SURF 1.3 LED 3000K B	5W 220-240VAC DIM CRI90	271.35	293.35
W7455A4Q5	RETO OUTDOOR WALL SURF 1.3 LED 3000K Q	5W 220-240VAC DIM CRI90	271.35	293.35
W7456A4A5	RETO OUTDOOR WALL SURF 2.0 LED 3000K A	9W 220-240VAC DIM CRI90	255.45	276.15
W7456A4B5	RETO OUTDOOR WALL SURF 2.0 LED 3000K B	9W 220-240VAC DIM CRI90	255.45	276.15
W7456A4Q5	RETO OUTDOOR WALL SURF 2.0 LED 3000K Q	9W 220-240VAC DIM CRI90	255.45	276.15
W746178B3	SWAM OUTDOOR FLOOR SURF 1.0 LED 2700K B	9W 220-240VAC DIM CRI90	378.95	409.65
W746178K3	SWAM OUTDOOR FLOOR SURF 1.0 LED 2700K K	9W 220-240VAC DIM CRI90	390.45	422.10
W746178Q3	SWAM OUTDOOR FLOOR SURF 1.0 LED 2700K Q	9W 220-240VAC DIM CRI90	378.95	409.65
W746278B3	SWAM OUTDOOR WALL SURF 1.0 LED 2700K B	9W 220-240VAC DIM CRI90	328.75	355.40
W746278K3	SWAM OUTDOOR WALL SURF 1.0 LED 2700K K	9W 220-240VAC DIM CRI90	341.55	369.20
W746278Q3	SWAM OUTDOOR WALL SURF 1.0 LED 2700K Q	9W 220-240VAC DIM CRI90	328.75	355.40
W746378B3	SWAM OUTDOOR WALL SURF 2.0 LED 2700K B	13W 220-240VAC DIM CRI90	390.45	422.10
W746378K3	SWAM OUTDOOR WALL SURF 2.0 LED 2700K K	13W 220-240VAC DIM CRI90	404.80	437.60
W746378Q3	SWAM OUTDOOR WALL SURF 2.0 LED 2700K Q	13W 220-240VAC DIM CRI90	390.45	422.10
W747568A5	TRAM OUTDOOR WALL SURF 1.0 LED 3000K A	6W 220-240VAC DIM CRI90	236.85	256.05
W747568B5	TRAM OUTDOOR WALL SURF 1.0 LED 3000K B	6W 220-240VAC DIM CRI90	236.85	256.05
W747568Q5	TRAM OUTDOOR WALL SURF 1.0 LED 3000K Q	6W 220-240VAC DIM CRI90	236.85	256.05
W747568W5	TRAM OUTDOOR WALL SURF 1.0 LED 3000K W	6W 220-240VAC DIM CRI90	236.85	256.05
W747668A5	TRAM OUTDOOR WALL SURF 2.0 LED 3000K A	9W 220-240VAC DIM CRI90	298.50	322.70
W747668B5	TRAM OUTDOOR WALL SURF 2.0 LED 3000K B	9W 220-240VAC DIM CRI90	298.50	322.70
W747668Q5	TRAM OUTDOOR WALL SURF 2.0 LED 3000K Q	9W 220-240VAC DIM CRI90	298.50	322.70
W747668W5	TRAM OUTDOOR WALL SURF 2.0 LED 3000K W	9W 220-240VAC DIM CRI90	298.50	322.70
W747768A5	TRAM OUTDOOR CEILING SURF 1.0 LED 3000K A	6W 220-240VAC DIM CRI90	195.15	210.95
W747768B5	TRAM OUTDOOR CEILING SURF 1.0 LED 3000K B	6W 220-240VAC DIM CRI90	195.15	210.95
W747768Q5	TRAM OUTDOOR CEILING SURF 1.0 LED 3000K Q	6W 220-240VAC DIM CRI90	195.15	210.95
W747768W5	TRAM OUTDOOR CEILING SURF 1.0 LED 3000K W	6W 220-240VAC DIM CRI90	195.15	210.95
W748148A3	BOX OUTDOOR WALL SURF 2.0 LED 2700K A	11W 220-240VAC DIM CRI90	305.70	330.45
W748148A5	BOX OUTDOOR WALL SURF 2.0 LED 3000K A	11W 220-240VAC DIM CRI90	305.70	330.45
W748148B3	BOX OUTDOOR WALL SURF 2.0 LED 2700K B	11W 220-240VAC DIM CRI90	305.70	330.45
W748148B5	BOX OUTDOOR WALL SURF 2.0 LED 3000K B	11W 220-240VAC DIM CRI90	305.70	330.45
W748148D3	BOX OUTDOOR WALL SURF 2.0 LED 2700K D	11W 220-240VAC DIM CRI90	305.70	330.45
W748148D5	BOX OUTDOOR WALL SURF 2.0 LED 3000K D	11W 220-240VAC DIM CRI90	305.70	330.45
W748148Q3	BOX OUTDOOR WALL SURF 2.0 LED 2700K Q	11W 220-240VAC DIM CRI90	305.70	330.45
W748148Q5	BOX OUTDOOR WALL SURF 2.0 LED 3000K Q	11W 220-240VAC DIM CRI90	305.70	330.45
W748148W3	BOX OUTDOOR WALL SURF 2.0 LED 2700K W	11W 220-240VAC DIM CRI90	305.70	330.45
W748148W5	BOX OUTDOOR WALL SURF 2.0 LED 3000K W	11W 220-240VAC DIM CRI90	305.70	330.45
W748168A3	BOX OUTDOOR WALL SURF 1.0 LED 2700K A	6W 220-240VAC DIM CRI90	281.25	304.05
W748168A5	BOX OUTDOOR WALL SURF 1.0 LED 3000K A	6W 220-240VAC DIM CRI90	281.25	304.05
W748168B3	BOX OUTDOOR WALL SURF 1.0 LED 2700K B	6W 220-240VAC DIM CRI90	281.25	304.05
W748168B5	BOX OUTDOOR WALL SURF 1.0 LED 3000K B	6W 220-240VAC DIM CRI90	281.25	304.05
W748168D3	BOX OUTDOOR WALL SURF 1.0 LED 2700K D	6W 220-240VAC DIM CRI90	281.25	304.05
W748168D5	BOX OUTDOOR WALL SURF 1.0 LED 3000K D	6W 220-240VAC DIM CRI90	281.25	304.05
W748168Q3	BOX OUTDOOR WALL SURF 1.0 LED 2700K Q	6W 220-240VAC DIM CRI90	281.25	304.05
W748168Q5	BOX OUTDOOR WALL SURF 1.0 LED 3000K Q	6W 220-240VAC DIM CRI90	281.25	304.05
W748168W3	BOX OUTDOOR WALL SURF 1.0 LED 2700K W	6W 220-240VAC DIM CRI90	281.25	304.05
W748168W5	BOX OUTDOOR WALL SURF 1.0 LED 3000K W	6W 220-240VAC DIM CRI90	281.25	304.05
W748248B3	BOX OUTDOOR WALL SURF 4.0 LED 2700K B	11W 220-240VAC DIM CRI90	325.70	352.10
W748248B5	BOX OUTDOOR WALL SURF 4.0 LED 3000K B	11W 220-240VAC DIM CRI90	325.70	352.10
W748248D3	BOX OUTDOOR WALL SURF 4.0 LED 2700K D	11W 220-240VAC DIM CRI90	325.70	352.10
W748248D5	BOX OUTDOOR WALL SURF 4.0 LED 3000K D	11W 220-240VAC DIM CRI90	325.70	352.10
W748248Q3	BOX OUTDOOR WALL SURF 4.0 LED 2700K Q	11W 220-240VAC DIM CRI90	325.70	352.10
W748248Q5	BOX OUTDOOR WALL SURF 4.0 LED 3000K Q	11W 220-240VAC DIM CRI90	325.70	352.10
W748248W3	BOX OUTDOOR WALL SURF 4.0 LED 2700K W	11W 220-240VAC DIM CRI90	325.70	352.10
W748248W5	BOX OUTDOOR WALL SURF 4.0 LED 3000K W	11W 220-240VAC DIM CRI90	325.70	352.10
W748268B3	BOX OUTDOOR WALL SURF 3.0 LED 2700K B	6W 220-240VAC DIM CRI90	301.30	325.70
W748268B5	BOX OUTDOOR WALL SURF 3.0 LED 3000K B	6W 220-240VAC DIM CRI90	301.30	325.70
W748268D3	BOX OUTDOOR WALL SURF 3.0 LED 2700K D	6W 220-240VAC DIM CRI90	301.30	325.70
W748268D5	BOX OUTDOOR WALL SURF 3.0 LED 3000K D	6W 220-240VAC DIM CRI90	301.30	325.70
W748268Q3	BOX OUTDOOR WALL SURF 3.0 LED 2700K Q	6W 220-240VAC DIM CRI90	301.30	325.70
W748268Q5	BOX OUTDOOR WALL SURF 3.0 LED 3000K Q	6W 220-240VAC DIM CRI90	301.30	325.70
W748268W3	BOX OUTDOOR WALL SURF 3.0 LED 2700K W	6W 220-240VAC DIM CRI90	301.30	325.70
W748268W5	BOX OUTDOOR WALL SURF 3.0 LED 3000K W	6W 220-240VAC DIM CRI90	301.30	325.70
W749148B3	RAY OUTDOOR WALL SURF 2.0 LED 2700K B	11W 220-240VAC DIM CRI90	305.70	330.45
W749148B5	RAY OUTDOOR WALL SURF 2.0 LED 3000K B	11W 220-240VAC DIM CRI90	305.70	330.45
W749148W3	RAY OUTDOOR WALL SURF 2.0 LED 2700K W	11W 220-240VAC DIM CRI90	305.70	330.45
W749148W5	RAY OUTDOOR WALL SURF 2.0 LED 3000K W	11W 220-240VAC DIM CRI90	305.70	330.45
W749168B3	RAY OUTDOOR WALL SURF 1.0 LED 2700K B	6W 220-240VAC DIM CRI90	281.25	304.05
W749168B5	RAY OUTDOOR WALL SURF 1.0 LED 3000K B	6W 220-240VAC DIM CRI90	281.25	304.05
W749168W3	RAY OUTDOOR WALL SURF 1.0 LED 2700K W	6W 220-240VAC DIM CRI90	281.25	304.05
W749168W5	RAY OUTDOOR WALL SURF 1.0 LED 3000K W	6W 220-240VAC DIM CRI90	281.25	304.05
W749248B3	RAY OUTDOOR WALL SURF 4.0 LED 2700K B	11W 220-240VAC DIM CRI90	325.70	352.10
W749248B5	RAY OUTDOOR WALL SURF 4.0 LED 3000K B	11W 220-240VAC DIM CRI90	325.70	352.10
W749248W3	RAY OUTDOOR WALL SURF 4.0 LED 2700K W	11W 220-240VAC DIM CRI90	325.70	352.10
W749248W5	RAY OUTDOOR WALL SURF 4.0 LED 3000K W	11W 220-240VAC DIM CRI90	325.70	352.10
W749268B3	RAY OUTDOOR WALL SURF 3.0 LED 2700K B	6W 220-240VAC DIM CRI90	301.30	325.70
W749268B5	RAY OUTDOOR WALL SURF 3.0 LED 3000K B	6W 220-240VAC DIM CRI90	301.30	325.70

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W749268W3	RAY OUTDOOR WALL SURF 3.0 LED 2700K W	6W 220-240VAC DIM CRI90	301.30	325.70
W749268W5	RAY OUTDOOR WALL SURF 3.0 LED 3000K W	6W 220-240VAC DIM CRI90	301.30	325.70
W75014114	CARD OUTDOOR FLOOR REC 0.1 LED 3000K I	1W 350mA 3V CRI80	117.75	127.30
W75024114	CARD OUTDOOR FLOOR REC 0.2 LED 3000K I	1W 350mA 3V CRI80	146.45	158.30
W751168I5	MAP OUTDOOR FLOOR REC 0.6 LED 3000K I	5W 220-240VAC DIM CRI90	281.25	304.05
W751268I5	MAP OUTDOOR FLOOR REC 0.9 LED 3000K I	8W 220-240VAC DIM CRI90	312.85	338.20
W751368I5	MAP OUTDOOR FLOOR REC 1.2 LED 3000K I	12W 220-240VAC DIM CRI90	384.65	415.80
W751468I5	MAP OUTDOOR FLOOR REC 1.6 LED 3000K I	16W 220-240VAC DIM CRI90	571.20	617.45
W7515A8I5	MAP ASYM OUTDOOR FLOOR REC 1.2 LED 3000K I	10W 220-240VAC DIM CRI90	419.15	453.10
W7516A8I5	MAP ASYM OUTDOOR FLOOR REC 1.6 LED 3000K I	15W 220-240VAC DIM CRI90	615.80	665.70
W752168I5	CHART OUTDOOR FLOOR REC 0.6 LED 3000K I	5W 220-240VAC DIM CRI90	284.15	307.15
W752268I5	CHART OUTDOOR FLOOR REC 0.9 LED 3000K I	8W 220-240VAC DIM CRI90	312.85	338.20
W752368I5	CHART OUTDOOR FLOOR REC 1.2 LED 3000K I	12W 220-240VAC DIM CRI90	386.15	417.45
W752468I5	CHART OUTDOOR FLOOR REC 1.6 LED 3000K I	16W 220-240VAC DIM CRI90	597.00	645.35
W7525A8I5	CHART ASYM OUTDOOR FLOOR REC 1.2 LED 3000K I	12W 220-240VAC DIM CRI90	386.15	417.45
W7526A8I5	CHART ASYM OUTDOOR FLOOR REC 1.6 LED 3000K I	15W 220-240VAC DIM CRI90	615.80	665.70
W7581A4A2	GATE OUTDOOR FLOOR SURFACE 1.0 LED 2700K A	8W 220-240VAC CRI80	208.15	225.00
W7581A4A4	GATE OUTDOOR FLOOR SURFACE 1.0 LED 3000K A	8W 220-240VAC CRI80	208.15	225.00
W7581A4Q2	GATE OUTDOOR FLOOR SURFACE 1.0 LED 2700K Q	8W 220-240VAC CRI80	208.15	225.00
W7581A4Q4	GATE OUTDOOR FLOOR SURFACE 1.0 LED 3000K Q	8W 220-240VAC CRI80	208.15	225.00
W7582A4A2	GATE OUTDOOR FLOOR SURFACE 2.0 LED 2700K A	11W 220-240VAC CRI80	251.20	271.55
W7582A4A4	GATE OUTDOOR FLOOR SURFACE 2.0 LED 3000K A	11W 220-240VAC CRI80	251.20	271.55
W7582A4Q2	GATE OUTDOOR FLOOR SURFACE 2.0 LED 2700K Q	11W 220-240VAC CRI80	251.20	271.55
W7582A4Q4	GATE OUTDOOR FLOOR SURFACE 2.0 LED 3000K Q	11W 220-240VAC CRI80	251.20	271.55
W767562A3	GEO OUTDOOR FLOOR SURFACE 1.0 LED 2700K A	4W 24V CRI90	178.05	192.45
W767562Q3	GEO OUTDOOR FLOOR SURFACE 1.0 LED 2700K Q	4W 24V CRI90	178.05	192.45
W770182A3	REED OUTDOOR FLOOR SURFACE 1.0 LED 2700K A	4W 24V CRI90	193.80	209.50
W770182Q3	REED OUTDOOR FLOOR SURFACE 1.0 LED 2700K Q	4W 24V CRI90	193.80	209.50
W770282A3	REED OUTDOOR FLOOR SURFACE 2.0 LED 2700K A	5W 24V CRI90	236.85	256.05
W770282Q3	REED OUTDOOR FLOOR SURFACE 2.0 LED 2700K Q	5W 24V CRI90	236.85	256.05
W8651860B9	COSTA OUTDOOR FLOOR SURF 1.0 LED 2200-4000K WB	3W 220-240VAC	328.75	355.40
W8651860R9	COSTA OUTDOOR FLOOR SURF 1.0 LED 2200-4000K OR	3W 220-240VAC	328.75	355.40
W865186SB9	COSTA OUTDOOR FLOOR SURF 1.0 LED 2200-4000K SB	3W 220-240VAC	328.75	355.40
W865186YE9	COSTA OUTDOOR FLOOR SURF 1.0 LED 2200-4000K YE	3W 220-240VAC	328.75	355.40
W8652860B9	COSTA OUTDOOR FLOOR SURF 2.0 LED 2200-4000K WB	3W 220-240VAC	357.45	386.40
W8652860R9	COSTA OUTDOOR FLOOR SURF 2.0 LED 2200-4000K OR	3W 220-240VAC	357.45	386.40
W865286SB9	COSTA OUTDOOR FLOOR SURF 2.0 LED 2200-4000K SB	3W 220-240VAC	357.45	386.40
W865286YE9	COSTA OUTDOOR FLOOR SURF 2.0 LED 2200-4000K YE	3W 220-240VAC	357.45	386.40
W90012027	LITO RECESSED HOUSING ALWAYS USE WITH PLASTERKIT		36.45	39.40
W90012032	THEMIS 1.7 RECESSED HOUSING ALWAYS USE WITH PLASTERKIT		70.40	76.10
W90012033	THEMIS 2.7 RECESSED HOUSING ALWAYS USE WITH PLASTERKIT		81.85	88.50
W90012037	STRIPE 0.4 / 0.7 RECESSED HOUSING INCL. PLASTERKIT		33.00	35.65
W90012038	STRIPE 2.2 RECESSED HOUSING INCL. PLASTERKIT		58.80	63.55
W90012039	ORIS 0.7 / RETO 2.0 RECESSED HOUSING INCL. PLASTERKIT		60.35	65.25
W90012040	ORIS / RETO 1.3 CONCRETE HOUSING		53.15	57.45
W90012041	ORIS / RETO 1.3 RECESSED HOUSING INCL. PLASTERKIT		71.10	76.85
W90012042	ORIS 2.0 CONCRETE HOUSING		56.05	60.60
W90012043	ORIS 2.0 RECESSED HOUSING INCL. PLASTERKIT		78.95	85.35
W90012044	ORIS 0.7 / RETO 2.0 CONCRETE HOUSING		50.95	55.10
W90012046	ORIS / RETO 0.8 CONCRETE HOUSING		46.00	49.75
W90012047	ORIS / RETO 0.8 RECESSED HOUSING INCL. PLASTERKIT		61.70	66.70
W90012201	MAP / CHART 0.6 / BLINK RECESSED GROUND HOUSING		34.50	37.30
W90012202	MAP / CHART 0.9 RECESSED GROUND HOUSING		46.65	50.45
W90012203	MAP / CHART 1.2 RECESSED GROUND HOUSING		63.90	69.10
W90012204	MAP / CHART 1.6 RECESSED GROUND HOUSING		83.95	90.75
W90013102	TAPE GROUND SPIKE		78.95	85.35
W90013103	LINUS GROUND SPIKE		84.75	91.60
W90013106	STAKE 1.0 / STIPO GROUND SPIKE		36.60	39.55
W90013107	STAKE FOLD GROUND SPIKE		55.20	59.65
W90013115	X-BEAM / X-BEAM ROUND GROUND SPIKE	incl. 3 screws	41.00	44.30
W90013302	LINUS GROUND FIXATION		84.75	91.60
W90014001	1-PHASE TRACK PROFILE SURF / SUSP W 1M	220-240V 16A	58.80	63.55
W90014002	1-PHASE TRACK PROFILE SURF / SUSP W 2M	220-240V 16A	117.75	127.30
W90014003	1-PHASE TRACK PROFILE SURF / SUSP W 3M	220-240V 16A	183.70	198.60
W90014007	1-PHASE TRACK PROFILE SURF / SUSP B 1M	220-240V 16A	58.80	63.55
W90014008	1-PHASE TRACK PROFILE SURF / SUSP B 2M	220-240V 16A	117.75	127.30
W90014009	1-PHASE TRACK PROFILE SURF / SUSP B 3M	220-240V 16A	183.70	198.60
W90014010	1-PHASE TRACK T-FEED 1.0 W		61.00	65.95
W90014011	1-PHASE TRACK T-FEED 1.0 B		61.00	65.95
W90014012	1-PHASE TRACK T-FEED 2.0 W		61.00	65.95
W90014013	1-PHASE TRACK T-FEED 2.0 B		61.00	65.95
W90014014	1-PHASE TRACK T-FEED 3.0 W		61.00	65.95
W90014015	1-PHASE TRACK T-FEED 3.0 B		61.00	65.95
W90014016	1-PHASE TRACK T-FEED 4.0 W		61.00	65.95
W90014017	1-PHASE TRACK T-FEED 4.0 B		61.00	65.95
W90014018	1-PHASE TRACK END FEED 1.0 W	220-240V 16A	20.45	22.10
W90014019	1-PHASE TRACK END FEED 1.0 B	220-240V 16A	20.45	22.10
W90014020	1-PHASE TRACK END FEED 2.0 W	220-240V 16A	20.45	22.10
W90014021	1-PHASE TRACK END FEED 2.0 B	220-240V 16A	20.45	22.10
W90014022	1-PHASE TRACK CONNECTOR W	220-240V 16A	17.95	19.40
W90014023	1-PHASE TRACK CONNECTOR B	220-240V 16A	17.95	19.40
W90014024	1-PHASE TRACK L-FEED 1.0 W	220-240V 16A max. 3x1.5mm²	52.45	56.70
W90014025	1-PHASE TRACK L-FEED 1.0 B	220-240V 16A max. 3x1.5mm²	52.45	56.70
W90014026	1-PHASE TRACK L-FEED 2.0 W	220-240V 16A max. 3x1.5mm²	52.45	56.70
W90014027	1-PHASE TRACK L-FEED 2.0 B	220-240V 16A max. 3x1.5mm²	52.45	56.70
W90014028	1-PHASE TRACK END CAP W		4.85	5.25
W90014029	1-PHASE TRACK END CAP B		4.85	5.25
W90014036	1-PHASE TRACK MIDDLE FEED W	220-240V 16A	50.00	54.05
W90014037	1-PHASE TRACK MIDDLE FEED B	220-240V 16A	50.00	54.05
W90014041	1-PHASE TRACK ADJUSTABLE CORNER B	incl. cable grip strain relief	52.45	56.70
W90014042	1-PHASE TRACK ADJUSTABLE CORNER W	incl. cable grip strain relief	52.45	56.70
W90014043	1-PHASE TRACK ADAPTER 1.0 B	for suspended luminaires without steel wire	18.40	19.90
W90014044	1-PHASE TRACK ADAPTER 1.0 W	for suspended luminaires without steel wire	18.40	19.90
W90014049	1-PHASE TRACK X-FEED W		73.15	79.10

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W90014050	1-PHASE TRACK X-FEED B		73.15	79.10
W900140B5	STREX TRACK PROFILE SUSP INDIRECT LIGHT 3000K B 2m	48V 15A DALI / ind. 30W 48V CRI90	789.40	853.35
W900140B5CC	STREX TRACK PROFILE SUSP INDIRECT LIGHT 3000K B 400..2000mm	48V 15A DALI / ind. 15W/m 48V CRI90 CUSTOM CUT	816.70	882.85
W900140W5	STREX TRACK PROFILE SUSP INDIRECT LIGHT 3000K W 2m	48V 15A DALI / ind. 30W 48V CRI90	789.40	853.35
W900140W5CC	STREX TRACK PROFILE SUSP INDIRECT LIGHT 3000K W 400..2000mm	48V 15A DALI / ind. 15W/m 48V CRI90 CUSTOM CUT	816.70	882.85
W90014100	1-PHASE TRACK MOUNTING BRACKET		15.75	17.05
W90014101	1-PHASE TRACK SUSPENSION SET W max. 1.5m	incl. ceiling fixation bracket	38.55	41.65
W90014102	1-PHASE TRACK SUSPENSION SET B max. 1.5m	incl. ceiling fixation bracket	38.55	41.65
W90014103	1-PHASE TRACK SUSPENSION SET W max. 3.0m	incl. ceiling fixation bracket	45.30	48.95
W90014104	1-PHASE TRACK SUSPENSION SET B max. 3.0m	incl. ceiling fixation bracket	45.30	48.95
W90014118	1-PHASE TRACK PROFILE REC W 1m	220-240V 16A	83.25	90.00
W90014119	1-PHASE TRACK PROFILE REC B 1m	220-240V 16A	83.25	90.00
W90014120	1-PHASE TRACK PROFILE REC W 2m	220-240V 16A	156.50	169.20
W90014121	1-PHASE TRACK PROFILE REC B 2m	220-240V 16A	156.50	169.20
W90014122	1-PHASE TRACK PROFILE REC W 3m	220-240V 16A	206.75	223.50
W90014123	1-PHASE TRACK PROFILE REC B 3m	220-240V 16A	206.75	223.50
W90014124	1-PHASE TRACK COVERPLATE END FEEDS W	220-240V 16A	13.25	14.30
W90014125	1-PHASE TRACK COVERPLATE END FEEDS B	220-240V 16A	13.25	14.30
W90014126	1-PHASE TRACK COVERPLATE I/L/T/X W	only use with recessed tracks	10.35	11.20
W90014127	1-PHASE TRACK COVERPLATE I/L/T/X B	only use with recessed tracks	10.35	11.20
W90014143	STREX SURF IN TRACK DRIVER D4 100W B	48V 220-240VAC	320.05	345.95
W90014144	STREX SURF IN TRACK DRIVER D4 100W W	48V 220-240VAC	320.05	345.95
W90014145	STREX SURF IN TRACK DRIVER D4 250W B	48V 220-240VAC	374.55	404.90
W90014146	STREX SURF IN TRACK DRIVER D4 250W W	48V 220-240VAC	374.55	404.90
W90014147	STREX SURF / SUSP END CAP W		10.10	10.90
W90014148	STREX SURF / SUSP END CAP B		10.10	10.90
W90014149	STREX REC END CAP W		16.60	17.95
W90014150	STREX REC END CAP B		16.60	17.95
W90014153	STREX POWER FEED W	48V 15A DALI	51.65	55.85
W90014154	STREX POWER FEED B	48V 15A DALI	51.65	55.85
W90014155	STREX WIRELESS CASAMBI CONTROL W	8W	703.25	760.20
W90014156	STREX WIRELESS CASAMBI CONTROL B	8W	703.25	760.20
W90014157	STREX SUSP IN TRACK DRIVER D3 100W W	48V 220-240VAC	371.80	401.90
W90014158	STREX SUSP IN TRACK DRIVER D3 250W W	48V 220-240VAC	427.70	462.35
W90014160	STREX SUSPENSION SET I max. 1.5m with nickel steel cable	incl. ceiling fixation bracket	38.80	41.95
W90014161	STREX SUSPENSION SET I max. 3.0m with nickel steel cable	incl. ceiling fixation bracket	42.40	45.85
W90014165	STREX / 3-PHASE TRACK CUTTING TOOL		155.00	167.55
W90014174	STREX SUSP IN TRACK DRIVER D3 100W B	48V 220-240VAC	371.80	401.90
W90014175	STREX SUSP IN TRACK DRIVER D3 250W B	48V 220-240VAC	427.70	462.35
W90014176	STREX SURF IN TRACK DRIVER D3 100W B	48V 220-240VAC	328.75	355.40
W90014177	STREX SURF IN TRACK DRIVER D3 250W B	48V 220-240VAC	384.65	415.80
W90014178	STREX SURF IN TRACK DRIVER D3 100W W	48V 220-240VAC	328.75	355.40
W90014179	STREX SURF IN TRACK DRIVER D3 250W W	48V 220-240VAC	384.65	415.80
W90014181	STREX TRACK PROFILE SURF / SUSP W 1m	48V 15A DALI	122.00	131.90
W90014181CC	STREX TRACK PROFILE SURF / SUSP W 200..1000mm	48V 15A DALI CUSTOM CUT	142.15	153.65
W90014182	STREX TRACK PROFILE SURF / SUSP B 1m	48V 15A DALI	122.00	131.90
W90014182CC	STREX TRACK PROFILE SURF / SUSP B 200..1000mm	48V 15A DALI CUSTOM CUT	142.15	153.65
W90014183	STREX TRACK PROFILE SURF / SUSP W 2m	48V 15A DALI	236.85	256.05
W90014183CC	STREX TRACK PROFILE SURF / SUSP W 1001..2000mm	48V 15A DALI CUSTOM CUT	257.00	277.80
W90014184	STREX TRACK PROFILE SURF / SUSP B 2m	48V 15A DALI	236.85	256.05
W90014184CC	STREX TRACK PROFILE SURF / SUSP B 1001..2000mm	48V 15A DALI CUSTOM CUT	257.00	277.80
W90014185	STREX TRACK PROFILE SURF / SUSP W 3m	48V 15A DALI	351.65	380.15
W90014185CC	STREX TRACK PROFILE SURF / SUSP W 2001..3000mm	48V 15A DALI CUSTOM CUT	371.80	401.90
W90014186	STREX TRACK PROFILE SURF / SUSP B 3m	48V 15A DALI	351.65	380.15
W90014186CC	STREX TRACK PROFILE SURF / SUSP B 2001..3000mm	48V 15A DALI CUSTOM CUT	371.80	401.90
W90014187	STREX TRACK PROFILE REC W 1m	48V 15A DALI	157.90	170.70
W90014187CC	STREX TRACK PROFILE REC W 200..1000mm	48V 15A DALI CUSTOM CUT	178.05	192.45
W90014188	STREX TRACK PROFILE REC B 1m	48V 15A DALI	157.90	170.70
W90014188CC	STREX TRACK PROFILE REC B 200..1000mm	48V 15A DALI CUSTOM CUT	178.05	192.45
W90014189	STREX TRACK PROFILE REC W 2m	48V 15A DALI	321.55	347.60
W90014189CC	STREX TRACK PROFILE REC W 1001..2000mm	48V 15A DALI CUSTOM CUT	341.70	369.40
W90014190	STREX TRACK PROFILE REC B 2m	48V 15A DALI	321.55	347.60
W90014190CC	STREX TRACK PROFILE REC B 1001..2000mm	48V 15A DALI CUSTOM CUT	341.70	369.40
W90014191	STREX TRACK PROFILE REC W 3m	48V 15A DALI	479.45	518.30
W90014191CC	STREX TRACK PROFILE REC W 2001..3000mm	48V 15A DALI CUSTOM CUT	499.60	540.05
W90014192	STREX TRACK PROFILE REC B 3m	48V 15A DALI	479.45	518.30
W90014192CC	STREX TRACK PROFILE REC B 2001..3000mm	48V 15A DALI CUSTOM CUT	499.60	540.05
W90014193	STREX REC MOUNTING BRACKET		16.70	18.05
W90014196	STREX CONNECTOR W electrical	48V 15A DALI	55.20	59.65
W90014197	STREX CONNECTOR B electrical	48V 15A DALI	55.20	59.65
W90014198	STREX L-CONNECTOR SURF / SUSP W electrical	48V 15A DALI	162.15	175.30
W90014199	STREX L-CONNECTOR SURF / SUSP B electrical	48V 15A DALI	162.15	175.30
W900141B5	STREX TRACK PROFILE SUSP INDIRECT LIGHT 3000K B 3m	48V 15A DALI / ind. 45W 48V CRI90	925.75	1000.75
W900141B5CC	STREX TRACK PROFILE SUSP INDIRECT LIGHT 3000K B 2001..3000mm	48V 15A DALI / ind. 15W/m 48V CRI90 CUSTOM CUT	953.05	1030.25
W900141W5	STREX TRACK PROFILE SUSP INDIRECT LIGHT 3000K W 3m	48V 15A DALI / ind. 45W 48V CRI90	925.75	1000.75
W900141W5CC	STREX TRACK PROFILE SUSP INDIRECT LIGHT 3000K W 2001..3000mm	48V 15A DALI / ind. 15W/m 48V CRI90 CUSTOM CUT	953.05	1030.25
W90014200	3-PHASE TRACK PROFILE SURF / SUSP W 1m	220-240V 16A DALI	67.50	72.95
W90014201	DRIVER 500mA 6W 3-12V NON DIM	IP20 90-264VAC	67.50	72.95
W90014202	3-PHASE TRACK PROFILE SURF / SUSP W 2m	220-240V 16A DALI	135.00	145.95
W90014203	3-PHASE TRACK PROFILE SURF / SUSP B 2m	220-240V 16A DALI	135.00	145.95
W90014204	3-PHASE TRACK PROFILE SURF / SUSP W 3m	220-240V 16A DALI	203.85	220.35
W90014205	3-PHASE TRACK PROFILE SURF / SUSP B 3m	220-240V 16A DALI	203.85	220.35
W90014206	3-PHASE TRACK SUSPENSION SET W max. 1.5m	incl. ceiling fixation bracket	39.50	42.70
W90014207	3-PHASE TRACK SUSPENSION SET B max. 1.5m	incl. ceiling fixation bracket	39.50	42.70
W90014208	3-PHASE TRACK SUSPENSION SET W max. 3.0m	incl. ceiling fixation bracket	41.40	44.75
W90014209	3-PHASE TRACK SUSPENSION SET B max. 3.0m	incl. ceiling fixation bracket	41.40	44.75
W90014216	3-PHASE TRACK END CAP W		4.15	4.50
W90014217	3-PHASE TRACK END CAP B		4.15	4.50
W90014220	3-PHASE TRACK L-FEED 1.0 W	220-240V 16A	66.00	71.35
W90014221	3-PHASE TRACK L-FEED 1.0 B	220-240V 16A	66.00	71.35
W90014222	3-PHASE TRACK L-FEED 2.0 W	220-240V 16A	66.00	71.35
W90014223	3-PHASE TRACK L-FEED 2.0 B	220-240V 16A	66.00	71.35
W90014224	3-PHASE TRACK MIDDLE FEED W	220-240V 16A	70.40	76.10
W90014225	3-PHASE TRACK MIDDLE FEED B	220-240V 16A	70.40	76.10

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W90014226	3-PHASE TRACK STRAIGHT CONNECTOR W	220-240V 16A	21.70	23.45
W90014227	3-PHASE TRACK STRAIGHT CONNECTOR B	220-240V 16A	21.70	23.45
W90014228	3-PHASE TRACK T-CONNECTOR 1.0 W	can be used as feed	107.40	116.10
W90014229	3-PHASE TRACK T-CONNECTOR 1.0 B	can be used as feed	107.40	116.10
W90014230	3-PHASE TRACK T-CONNECTOR 2.0 W	can be used as feed	107.40	116.10
W90014231	3-PHASE TRACK T-CONNECTOR 2.0 B	can be used as feed	107.40	116.10
W90014232	3-PHASE TRACK T-CONNECTOR 3.0 W	can be used as feed	107.40	116.10
W90014233	3-PHASE TRACK T-CONNECTOR 3.0 B	can be used as feed	107.40	116.10
W90014234	3-PHASE TRACK T-CONNECTOR 4.0 W	can be used as feed	107.40	116.10
W90014235	3-PHASE TRACK T-CONNECTOR 4.0 B	can be used as feed	107.40	116.10
W90014236	3-PHASE TRACK COVER W 1.0m		38.80	41.95
W90014237	3-PHASE TRACK COVER B 1.0m		38.80	41.95
W90014238	3-PHASE TRACK END FEED 2.0 W	220-240V 16A	31.65	34.20
W90014239	3-PHASE TRACK END FEED 2.0 B	220-240V 16A	31.65	34.20
W90014240	3-PHASE TRACK END FEED 1.0 W	220-240V 16A	31.65	34.20
W90014241	3-PHASE TRACK END FEED 1.0 B	220-240V 16A	31.65	34.20
W90014248	3-PHASE TRACK X-CONNECTOR W	can be used as feed	142.85	154.40
W90014249	3-PHASE TRACK X-CONNECTOR B	can be used as feed	142.85	154.40
W90014251	STREX L-CONNECTOR REC W electrical	48V 15A DALI	249.80	270.05
W90014252	STREX L-CONNECTOR REC B electrical	48V 15A DALI	249.80	270.05
W90014256	STREX L-CONNECTOR REC W non-electrical		249.80	270.05
W90014257	STREX L-CONNECTOR REC B non-electrical		249.80	270.05
W90014258	STREX L-CONNECTOR SURF / SUSP W non-electrical		162.15	175.30
W90014259	STREX L-CONNECTOR SURF / SUSP B non-electrical		162.15	175.30
W90014268	ILANE MINI CONNECTOR	strip to wire	2.50	2.70
W90014269	ILANE MINI CONNECTOR	strip to strip	4.60	4.95
W90014272	ILANE MINI CONNECTOR	strip to strip - continuous	3.60	3.90
W90014274	STREX SUSPENSION SET B max. 1.5m with black steel cable	incl. ceiling fixation bracket	38.80	41.95
W90014275	STREX SUSPENSION SET B max. 3.0m with black steel cable	incl. ceiling fixation bracket	42.40	45.85
W90014277	1-PHASE TRACK ADAPTER 2.0 W	for suspended luminaires without steel wire	20.85	22.55
W90014278	1-PHASE TRACK ADAPTER 2.0 B	for suspended luminaires without steel wire	20.85	22.55
W90014279	3-PHASE TRACK ADAPTER W	for suspended luminaires without steel wire	22.65	24.50
W90014280	3-PHASE TRACK ADAPTER B	for suspended luminaires without steel wire	22.65	24.50
W90014284	3-PHASE TRACK LUMINAIRE SUSPENSION HOOK W	max. load 5kg	11.75	12.70
W90014285	3-PHASE TRACK LUMINAIRE SUSPENSION HOOK B	max. load 5kg	11.75	12.70
W90014288	3-PHASE TRACK FLEXIBLE CONNECTOR W		104.75	113.25
W90014289	3-PHASE TRACK FLEXIBLE CONNECTOR B		104.75	113.25
W90014292	STREX T-CONNECTOR SURF / SUSP W electrical	48V 15A DALI	271.35	293.35
W90014293	STREX T-CONNECTOR SURF / SUSP B electrical	48V 15A DALI	271.35	293.35
W90014294	STREX X-CONNECTOR SURF / SUSP B electrical	48V 15A DALI	308.60	333.60
W90014295	STREX X-CONNECTOR SURF / SUSP W electrical	48V 15A DALI	308.60	333.60
W90014347	STREX SURF / SUSP END CAP M		10.50	11.35
W90014348	STREX SURF / SUSP END CAP Q		10.50	11.35
W90014360	STREX SUSP IN LINE DRIVER D2 100W W	48V 220-240VAC	465.10	502.75
W90014361	STREX SUSP IN LINE DRIVER D2 100W B	48V 220-240VAC	465.10	502.75
W90014362	STREX SUSP IN LINE DRIVER D2 150W W	48V 220-240VAC	480.80	519.75
W90014363	STREX SUSP IN LINE DRIVER D2 150W B	48V 220-240VAC	480.80	519.75
W90014366	STREX SURF IN LINE DRIVER D2 100W W	48V 220-240VAC	381.75	412.65
W90014367	STREX SURF IN LINE DRIVER D2 100W B	48V 220-240VAC	381.75	412.65
W90014368	STREX SUSP CEILING DRIVER D1 100W W	48V 220-240VAC	422.05	456.25
W90014369	STREX SUSP CEILING DRIVER D1 100W B	48V 220-240VAC	422.05	456.25
W90014370	STREX SURF IN LINE DRIVER D2 150W W	48V 220-240VAC	396.10	428.20
W90014371	STREX SURF IN LINE DRIVER D2 150W B	48V 220-240VAC	396.10	428.20
W90014372	STREX SUSP CEILING DRIVER D1 150W W	48V 220-240VAC	442.05	477.85
W90014373	STREX SUSP CEILING DRIVER D1 150W B	48V 220-240VAC	442.05	477.85
W90014376	STREX SURF IN TRACK DRIVER D3 100W Q	48V 220-240VAC	333.00	359.95
W90014377	STREX SURF IN TRACK DRIVER D3 250W Q	48V 220-240VAC	386.15	417.45
W90014378	STREX SURF IN TRACK DRIVER D3 100W M	48V 220-240VAC	333.00	359.95
W90014379	STREX SURF IN TRACK DRIVER D3 250W M	48V 220-240VAC	386.15	417.45
W90014383	STREX TRACK PROFILE SURF / SUSP M 2m	48V 15A DALI	284.15	307.15
W90014383CC	STREX TRACK PROFILE SURF / SUSP M 1001..2000mm	48V 15A DALI CUSTOM CUT	304.30	328.95
W90014384	STREX TRACK PROFILE SURF / SUSP Q 2m	48V 15A DALI	284.15	307.15
W90014384CC	STREX TRACK PROFILE SURF / SUSP Q 1001..2000mm	48V 15A DALI CUSTOM CUT	304.30	328.95
W90014385	STREX TRACK PROFILE SURF / SUSP M 3m	48V 15A DALI	422.05	456.25
W90014385CC	STREX TRACK PROFILE SURF / SUSP M 2001..3000mm	48V 15A DALI CUSTOM CUT	442.20	478.00
W90014386	STREX TRACK PROFILE SURF / SUSP Q 3m	48V 15A DALI	422.05	456.25
W90014386CC	STREX TRACK PROFILE SURF / SUSP Q 2001..3000mm	48V 15A DALI CUSTOM CUT	442.20	478.00
W90014398	STREX L-CONNECTOR SURF / SUSP M electrical	48V 15A DALI	165.05	178.40
W90014399	STREX L-CONNECTOR SURF / SUSP Q electrical	48V 15A DALI	165.05	178.40
W90014458	STREX L-CONNECTOR SURF / SUSP M non-electrical		165.05	178.40
W90014459	STREX L-CONNECTOR SURF / SUSP Q non-electrical		165.05	178.40
W90014501	REED / POLA / GEO PLUG & PLAY T-CONNECTOR	IP67	20.15	21.80
W90014502	REED / POLA / GEO PLUG & PLAY EXTENSION CABLE 2.5m	IP67	51.65	55.85
W90014503	REED / POLA / GEO PLUG & PLAY EXTENSION CABLE 5m	IP67	78.95	85.35
W90014504	REED / POLA / GEO PLUG & PLAY STRAIGHT CONNECTOR	IP67	13.00	14.05
W90015102	ELLO STEEL SUSPENSION CABLE	2.0m	17.85	19.30
W90015114	GIGANT SUSPENSION SET 4.0m		137.75	148.90
W90015165	WIRO CEILING SUSP SET PLUG AND PLAY E27 B 8.5m	connector set for one shade black textile cable	241.10	260.65
W90015195	SUSP SINGLE CEILING BASE INVISIBLE REC B ROUND	plasterkit with fixation and adjustment	150.05	162.20
W90015196	SUSP SINGLE CEILING BASE INVISIBLE REC W ROUND	plasterkit with fixation and adjustment	150.05	162.20
W90017104	PLANO 1.0 PLASTERKIT		25.85	27.95
W90017105	PLANO 2.0 PLASTERKIT		36.60	39.55
W90017111	THEMIS 1.7 PLASTERKIT		37.30	40.30
W90017112	THEMIS 2.7 PLASTERKIT		42.80	46.25
W90017119	LITO PLASTERKIT		22.25	24.05
W90017120	STRANGE TRIMLESS / SNEAK TRIMLESS 1.0 ALUMINIUM PLASTERKIT		56.05	60.60
W90017121	STRANGE TRIMLESS / SNEAK TRIMLESS 2.0 ALUMINIUM PLASTERKIT		61.70	66.70
W90017202	STRANGE PETIT TRIMLESS 1.0 ALUMINIUM PLASTERKIT		51.65	55.85
W90017205	STRANGE PETIT TRIMLESS 2.0 ALUMINIUM PLASTERKIT		56.05	60.60
W90017208	STRANGE PETIT TRIMLESS 3.0 ALUMINIUM PLASTERKIT		60.35	65.25
W90017209	DEEP ADJUST TRIMLESS 1.0 ALUMINIUM PLASTERKIT		35.90	38.80
W90017210	DEEP ADJUST PETIT TRIMLESS / BLIEK PETIT TRIMLESS PLASTERKIT	aluminium	31.65	34.20
W90018007	REVER DINING MULTIPLE CHARGING TRAY B	for 4 luminaires	213.90	231.25
W90018010	ELLO POWER FEEDER DIM W	incl. steel suspension cable 2.0m max. 10 luminaires	83.25	90.00

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W90018011	ELLO POWER FEEDER DIM B	incl. steel suspension cable 2.0m max. 10 luminaires	83.25	90.00
W90018012	ELLO POWER FEEDER DALI W	incl. steel suspension cable 2.0m max. 10 luminaires	106.95	115.60
W90018013	ELLO POWER FEEDER DALI B	incl. steel suspension cable 2.0m max. 10 luminaires	106.95	115.60
W90018014	REED / POLA / GEO PLUG & PLAY DRIVER	24V 24W NON DIM IP67	137.75	148.90
W90018015	REED / POLA / GEO PLUG & PLAY DRIVER	24V 60W NON DIM IP67	165.05	178.40
W90019004	STAKE SNOOT		32.05	34.65
W90019013	CORK BOTTLE 1	clear glass	22.25	24.05
W90019014	CORK BOTTLE 2	clear glass with closing cap	23.75	25.65
W90019017	DIMMER FOR SWITCH	IP30 230V max. 200W LED PHASE CUT DIM	170.85	184.70
W90019018	DIMMER DIN RAIL	IP30 230V max. 200W LED PHASE CUT DIM	222.50	240.50
W90019019	KIOSK / SWAM GROUND FIXATION		29.40	31.80
W90019023	X-BEAM SNOOT B		48.05	51.95
W90019031	X-BEAM ROUND SNOOT B		48.05	51.95
W900190B1	ELLO CONNECTOR POINT B	for max. 4 fixtures DIM / 2 fixtures DALI	71.50	77.30
W900190W1	ELLO CONNECTOR POINT W	for max. 4 fixtures DIM / 2 fixtures DALI	71.50	77.30
W90019163	REVER DINING FLAT PLATE W	with magnetic fixation	25.15	27.20
W90019164	REVER DINING FLAT PLATE B	with magnetic fixation	25.15	27.20
W90019165	REVER DINING CHARGING TRAY W	with magnetic fixation	60.35	65.25
W90019166	REVER DINING CHARGING TRAY B	with magnetic fixation	60.35	65.25
W90019175	REVER DINING CHARGING TRAY Q	with magnetic fixation	60.35	65.25
W90019193	STREX DALI SELV DEVICE	max. 300W 48V	213.90	231.25
W90019195	SUSP SINGLE WALL BASE SURF W ROUND	incl. on/off switch and 2 wall-ceiling brackets	77.60	83.90
W90019196	SUSP SINGLE WALL BASE SURF B ROUND	incl. on/off switch and 2 wall-ceiling brackets	77.60	83.90
W90019197	SUSP WALL-CEILING BRACKET W	for cables dia 4.25-5.5mm	15.75	17.05
W90019198	SUSP WALL-CEILING BRACKET B	for cables dia 4.25-5.5mm	15.75	17.05
W90019199	ILANE DOUBLE SIDE ADHESIVE TAPE 3.0m		20.15	21.80
W90019200	LED MODULE CABLE 1000mm	with connector on 1 end	6.65	7.20
W90019201	LED MODULE CABLE 2000mm	with connector on 1 end	8.45	9.15
W90019202	LED MODULE CABLE 3000mm	with connector on 1 end	10.50	11.35
W900194B0	FINLIN COVER PLATE ADAPTER	for covering the home of concrete housings	17.25	18.65
W900195B0	FINLIN SPACER B	for overlapping	41.70	45.10
W900196B0	FINLIN ROUND SPACER B	for overlapping	41.70	45.10
W90019700	METAL SPRING CLIP	alternative front lamp fixation spring for ø 50 lamp rings	2.80	3.05
W900198B0	SPRING CLIP B	lamp fixation push-in system for ø 50 lamp rings	2.80	3.05
W900198G0	SPRING CLIP G	lamp fixation push-in system for ø 50 lamp rings	2.80	3.05
W900198M0	SPRING CLIP M	lamp fixation push-in system for ø 50 lamp rings	2.80	3.05
W900198Q0	SPRING CLIP Q	lamp fixation push-in system for ø 50 lamp rings	2.80	3.05
W900198S0	SPRING CLIP S	lamp fixation push-in system for ø 50 lamp rings	2.80	3.05
W900198W0	SPRING CLIP W	lamp fixation push-in system for ø 50 lamp rings	2.80	3.05
W900199B1	BOX MINI INNER REFLECTOR B	max. 10W	13.00	14.05
W900199B2	DOCUS MINI INNER REFLECTOR B	max. 10W	13.00	14.05
W900199B3	HEXO MINI INNER REFLECTOR B	max. 10W	13.00	14.05
W900199B4	RAY MINI INNER REFLECTOR B	max. 10W	13.00	14.05
W900199G1	BOX MINI INNER REFLECTOR G	max. 10W	13.00	14.05
W900199G2	DOCUS MINI INNER REFLECTOR G	max. 10W	13.00	14.05
W900199G3	HEXO MINI INNER REFLECTOR G	max. 10W	13.00	14.05
W900199G4	RAY MINI INNER REFLECTOR G	max. 10W	13.00	14.05
W900199M1	BOX MINI INNER REFLECTOR M	max. 10W	13.00	14.05
W900199M4	RAY MINI INNER REFLECTOR M	max. 10W	13.00	14.05
W900199Q1	BOX MINI INNER REFLECTOR Q	max. 10W	13.00	14.05
W900199Q3	HEXO MINI INNER REFLECTOR Q	max. 10W	13.00	14.05
W900199Q4	RAY MINI INNER REFLECTOR Q	max. 10W	13.00	14.05
W900199W1	BOX MINI INNER REFLECTOR W	max. 10W	13.00	14.05
W900199W2	DOCUS MINI INNER REFLECTOR W	max. 10W	13.00	14.05
W900199W3	HEXO MINI INNER REFLECTOR W	max. 10W	13.00	14.05
W900199W4	RAY MINI INNER REFLECTOR W	max. 10W	13.00	14.05
W9003C103	LAMP C35 LED 2700K OPAL	5.5W E14 220-240VAC DIM CRI90	14.25	15.40
W9003E109	LAMP A60 LED 2200K GOLD TINTED	3.8W E27 220-240VAC DIM CRI95	42.80	46.25
W9003E110	LAMP ST64 LED 2200K GOLD TINTED	5.9W E27 220-240VAC DIM CRI95	47.90	51.80
W9003E111	LAMP G95 LED 2200K GOLD TINTED	5.4W E27 220-240VAC DIM CRI95	45.70	49.40
W9003E112	LAMP G125 LED 2200K GOLD TINTED	6.2W E27 220-240VAC DIM CRI95	47.90	51.80
W9003E129	LAMP T30-225 LED 2200K GOLD TINTED	5.3W E27 220-240VAC DIM CRI90	54.40	58.80
W9003E130	LAMP T30-300 LED 2200K GOLD TINTED	7.2W E27 220-240VAC DIM CRI90	59.65	64.50
W9003E135	LAMP T30-300 LED 2700K GOLD TINTED	7.4W E27 220-240VAC DIM CRI90	59.65	64.50
W9003E136	LAMP T30-225 LED 2700K GOLD TINTED	5.3W E27 220-240VAC DIM CRI90	54.40	58.80
W9003E138	LAMP A60 LED 2700K CLEAR	5.6W E27 220-240VAC DIM CRI90	42.80	46.25
W9003E139	LAMP A60 LED 2700K GOLD MIRROR	5.5W E27 220-240VAC DIM CRI90	45.70	49.40
W9003E140	LAMP A60 LED 2700K SILVER MIRROR	5.5W E27 220-240VAC DIM CRI90	45.70	49.40
W9003E142	LAMP G95 LED 2700K GOLD MIRROR	5.6W E27 220-240VAC DIM CRI90	50.00	54.05
W9003E152	LAMP A60 LED 2700K OPAL	9W E27 220-240VAC DIM CRI90	20.05	21.65
W9003E153	LAMP A65 LED 2700K OPAL	14.6W E27 220-240VAC DIM CRI90	31.35	33.90
W9003E154	LAMP G95 LED 2700K OPAL	11.2W E27 220-240VAC DIM CRI90	46.40	50.15
W9003E156	LAMP G95 LED 2200K GOLD MIRROR	5.1W E27 220-240VAC DIM CRI95	50.00	54.05
W9003E157	LAMP G95 LED 2700K SILVER MIRROR	5.6W E27 220-240VAC DIM CRI90	50.00	54.05
W9003E160	LAMP G95 LED 2700K CLEAR	5.6W E27 220-240VAC DIM CRI90	45.30	48.95
W9003S213	ILANE LED COB STRIP IP20 2700K 2.0m 10W/m	800lm/m	53.15	57.45
W9003S215	ILANE LED COB STRIP IP20 3000K 2.0m 10W/m	800lm/m	53.15	57.45
W9003S223	ILANE LED COB STRIP IP20 2700K 2.0m 15W/m	1250lm/m	78.95	85.35
W9003S225	ILANE LED COB STRIP IP20 3000K 2.0m 15W/m	1250lm/m	78.95	85.35
W9003S313	ILANE LED COB STRIP IP20 2700K 3.0m 10W/m	800lm/m	78.95	85.35
W9003S315	ILANE LED COB STRIP IP20 3000K 3.0m 10W/m	800lm/m	78.95	85.35
W9003S323	ILANE LED COB STRIP IP20 2700K 3.0m 15W/m	1250lm/m	106.30	114.90
W9003S325	ILANE LED COB STRIP IP20 3000K 3.0m 15W/m	1250lm/m	106.30	114.90
W9003S413	ILANE LED COB STRIP IP20 2700K 5.0m 10W/m	800lm/m	132.10	142.80
W9003S415	ILANE LED COB STRIP IP20 3000K 5.0m 10W/m	800lm/m	132.10	142.80
W9003S423	ILANE LED COB STRIP IP20 2700K 5.0m 15W/m	1250lm/m	185.20	200.20
W9003S425	ILANE LED COB STRIP IP20 3000K 5.0m 15W/m	1250lm/m	185.20	200.20
W900401W0	BOX / RAY FLAPS FOR ADJUSTABLE BEAM ANGLE W		54.80	59.25
W90051131	HONEYCOMB BLACK	for CENO / LECA / PIRRO spot / BLIEK petit	21.30	23.05
W90051132	HONEYCOMB BLACK	for CENO FORT	27.35	29.55
W90052005	SUSP MULTIPLE CEILING BASE W ROUND up to 4 luminaires		89.05	96.25
W90052006	SUSP MULTIPLE CEILING BASE B ROUND up to 4 luminaires		89.05	96.25
W90052007	SUSP MULTIPLE CEILING BASE W LINEAR for 2 luminaires	600mm	122.00	131.90
W90052008	SUSP MULTIPLE CEILING BASE B LINEAR for 2 luminaires	600mm	122.00	131.90

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W90052009	SUSP MULTIPLE CEILING BASE W LINEAR for 3 luminaires	900mm	160.80	173.80
W90052010	SUSP MULTIPLE CEILING BASE B LINEAR for 3 luminaires	900mm	160.80	173.80
W90052011	SUSP MULTIPLE CEILING BASE W LINEAR for 4 luminaires	1200mm	199.55	215.70
W90052012	SUSP MULTIPLE CEILING BASE B LINEAR for 4 luminaires	1200mm	199.55	215.70
W90052013	SUSP MULTIPLE CEILING BASE W LINEAR for 5 luminaires	1500mm	265.55	287.05
W90052014	SUSP MULTIPLE CEILING BASE B LINEAR for 5 luminaires	1500mm	265.55	287.05
W90052021	SUSP SINGLE CEILING BASE SURF B ROUND		29.40	31.80
W90052022	SUSP SINGLE CEILING BASE SURF W ROUND		29.40	31.80
W90052024	STANDARD HOOK B for 5mm plugs	for multi suspension	6.35	6.85
W90052025	STANDARD HOOK W for 5mm plugs	for multi suspension	6.35	6.85
W90052026	SUSP SINGLE CEILING BASE SEMI REC W ROUND	for shades without steel wire only	65.45	70.75
W90052027	SUSP SINGLE CEILING BASE SEMI REC B ROUND	for shades without steel wire only	65.45	70.75
W90052031	SUSP MULTIPLE CEILING BASE W ROUND up to 8 luminaires		109.85	118.75
W90052032	SUSP MULTIPLE CEILING BASE B ROUND up to 8 luminaires		109.85	118.75
W90052050	WIRO CEILING SUSP SET DECENTER 1.0 E27 B 2.6m	black textile cable for shades up to 2.25kg	153.60	166.05
W90052051	WIRO CEILING SUSP SET DECENTER 1.0 E27 B 6.0m	black textile cable for shades up to 2.25kg	169.35	183.05
W90052055	WIRO CEILING SUSP SET DECENTER 2.0 E27 B 2.6m	black textile cable for shades up to 2.25kg per shade	279.90	302.55
W90052056	WIRO CEILING SUSP SET DECENTER 2.0 E27 B 6.0m	black textile cable for shades up to 2.25kg per shade	322.95	349.10
W90052060	WIRO CEILING SUSP SET DECENTER 3.0 E27 B 2.6m	black textile cable for shades up to 2.25kg per shade	394.70	426.65
W90052062	WIRO CABLE WALL BRACKET B	only for WIRO textile cable	27.60	29.85
W90052063	WIRO CEILING SUSP SET DECENTER 3.0 E27 B 6.0m	black textile cable for shades up to 2.25kg per shade	463.55	501.10
W90052064	STRAIN RELIEF B	for suspended luminaire power cable fixation in base	3.45	3.75
W90052065	OPTIONAL HOOK B for 6mm plugs	for multi suspension	6.25	6.75
W90052066	OPTIONAL HOOK W for 6mm plugs	for multi suspension	6.25	6.75
W90052067	WIRO CEILING SUSP SET DECENTER 4.0 E27 B 2.6m	black textile cable for shades up to 2.25kg per shade	513.80	555.40
W90052072	PIRRO SYSTEM 1.0 CEILING BASE W	for 2 insets	212.40	229.60
W90052073	PIRRO SYSTEM 1.0 CEILING BASE B	for 2 insets	212.40	229.60
W90052074	PIRRO SYSTEM 1.0 CEILING BASE G	for 2 insets	212.40	229.60
W90052075	PIRRO SYSTEM 2.0 CEILING BASE W	for 3 insets	271.35	293.35
W90052076	PIRRO SYSTEM 2.0 CEILING BASE B	for 3 insets	271.35	293.35
W90052077	PIRRO SYSTEM 2.0 CEILING BASE G	for 3 insets	271.35	293.35
W90052078	WIRO CEILING SUSP SET DECENTER 4.0 E27 B 6.0m	black textile cable for shades up to 2.25kg per shade	585.55	633.00
W90052079	CEILING SUSP LUMINAIRE SUSPENSION HOOK W	for cable 4.25-5.5mm diameter	24.45	26.45
W90052080	CEILING SUSP LUMINAIRE SUSPENSION HOOK B	for cable 4.25-5.5mm diameter	24.45	26.45
W90056001	COSTA 1.0 / 2.0 POLE B	with hook	614.25	664.00
W90057170	COSTA DRESS 1.0 BLACK		198.05	214.10
W90057171	COSTA DRESS 1.0 BROWN NATURAL		198.05	214.10
W90057180	COSTA DRESS 2.1 CAGE BLACK		132.10	142.80
W90057181	COSTA DRESS 2.1 CAGE ORANGE		132.10	142.80
W90057182	COSTA DRESS 2.1 CAGE YELLOW		132.10	142.80
W90057183	COSTA DRESS 2.1 CAGE BLUE		132.10	142.80
W90057190	COSTA DRESS 2.0 KNITTED BLACK		103.40	111.80
W90057191	COSTA DRESS 2.0 KNITTED ORANGE		103.40	111.80
W90057192	COSTA DRESS 2.0 KNITTED YELLOW		103.40	111.80
W90057193	COSTA DRESS 2.0 KNITTED BLUE		103.40	111.80
W90059121	SHIEK CABLE RING FOR 3 PIECES B	symmetrical - 3 holes	25.15	27.20
W90059123	SHIEK CABLE RING FOR 3 PIECES W	symmetrical - 3 holes	25.15	27.20
W90059125	PAR16 FLAT HEAD	GU10 220-240VAC	10.95	11.85
W90059126	CONNECTION BOX 3P PAR16	STRAIN RELIEF / 3 POLE PUSH CONNECTOR / PAR16 SOCKET	15.75	17.05
W90059145	WIRE TROUGH CONNECTOR BOX 3 POLE	IP20	20.15	21.80
W90059146	WIRE TROUGH CONNECTOR BOX 3 POLE + DALI	IP20	23.75	25.65
W9010G802	LAMP QT14 LED 2700K	2.6W G9 220-240VAC DIM CRI80	29.85	32.25
W9010G804	LAMP QT14 LED 3000K	3.1W G9 220-240VAC DIM CRI80	29.85	32.25
W901228B3	LAMP PAR16 LED 2700K B	6.5W GU10 220-240VAC DIM CRI90	28.30	30.60
W901228B5	LAMP PAR16 LED 3000K B	6.5W GU10 220-240VAC DIM CRI90	28.30	30.60
W901228W3	LAMP PAR16 LED 2700K W	6.5W GU10 175-250VAC DIM CRI90	28.30	30.60
W901228W5	LAMP PAR16 LED 3000K W	6.5W GU10 175-250VAC DIM CRI90	28.30	30.60
W9019G703	LAMP QT14 LED 3000K	3W G9 220-240VAC NON DIM CRI80	20.15	21.80
W90212801	DRIVER 24V 35W PWM DIM	IP20 220-240VAC	60.35	65.25
W90212802	DRIVER 24V 35W NON DIM	IP67 100-277VAC	73.15	79.10
W90212902	DRIVER 24V 100W PWM DIM	IP20 220-240VAC	101.85	110.10
W90212903	DRIVER 24V 100W NON DIM	IP67 100-277VAC	199.55	215.70
W90213101	DRIVER 350mA 3W 3-12V NON DIM	IP66 90-264VAC	48.05	51.95
W90213202	DRIVER 350mA 6W 3-22V NON DIM	IP20 90-264VAC	48.05	51.95
W90213303	DRIVER 350mA 6W 8.6-18V NON DIM	IP20 100-240VAC	35.20	38.05
W90213602	DRIVER 350mA 17W 5-49V NON DIM	IP68 220-240VAC	96.05	103.85
W90213701	DRIVER 350mA 30W 43-86V NON DIM	IP20 220-240VAC	48.05	51.95
W90214201	DRIVER 500mA 6W 3-12V NON DIM	IP20 90-264VAC	48.05	51.95
W90214301	DRIVER 500mA 7W 5-14.5V NON DIM	IP67 90-295VAC	64.05	69.25
W90214406	DRIVER 500mA 10W 13-20V NON DIM	IP20 220-240VAC	35.20	38.05
W90214702	DRIVER 500mA 24W 5-49V NON DIM	IP68 99-264VAC	103.40	111.80
W90215203	DRIVER 700mA 6W 3-8.4V NON DIM	IP20 90-264VAC	48.05	51.95
W90215301	DRIVER 700mA 7W 3-10.5V NON DIM	IP67 90-295VAC	50.25	54.30
W90218601	DRIVER 350/500/700mA 17.5/20/20W 25-50/20-40/14-28.5V	NON DIM IP20 220-240VAC	53.85	58.20
W90218901	STREX REMOTE DRIVER D1 100W	48V 220-240VAC	123.40	133.40
W90218902	STREX REMOTE DRIVER D1 150W	48V 220-240VAC	149.35	161.45
W90218903	STREX REMOTE DRIVER D1 250W	48V 220-240VAC	185.20	200.20
W90221401	DRIVER 12V 10W PHASE CUT DIM	IP20 220-240VAC	34.50	37.30
W90221701	DRIVER 12V 25W PHASE CUT DIM	IP20 220-240VAC	40.20	43.45
W90222701	DRIVER 24V 25W PHASE CUT DIM	IP20 220-240VAC	63.25	68.35
W90222901	DRIVER 24V 50W PHASE CUT DIM	IP20 220-240VAC	97.60	105.50
W90223101	DRIVER 350mA 4.5W 8-13V PHASE CUT DIM	IP44 220-240VAC	48.90	52.85
W90223301	DRIVER 350mA 7W 12-21V PHASE CUT DIM	IP20 220-240VAC	46.00	49.75
W90223404	DRIVER 350mA 13W 26-38V PHASE CUT DIM	IP20 220-240VAC	58.80	63.55
W90223406	DRIVER 350mA 10W 13-26V PHASE CUT DIM	IP20 220-240VAC	48.90	52.85
W90223504	DRIVER 350mA 14.7W 26-42V PHASE CUT DIM	IP20 220-240VAC	51.65	55.85
W90224301	DRIVER 500mA 6.5W 7-13V PHASE CUT DIM	IP20 220-240VAC PRESET DIP	34.25	37.00
W90224403	DRIVER 500mA 10W 12-21V PHASE CUT DIM	IP20 220-240VAC	51.65	55.85
W90224602	DRIVER 500mA 20W 26-38V PHASE CUT DIM	IP20 220-240VAC PRESET DIP	62.40	67.45
W90225402	DRIVER 700mA 10W 8-14V PHASE CUT DIM	IP20 220-240VAC PRESET DIP	54.55	58.95
W90225502	DRIVER 700mA 15W 12-20V PHASE CUT DIM	IP20 220-240VAC PRESET DIP	56.05	60.60
W90225604	DRIVER 700mA 20W 15-28V PHASE CUT DIM	IP20 220-240VAC PRESET DIP	62.10	67.15
W90225701	DRIVER 700mA 25W 17-35V PHASE CUT DIM	IP20 220-240VAC	65.30	70.60
W90225702	DRIVER 700mA 30W 26-42V PHASE CUT DIM	IP20 220-240VAC PRESET DIP	65.30	70.60

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W90226201	DRIVER 250mA 5W 9-21V PHASE CUT DIM	IP20 220-240VAC	46.00	49.75
W90226501	DRIVER 250mA 10.5W 26-42V PHASE CUT DIM	IP20 220-240VAC PRESET DIP	51.65	55.85
W90228801	DRIVER 350/500/700mA 17/24/32W 2-47/47/46V PHASE CUT DIM	PUSH DIM IP20 220-240VAC PRESET DIP	85.45	92.35
W90234401	DRIVER 500mA 10W 10-20V 1-10V DIM	IP20 220-240VAC	48.90	52.85
W90242901	DRIVER 24V 100W DALI	IP20 220-240VAC	213.90	231.25
W90243501	DRIVER 350mA 14W 2.5-42V DALI-2 / PUSH DIM	IP20 220-240VAC PRESET DIP	89.05	96.25
W90244701	DRIVER 500mA 24W 6-49V DALI-2 / PUSH DIM	IP20 220-240VAC PRESET DIP	91.95	99.40
W90245704	DRIVER 700mA 28W 6-40V DALI-2 / PUSH DIM	IP20 220-240VAC PRESET DIP	91.95	99.40
W90246501	DRIVER 250mA 13W 2.5-52V DALI-2 / PUSH DIM	IP20 220-240VAC PRESET DIP	89.05	96.25
W90270901	DALI TO PHASE CUT DIMMING MODULE 10-300W	230V	308.60	333.60
W905227S2	LAMP PAR16 LED 2700K S	4.3W GU10 220-240VAC NON DIM CRI80	17.15	18.55
W905227S4	LAMP PAR16 LED 3000K S	4.3W GU10 220-240VAC NON DIM CRI80	17.15	18.55
W905251B3	LED MODULE 50 HO 2700K B	12W 35V 350mA CRI90	103.40	111.80
W905251B5	LED MODULE 50 HO 3000K B	12W 35V 350mA CRI90	103.40	111.80
W905251B7	LED MODULE 50 HO 4000K B	12W 35V 350mA CRI90	103.40	111.80
W905251B9	LED MODULE 50 HO 1800-3000K B	12W 35V 350mA CRI90	103.40	111.80
W905251W3	LED MODULE 50 HO 2700K W	12W 35V 350mA CRI90	103.40	111.80
W905251W5	LED MODULE 50 HO 3000K W	12W 35V 350mA CRI90	103.40	111.80
W905251W7	LED MODULE 50 HO 4000K W	12W 35V 350mA CRI90	103.40	111.80
W905251W9	LED MODULE 50 HO 1800-3000K W	12W 35V 350mA CRI90	103.40	111.80
W910010A0	POLE 870 A	with fixation plate	212.40	229.60
W910010B0	POLE 870 B	with fixation plate	212.40	229.60
W910010Q0	POLE 870 Q	with fixation plate	212.40	229.60
W910013A0	POLE 170 A	with fixation plate	132.80	143.55
W910013B0	POLE 170 B	with fixation plate	132.80	143.55
W910013Q0	POLE 170 Q	with fixation plate	132.80	143.55
W910014A0	POLE 270 A	with fixation plate	148.25	160.25
W910014B0	POLE 270 B	with fixation plate	148.25	160.25
W910014Q0	POLE 270 Q	with fixation plate	148.25	160.25
W910016A0	POLE 470 A	with fixation plate	167.30	180.85
W910016B0	POLE 470 B	with fixation plate	167.30	180.85
W910016Q0	POLE 470 Q	with fixation plate	167.30	180.85
W910018A0	POLE 670 A	with fixation plate	185.20	200.20
W910018B0	POLE 670 B	with fixation plate	185.20	200.20
W910018Q0	POLE 670 Q	with fixation plate	185.20	200.20
W910024A0	LINUS POLE 150 A	incl. base	113.45	122.65
W910024D0	LINUS POLE 150 D	incl. base	113.45	122.65
W910024Q0	LINUS POLE 150 Q	incl. base	113.45	122.65
W910026A0	LINUS POLE 350 A	incl. base	149.35	161.45
W910026D0	LINUS POLE 350 D	incl. base	149.35	161.45
W910026Q0	LINUS POLE 350 Q	incl. base	149.35	161.45
W910028A0	LINUS POLE 550 A	incl. base	192.40	208.00
W910028D0	LINUS POLE 550 D	incl. base	192.40	208.00
W910028Q0	LINUS POLE 550 Q	incl. base	192.40	208.00
W910062A0	STIPO POLE 200 A	incl. base	45.30	48.95
W910062Q0	STIPO POLE 200 Q	incl. base	45.30	48.95
W910064A0	STIPO POLE 400 A	incl. base	50.25	54.30
W910064Q0	STIPO POLE 400 Q	incl. base	50.25	54.30
W910066A0	STIPO POLE 600 A	incl. base	54.55	58.95
W910066Q0	STIPO POLE 600 Q	incl. base	54.55	58.95
W910070A0	POLE 870 A	with concrete ground fixation	255.45	276.15
W910070B0	POLE 870 B	with concrete ground fixation	255.45	276.15
W910070Q0	POLE 870 Q	with concrete ground fixation	255.45	276.15
W910073A0	POLE 170 A	with concrete ground fixation	169.35	183.05
W910073B0	POLE 170 B	with concrete ground fixation	169.35	183.05
W910073Q0	POLE 170 Q	with concrete ground fixation	169.35	183.05
W910074A0	POLE 270 A	with concrete ground fixation	185.20	200.20
W910074B0	POLE 270 B	with concrete ground fixation	185.20	200.20
W910074Q0	POLE 270 Q	with concrete ground fixation	185.20	200.20
W910076A0	POLE 470 A	with concrete ground fixation	203.85	220.35
W910076B0	POLE 470 B	with concrete ground fixation	203.85	220.35
W910076Q0	POLE 470 Q	with concrete ground fixation	203.85	220.35
W910078A0	POLE 670 A	with concrete ground fixation	221.10	239.00
W910078B0	POLE 670 B	with concrete ground fixation	221.10	239.00
W910078Q0	POLE 670 Q	with concrete ground fixation	221.10	239.00
W910090B0	SWAM STRAIGHT POLE 400 B	incl. base and ground spike	140.65	152.05
W910090Q0	SWAM STRAIGHT POLE 400 Q	incl. base and ground spike	140.65	152.05
W910091B0	SWAM STRAIGHT POLE 600 B	incl. base and ground spike	157.90	170.70
W910091Q0	SWAM STRAIGHT POLE 600 Q	incl. base and ground spike	157.90	170.70
W910092B0	SWAM STRAIGHT POLE 800 B	incl. base and ground spike	175.15	189.35
W910092Q0	SWAM STRAIGHT POLE 800 Q	incl. base and ground spike	175.15	189.35
W910093B0	SWAM CURVED POLE 400 B	incl. base and ground spike	192.40	208.00
W910093Q0	SWAM CURVED POLE 400 Q	incl. base and ground spike	192.40	208.00
W910094B0	SWAM CURVED POLE 600 B	incl. base and ground spike	196.65	212.60
W910094Q0	SWAM CURVED POLE 600 Q	incl. base and ground spike	196.65	212.60
W910095B0	SWAM CURVED POLE 800 B	incl. base and ground spike	212.40	229.60
W910095Q0	SWAM CURVED POLE 800 Q	incl. base and ground spike	212.40	229.60
W910101A0	KIOSK POLE 400 A	incl. base and ground spike	155.00	167.55
W910101Q0	KIOSK POLE 400 Q	incl. base and ground spike	155.00	167.55
W910102A0	KIOSK POLE 600 A	incl. base and ground spike	172.25	186.20
W910102Q0	KIOSK POLE 600 Q	incl. base and ground spike	172.25	186.20
W910103A0	KIOSK POLE 800 A	incl. base and ground spike	189.50	204.85
W910103Q0	KIOSK POLE 800 Q	incl. base and ground spike	189.50	204.85
W910121A0	GATE 1.0 POLE 250 A	with fixation plate	77.60	83.90
W910121Q0	GATE 1.0 POLE 250 Q	with fixation plate	77.60	83.90
W910122A0	GATE 1.0 POLE 450 A	with fixation plate	96.20	104.00
W910122Q0	GATE 1.0 POLE 450 Q	with fixation plate	96.20	104.00
W910123A0	GATE 1.0 POLE 650 A	with fixation plate	120.65	130.40
W910123Q0	GATE 1.0 POLE 650 Q	with fixation plate	120.65	130.40
W910124A0	GATE 2.0 POLE 250 A	with fixation plate	77.60	83.90
W910124Q0	GATE 2.0 POLE 250 Q	with fixation plate	77.60	83.90
W910125A0	GATE 2.0 POLE 450 A	with fixation plate	96.20	104.00
W910125Q0	GATE 2.0 POLE 450 Q	with fixation plate	96.20	104.00
W910126A0	GATE 2.0 POLE 650 A	with fixation plate	120.65	130.40

N° Article	Nom du luminaire	Description	PRIX BRUT H.T	PRIX BRUT T.T.C
W910126Q0	GATE 2.0 POLE 650 Q	with fixation plate	120.65	130.40
W911002B0	STREX BLANK COVER B 2m		70.40	76.10
W911002W0	STREX BLANK COVER W 2m		70.40	76.10
W911011B1	BOX INNER COVER B	max. 10W	31.65	34.20
W911011D1	BOX INNER COVER D	max. 10W	31.65	34.20
W911011G1	BOX INNER COVER G	max. 10W	31.65	34.20
W911011M1	BOX INNER COVER M	max. 10W	31.65	34.20
W911011Q1	BOX INNER COVER Q	max. 10W	31.65	34.20
W911011W1	BOX INNER COVER W	max. 10W	31.65	34.20
W911021B1	DOCUS INNER COVER B	max. 10W	31.65	34.20
W911021G1	DOCUS INNER COVER G	max. 10W	31.65	34.20
W911021W1	DOCUS INNER COVER W	max. 10W	31.65	34.20
W911031B1	HEXO INNER COVER B	max. 10W	31.65	34.20
W911031G1	HEXO INNER COVER G	max. 10W	31.65	34.20
W911031W1	HEXO INNER COVER W	max. 10W	31.65	34.20
W911041A1	RAY INNER COVER A	max. 10W	31.65	34.20
W911041B1	RAY INNER COVER B	max. 10W	31.65	34.20
W911041D1	RAY INNER COVER D	max. 10W	31.65	34.20
W911041G1	RAY INNER COVER G	max. 10W	31.65	34.20
W911041M1	RAY INNER COVER M	max. 10W	31.65	34.20
W911041W1	RAY INNER COVER W	max. 10W	31.65	34.20
W911211B1	BOX 1.0 INNER REFLECTOR B	max. 10W	28.05	30.30
W911211D1	BOX 1.0 INNER REFLECTOR D	max. 10W	28.05	30.30
W911211G1	BOX 1.0 INNER REFLECTOR G	max. 10W	28.05	30.30
W911211M1	BOX 1.0 INNER REFLECTOR M	max. 10W	28.05	30.30
W911211Q1	BOX 1.0 INNER REFLECTOR Q	max. 10W	28.05	30.30
W911211W1	BOX 1.0 INNER REFLECTOR W	max. 10W	28.05	30.30
W911251B1	BOX 2.0 INNER REFLECTOR B	max. 10W	37.30	40.30
W911251G1	BOX 2.0 INNER REFLECTOR G	max. 10W	37.30	40.30
W911251M1	BOX 2.0 INNER REFLECTOR M	max. 10W	37.30	40.30
W911251W1	BOX 2.0 INNER REFLECTOR W	max. 10W	37.30	40.30
W911420B0	ODREY INNER COVER 1.0 B	suitable for shades 1.6 / 1.7	40.20	43.45
W911420G0	ODREY INNER COVER 1.0 G	suitable for shades 1.6 / 1.7	40.20	43.45
W911420W0	ODREY INNER COVER 1.0 W	suitable for shades 1.6 / 1.7	40.20	43.45
W911902B1	ILANE 1.0 OPAL BLACK DIFFUSER 2.0m		18.95	20.50
W911903B1	ILANE 1.0 OPAL BLACK DIFFUSER 3.0m		27.35	29.55
W911912B1	ILANE 3.0 OPAL BLACK DIFFUSER 2.0m		22.95	24.80
W911913B1	ILANE 3.0 OPAL BLACK DIFFUSER 3.0m		31.65	34.20
W911991B2	ILANE CEILING SURF 1.0 B 2.0m		39.35	42.55
W911991B3	ILANE CEILING SURF 1.0 B 3.0m		63.25	68.35
W911991W2	ILANE CEILING SURF 1.0 W 2.0m		39.35	42.55
W911991W3	ILANE CEILING SURF 1.0 W 3.0m		63.25	68.35
W911992B2	ILANE CEILING SURF 2.0 B 2.0m		58.80	63.55
W911992B3	ILANE CEILING SURF 2.0 B 3.0m		81.85	88.50
W911992W2	ILANE CEILING SURF 2.0 W 2.0m		58.80	63.55
W911992W3	ILANE CEILING SURF 2.0 W 3.0m		81.85	88.50
W911993B2	ILANE CEILING SURF 3.0 B 2.0m		61.70	66.70
W911993B3	ILANE CEILING SURF 3.0 B 3.0m		90.40	97.70
W911993W2	ILANE CEILING SURF 3.0 W 2.0m		61.70	66.70
W911993W3	ILANE CEILING SURF 3.0 W 3.0m		90.40	97.70
W911994B2	ILANE CEILING REC 4.0 B 2.0m		77.60	83.90
W911994B3	ILANE CEILING REC 4.0 B 3.0m		103.40	111.80
W911994W2	ILANE CEILING REC 4.0 W 2.0m		77.60	83.90
W911994W3	ILANE CEILING REC 4.0 W 3.0m		103.40	111.80

Conditions générales de vente

OFFRES ET PRIX

Les offres de BDK SA sont sans engagement et ont une durée de validité de 3 mois sous réserve d'un accord spécifique entre les deux parties. Les prix sont exprimés en francs suisse et BDK SA se réserve le droit de réviser ses tarifs en cas de forte fluctuation des devises étrangères. Les prix présentés dans les catalogues papiers restent indicatifs et le client doit se référer à la version en ligne sur le site internet de l'entreprise pour s'informer sur les tarifs actuels. Les frais d'expédition et les taxes de recyclage ne sont pas inclus dans les devis offerts.

FRAIS D'EXPEDITION ET DE TRANSPORT

BDK SA détermine le mode de livraison et peut procéder à des livraisons partielles. Pour les expéditions par camion BDK, la signature du destinataire ou d'un membre de son personnel tiendra lieu de confirmation attestant que la livraison est complète et sans défaut apparent. Les livraisons expédiées par un service externe (La Poste Suisse, UPS, Camion Transport) sont aux risques et périls du destinataire. Les frais d'emballage et d'expédition par envoi postal sont facturés séparément selon les tarifs suivants :

Traitement d'emballage + envoi POSTPAC PRIORITY (max. 100x60x60mm – jusqu'à 30kg) – livraison sous 1 jour ouvrable: Frais de 18.00 CHF
Traitement d'emballage + envoi POSTPAC EXPRESS (max. 100x60x60mm – jusqu'à 30kg) – livraison sous 1 jour ouvrable, avant 9h00: Frais de 35.00 CHF
Traitement d'emballage + envoi POSTPAC ENCOMBRANT (max. 250x60x60mm – jusqu'à 30kg) – livraison sous 2 jours ouvrables: Frais de 35.00 CHF

Toutes commandes d'un montant supérieur à 1'500 CHF net hors taxe seront livrées franco. Les livraisons par camion BDK sont une prestation offerte par les services de BDK SA. Ce dernier décide de la planification des livraisons selon les régions et les disponibilités.

RECLAMATION

Toute réclamation concernant des livraisons en quantités insuffisantes ou erronées ainsi que des défauts éventuels doit impérativement être communiquée par écrit dans les **8 jours suivants la livraison**. Sans avis de votre part passé ce délai, BDK SA considère la marchandise comme acceptée et conforme et ne pourra plus faire d'objet d'une réclamation.

COMMANDE

En passant commande, le client reconnaît ces conditions de vente et de livraison. **Aucune modification ou annulation ne peut être acceptée.** La marchandise commandée sur appel est considérée comme acquise et doit être acceptée dans les délais fixés. En cas de livraison partielle demandée par le client, BDK SA s'autorise à établir une facture intermédiaire pour la marchandise déjà livrée ou stockée suite à un accord spécifique oral ou écrit entre les deux parties.

DELAI DE LIVRAISON

Les délais de livraison sont respectés dans la mesure du possible. Il ne sera pas tenu compte de demandes de compensation en cas de dépassement de ces derniers. L'évolution des commandes peut être renseignée sur demande par téléphone auprès du service clients de BDK SA.

PAIEMENT ET RETARD DE PAIEMENT

Les factures sont payables à 30 jours sans aucune déduction. BDK SA s'autorise à demander une demande d'acompte selon la valeur de la commande ou pour une ouverture de compte. En cas de retard de paiement, des intérêts de retard équivalent à 5% de la valeur comptabilisée seront facturés dès le premier rappel pour frais administratifs.

ECHANTILLONS

BDK SA met à disposition pour un délai de 15 jours ouvrables des échantillons de luminaires selon les stocks disponibles et s'autorise à renoncer à une demande selon le type de luminaire. Passé ce délai, les échantillons seront facturés et une note de crédit à 100% sera établie en cas de retour dans leur emballage d'origine et sans modification de la part du client. Les prototypes fabriqués spécialement pour un intéressé ne pourront faire l'objet d'un retour.

RETOURS

Le retour de marchandise doit **être signalé par écrit et justifié par un motif valable**. Dans tous les cas, la marchandise doit être retournée dûment emballée et franco domicile à BDK SA accompagnée du bulletin de livraison ou d'une facture correspondante. BDK SA s'autorise à ne pas donner suite à un retour de marchandise sans document annexé à l'envoi. BDK SA s'autorise à facturer des frais fixes pour la gestion et le contrôle des retours selon les tarifs suivants : Traitement d'un retour par réception postale d'un expéditeur, contrôle de la marchandise, remise en stock : Frais de 15.00 CHF Traitement d'un retour par la prise en charge de la marchandise par BDK SA, contrôle de la marchandise, remise en stock : Frais de 35.00 CHF. Ces tarifs ne comprennent pas les frais supplémentaires pour le renvoi de marchandise auprès du fabricant qui resteront la charge du client. La marchandise sans défaut sera créditée à 80% de sa valeur nette. Le matériel endommagé ne sera pas crédité et sera retourné à l'expéditeur. Les frais administratifs pour la gestion du retour et la remise en stock seront à la charge du client. L'emballage d'origine manquant sera facturé. Les exécutions spéciales ou fabrications sur-mesure ne pourront pas faire l'objet d'un retour.

BDK SA s'autorise à refuser un retour de marchandise si le motif n'impute pas une erreur de BDK SA.

GARANTIE

La garantie pour tous les luminaires et les modules de gestion est de 2 ans à dater de la livraison. Pendant cette période, elle se limite à des défauts décelables, imputables à des erreurs de matériel, d'exécution ou de fabrication de la part de BDK SA. Toutes autres garanties ou compensation de dommage sont exclues. En particulier, les frais de démontage ou remontage de luminaires et modules de gestion ne sont pas reconnus. En outre, aucune garantie ne sera valable pour du matériel qui aurait été modifié ou réparé par le client ou si les instructions d'installation ou de service fournis par le fabricant n'ont pas été respectées. Sont également exclus de la garantie, les luminaires dont la construction artisanale du client aurait des défauts imputables à des erreurs de conception.



www.bdk-luminaires.ch