




THEMIS


INSTALLATION INSTRUCTIONS | NOVEMBER 2022




plasterkit dimensions



recessed housing dimensions - always use in combination with plasterkit



DIMENSIONS




MOUNTING INSTRUCTION

- 1 Make a hole in the wall according to the prescribed dimensions.

Optional: plasterkit / recessed housing


*When using a recessed housing and/or plasterkit please consult page 2 for more detailed mounting instructions.



5 POWER CONNECTION

SERIAL CONNECTION - for LED



Always use a driver according to the specifications of the LED module.



- 6 Insert the fixture into the wall or plasterkit / recessed housing.


PB19-010-398-00_V2

DETAILED MOUNTING INSTRUCTION (when using plasterkit):







- 2** Make sure the power cable is easy accessible.
- 3** Fix the plasterkit against the wall with screws. Optionally use a recessed housing.
- 4** Apply plaster to the wall and plasterkit.

Go back to page 1 for further installation.



THEMIS


INSTALLATION INSTRUCTIONS | NOVEMBER 2022



DISMOUNTING AND RECYCLING INSTRUCTIONS

Light source

- 1 Dismount the fixture in opposite direction to the mounting instructions.
- 2 Unplug the connector and remove the LED module.
- 3 Break the glass.
- 4 Unscrew the light source to remove it.



The light source is not replaceable.



This luminaire contains a light source with the energy class F.